

FARRELL

Equipment & Supply Co., Inc.

**Anchors, Blades,
Bits, Caulks &
Adhesives**



FARRELL
Equipment & Supply Co., Inc.
Construction
Supplies & Equipment
Sales & Rental

www.FarrellEquipment.com

YOUR #1
Jobsite Supply
RESOURCE

Anchors, Blades, Bits, Caulks, & Adhesives

WEDGE-BOLT® ANCHORS



The Wedge-Bolt® anchor is a one piece, heavy duty anchor with either a finished hex head or countersunk Phillips flat head. It is easy to identify, removable and vibration resistant.


Base Material: Concrete, Block, Brick, Stone.

Size range: 3/16" x 1-1/4" to 3/4" x 8".

Anchor material: Heat Treated, High Strength Carbon Steel.

The Wedge-Bolt anchor is versatile and can be used in a variety of base materials. This reduces the need to stock assorted anchor types and learn a variety of installation procedures.

- Removable, Reusable.
- Easy to read length identification.
- Safer, more attractive finished appearance.



- RA7214 1/2" x 6" Wedge-Bolt Anchor
- RA7215 1/4" x 3" Wedge-Bolt Anchor
- RA7216 3/8" x 4" Wedge-Bolt Anchor
- RA7217 1/2" x 4" Wedge-Bolt Anchor
- RA7218 1/2" x 5" Wedge-Bolt Anchor
- RA7219 5/8" x 4" Wedge-Bolt Anchor
- RA7220 3/8" x 1-3/4" Wedge-Bolt Anchor
- RA7221 5/8" x 5" Wedge-Bolt Anchor
- RA7227 5/8" x 6" Wedge-Bolt Anchor
- RA7229 5/8" x 7" Wedge-Bolt Anchor
- RA7231 3/4" x 6" Wedge-Bolt Anchors
- RA7232 3/4" x 8" Wedge-Bolt Anchor
- RA7233 1/2" x 6 1/2" Wedge-Bolt Anchor



Additional Sizes and Styles available!

AIR PUMP



RA08280 Hand Air Pump for Anchor Holes
Used to remove dust and debris from the drilled anchor holes.

POWER-STUD™ ANCHORS



Wedge Type Expansion Anchor


The Power-Stud Anchor is a one piece, wedge style anchor. Manufactured from carbon steel which is plated with commercial bright zinc and supplementary chromate in accordance with ASTM specification B633, SC1, Type III.

- RA7400 1/4" x 1-3/4" Stud
- RA7402 1/4" x 2-1/4" Stud (7402SD1)
- RA7404 1/4" x 3-1/4" Stud
- RA7410 3/8" x 2-1/4" Stud (7410SD1)
- RA7412 3/8" x 2-3/4" Stud (7412SD1)
- RA7414 3/8" x 3 1/2" Stud (7414SD1)
- RA7416 3/8" x 5" Stud (7416SD1)
- RA7420 1/2" x 2-3/4" Stud
- RA7422 1/2" x 3-3/4" Stud
- RA7423 1/2" x 4-1/2" Stud
- RA7424 1/2" x 5-1/2" Stud (7424SD1)
- RA7426 1/2" x 7" Stud (7426SD1)
- RA7430 5/8" x 3-1/2" Stud (7430SD1)
- RA7432 5/8" x 4-1/2" Stud
- RA7433 5/8" x 5" Stud
- RA7434 5/8" x 6" Stud
- RA7438 5/8" x 8-1/2" Stud (7438SD1)
- RA7440 3/4" x 4-1/4" Stud
- RA7442 3/4" x 5-1/2" Stud
- RA7446 3/4" x 7" Stud
- RA7448 3/4" x 8-1/2" Stud
- RA7461 1" x 6" Stud

TAPPER™ SCREW ANCHORS



The TAPPER Anchoring System is a family of screw anchors, specially designed drill bits and installation tools designed to meet the needs of most light to medium duty applications in concrete, block and brick.



- RA2700 100 Pc Box 3/16" x 1-1/4" Hex Head Tapcon
- RA2702 100 Pc. Box 3/16" x 1-3/4" Hex Head Tapcon
- RA2704 100 Pc Box 3/16" x 2-1/4" Hex Head Tapcon
- RA2706 100 Pc. Box 3/16" x 2-3/4" Hex Head Tapcon
- RA2708 100 Pc. Box 3/16" x 3-1/4" Hex Head Tapcon
- RA2720 100 Pc. Box 1/4" x 1-1/4" Hex Head Tapcon
- RA2722 100 Pc. Box 1/4" x 1-3/4" Hex Head Tapcon
- RA2724 100 Pc. Box 1/4" x 2-1/4" Hex Head Tapcon
- RA2726 100 Pc. Box 1/4" x 2-3/4" Hex Head Tapcon
- RA2728 100 Pc. Box 1/4" x 3-1/4" Hex Head Tapcon
- RA2730 100 Pc. Box 1/4" x 3-3/4" Hex Head Tapcon
- RA2732 100 Pc. Box 1/4" x 4" Hex Head Tapcon
- RA2740 100 Pc. Box 3/16" x 1-1/4" Phillips Head Tapcon
- RA2742 100 Pc. Box 3/16" x 1-3/4" Phillips Head Tapcon
- RA2744 100 Pc. Box 3/16" x 2-1/4" Phillips Head Tapcon
- RA2746 100 Pc. Box 3/16" x 2-3/4" Phillips Head Tapcon
- RA2748 100 Pc. Box 3/16" x 3-1/4" Phillips Head Tapcon
- RA2750 100 Pc. Box 3/16" x 3-3/4" Phillips Head Tapcon
- RA2752 100 Pc. Box 3/16" x 4" Phillips Head Tapcon
- RA2760 100 Pc. Box 1/4" x 1-1/4" Phillips Head Tapcon
- RA2762 100 Pc. Box 1/4" x 1-3/4" Phillips Head Tapcon
- RA2764 100 Pc. Box 1/4" x 2-1/4" Phillips Head Tapcon
- RA2766 100 Pc. Box 1/4" x 2-3/4" Phillips Head Tapcon
- RA2768 100 Pc. Box 1/4" x 3-1/4" Phillips Head Tapcon
- RA2770 100 Pc. Box 1/4" x 3-3/4" Phillips Head Tapcon
- RA2772 100 Pc. Box 1/4" x 4" Phillips Head Tapcon
- RA2774 100 Pc. Box 1/4" x 5" Phillips Head Tapcon

Anchors, Blades, Bits, Caulks, & Adhesives

LOK-BOLT™ ANCHORS




Sleeve Type Expansion Anchor

The Lok-Bolt is a pre-assembled single unit sleeve anchor available in carbon steel and stainless steel which can be used in concrete, block, brick and stone. The Lok-Bolt is designed to draw the fixture into full bearing against the base material through the action of its unique, flexible, compression ring.

- RA5015** 3/8" x 1-7/8" Lok Bolt (5015S)
- RA5020** 3/8" x 3" Lok Bolt
- RA5025** 1/2" x 2-1/4" Lok Bolt
- RA5030** 1/2" x 3" Lok Bolt
- RA5033** 1/2" x 5-1/4" Lok Bolt
- RA5034** 1/2" x 4" Lok Bolt
- RA5500** 100 Pc. Box 1/4" x 2" Flathead Threshold Bolt

Available in a wide variety of head styles



SPIKE® ANCHORS




The SPIKE is a patented, one-piece, vibration resistant anchor for use in concrete, block, brick or stone. Several head styles and anchor materials are available.

- RA5504** 3/16" x 1-1/2" Spike Mushroom Head
- RA5506** 3/16" x 2" Spike Mushroom Head
- RA5508** 3/16" x 2-1/2" Spike Mushroom Head
- RA5510** 3/16" x 3" Spike Mushroom Head
- RA5511** 3/16" x 3-1/2" Spike Mushroom Head
- RA5512** 3/16" x 4" Spike Mushroom Head
- RA5524** 1/4" x 1-1/2" Spike Mushroom Head
- RA5526** 1/4" x 2" Spike Mushroom Head
- RA5530** 1/4" x 3" Spike Mushroom Head

- RA5628** 1/4" x 2-1/2" Spike Flat Head
- RA5630** 1/4" x 3" Spike Flat Head
- RA5632** 1/4" x 4" Spike Flat Head

- RA3794** 1/4" x 2-3/4" Forming Spikes
- RA3797** 3/16" x 2-3/4" Forming Spikes

Other Styles Available:



RAWL DRIVE®



The Drive® is a one piece tamper-proof, pre-expanded anchor available in carbon steel for use in concrete and stone. The flat head (counter-sunk) style is particularly suited for wood-to-concrete anchoring.

- RA3092** 3/16" x 1-1/2" Flat Head Drive
- RA3122** 3/16" x 2" Flat Head Drive
- RA3152** 3/16" x 2-1/2" Flat Head Drive
- RA3162** 3/16" x 3" Flat Head Drive
- RA3242** 1/2" x 1-1/2" Flat Head Drive
- RA3272** 1/4" x 2" Flat Head Drive
- RA3302** 1/4" x 2-1/2" Flat Head Drive
- RA3332** 1/4" x 3" Flat Head Drive
- RA3362** 1/4" x 3-1/2" Flat Head Drive
- RA3392** 1/4" x 4" Flat Head Drive

STEEL DROP-IN ANCHORS



Smooth Wall



Flanged

The Steel Drop-In is an all steel, machine bolt anchor available in carbon steel. It can be used in solid concrete, hard stone, and solid block.

- RA6306** 3/8" X 1-1/2" Steel Drop-Ins w/ No Lip (Mad.)
- RA6308** 1/2" X 2" Steel Drop-Ins w/ No Lip (Mad.)
- RA6312** 3/4" X 3" Steel Drop-Ins w/ No Lip (Mad.)
- RA6320** 5/8" Steel Drop-Ins
- RA6322** 3/8" Mini Steel Drop-Ins (Mad.)
- RA6326** 3/8" Flanged Drop-Ins
- RA6328** 1/2" Flanged Drop-Ins

Drop in Setting Tool For Steel Drop-In Anchors



- RA6307** Setting Tool for 3/8" Drop-Ins
- RA6309** Setting Tool for 1/2" Drop-Ins
- RA6311** Setting Tool for 5/8" Drop-Ins

POWER-BOLT®



The Power-Bolt™ anchor is a heavy duty sleeve style anchor which is vibration resistant and removable. It is available with a finished hex head or flat head with a hex key insert and can be used in concrete, block, brick, or stone

- RA6902** 1/4" x 1-3/4" Rawl Bolt
- RA6932** 1/2" x 3-3/4" Rawl Bolt

Anchors, Blades, Bits, Caulks, & Adhesives

ZAMAC NAILIN® ANCHORS



The Zamac Nailin is a nail drive anchor which has a body formed from Zamac alloy. The anchor can be used in concrete, block, brick or stone.

- RA2802** 3/16" x 7/8" Zamac Nailin
- RA2803** 3/16" x 7/8" Zamac Nailin (1,000 Pc. Bulk Box)
- RA2806** 1/4" x 3/4" Zamac Nailin
- RA2808** 1/4" x 1" Zamac Nailin
- RA2809** 1/4" x 1" Zamac Nailin (1,000 Pc. Bulk Box)
- RA2814** 1/4" x 1-1/4" Zamac Nailin
- RA2815** 1/4" x 1-1/4" Zamac Nailin (1,000 Pc. Bulk Box)
- RA2820** 1/4" x 1-1/2" Zamac Nailin
- RA2821** 1/4" x 1-1/2" Zamac Nailin (1,000 Pc. Bulk Box)
- RA2826** 1/4" x 2" Zamac Nailin
- RA2827** 1/4" x 2" Zamac Nailin (1,000 Pc. Bulk Box)

NYLON NAILIN® ANCHORS



The Nylon Nailin is a pin drive anchor with a body formed from engineered nylon and nails available in carbon and stainless steel.

- RA2528** 100 Pc. Box 1/4" x 1" Nylon Nailin - SS
- RA2543** 1/4" x 1-1/2" Nylon Nailins
- RA2548** 100 Pc. Box 1/4 x 1-1/2" Nylon Nailin - SS
- RA2563** 1/4" x 2" Nylon Nailins
- RA2573** 1/4" x 3" Nylon Nailins
- RA2583** 1/4" x 4" Nylon Nailins

ZAMAC HAMMER-SCREW®



The Zamac Hammer-Screw® is a unique, one-step drive anchor featuring a Phillips type head and a screw thread for use in concrete, block, brick or stone. With a body formed from corrosion resistant Zamac alloy and a carbon or stainless steel drive screw, this anchor has been developed by Powers as an improvement over standard nailin anchors.

- RA2844** 1/4" x 1-1/2" Zamac Hammer Screw
- RA2846** 1/4" x 2" Zamac Hammer Screw
- RA2850** 1/4" x 3" Zamac's w/ Mushroom Head

SCREWS

Hex Head Screws



- SQ9150** Box #10 x 1-1/2 Self Drill Screw for Steel

*If you don't see the anchor you need...
Give us a call. We'll find it for you!*

THE BANTAM PLUG™



RA7579 Bantam Plug 10-12 x 1" - 100 Pc. Box

A plastic anchor designed for use with lightweight fixtures with a sheet metal or wood screw. The anchor is recommended for light duty static applications where holding power is not a critical factor. It should not be used overhead.

POLY-TOGGLE



RA2305 5/8" Poly Toggle

A screw actuated hollow wall anchor for use in paneling, wallboard and solid masonry available in 6 sizes to match the most common wall thicknesses. In solid base materials, the anchor can be used by removing the outer wings. The anchor is recommended for light duty static applications.


THE WALL-DOG™



RA2316 Wall-Dog Chrome Anchor - 100 Pc. Box

An all steel, one piece, threaded fastener, which is used to fasten various fixtures directly to drywall. It is installed directly through the fixture into the drywall. 3/16" x 1-1/4".

ZIP-IT® ANCHORS



RA2346 Zinc Zip-It

A one piece self drilling anchor designed for use in hollow gypsum wallboard for light duty loads. It is available in both engineered nylon and Zamac alloy.

DRYWALL SCREWS



Coarse Thread

Original and primary application of drywall to wood studs. Also used in many interior wood and fixture applications.

- SQCS114** 8M Box 1-1/4" Drywall Screws - Coarse
- SQCS158** 5M Box 1-5/8" Drywall Screws - Coarse
- SQCS212** 2.5M Box 2-1/2" Drywall Screws - Coarse
- SQCS300** 2M Box 3" Drywall Screws - Coarse
- SQCS400** 1M Box 4" Drywall Screws - Coarse
- SQCS500** 1M Box 5" Drywall Screws - Coarse
- SQCS600** 1M Box 6" Drywall Screws - Coarse
- SQCS6200** 3.5M Box 2" Drywall Screws - Coarse

Anchors, Blades, Bits, Caulks, & Adhesives

ANCHOR BOLTS

"L" Shaped Low Carbon Anchor Bolts with Washers & Nuts



- AN1008** 50 Pc. Box 3/8" x 8" "L" Shape Anchor Bolts
- AN2006** 50 Pc. Box 1/2" x 6" "L" Shape Anchor Bolts
- AN2008** 50 Pc. Box 1/2" x 8" "L" Shape Anchor Bolts
- AN2010** 50 Pc. Box 1/2" x 10" "L" Shape Anchor Bolts
- AN2012** 50 Pc. Box 1/2" x 12" "L" Shape Anchor Bolts
- AN3012** 3/4" x 12" "L" Shape Anchor Bolts w/ Nut & Washer
- AN3018** 3/4" x 18" "L" Shape Anchor Bolts w/ Nut & Washer
- ANG1000** 50 Pc. Box 1/2" X 2" X 2" Galv. Square Anchor Bolt Washer
- ANG2006** Galv. 50 Pc. Box 1/2" X 6" "L" Shaped Anchor Bolts
- ANG2008** Galv. 50 Pc. Box 1/2" x 8" "L" Shape Anchor Bolts
- ANG2010** Galv. 50 Pc. Box 1/2" x 10" "L" Shape Anchor Bolts
- ANG2015** Galv. 50 Pc. Box 1/2" X 10" "L" Anchor Bolt w/Square Washers

Additional Sizes Available

ANCHOR POSITIONER



An innovative multi-function pole base template engineered to hold the anchor bolts and conduits securely in place while supporting the rebar cage during the toughest concrete pours.

- BOL-518-00401** 18" Bolt Star - Anchor Bolt Positioning Tool
- BOL-524-00400** 24" Bolt Star - Anchor Bolt Positioning Tool
- BOL-004-00405** Set Of Xtenders for Nested Forming Tubes (4 each)


CONCRETE ANCHOR



The STHD is an embedded strap tie holddown with high load capacity and a staggered nail pattern to help minimize splitting. The STHD strap tie holddown incorporates many features that improve installation and function.

SIMSTHD14 Simpson Strap Tie Hold Down Anchor


ANCHOR CLIPS



18 gauge. Galvanized. BOCA Research Report 92-30. Holds wood sill to masonry foundation, both poured and block construction.

MUDSILL ANCHORS

The LMA offers a higher lateral load capacity in a lighter gauge. Two sizes provide an economical replacement for 1/2" diameter sill plate bolts.



SIMLA6Z 6" Anchors - 100 pc. box

REBAR TIER



MAX01-RB397 Rebar Tier (#RB398)

14.4V Li-Ion Battery-operated rebar tying tool allows for high-speed tying at less than a one-second tying speed. One-hand operation. Three wraps per tie (21-gauge wire). Handles #3 x #3 to #5 to #6 rebar. Weighs just 5.2 lbs.

- MAX02-TW897A** 50 Roll Box Tie Wire for RB398
- MAX02-TW897APC** 50 Roll Box Poly Coated Tie Wire for RB398
- MAX05-JPL914** 14.4V Li-Ion Battery for RB398

REBAR TIER



MAX01-RB517 Rebar Tier (#RB518)

Ties rebar from #5 x #5 up to #7 x #8. Includes one year manufacturers warranty. Comes complete with 1 lithium ion battery, charger, carrying case and holster. This Max rebar tier is 5X faster than manual tying. The RB517 creates a perfect tie every time through a powerful twisting motor and 16 gauge wire tie. The Max RB517 rebar tier is excellent for commercial buildings, road and bridge construction, foundations, precast plants, bridges, radiant heating tubes.

REBAR TIER




MAX01-RB655 Rebar Tier (#RB655)

The RB655 battery-operated rebar tying tool is capable of tying up to #9 by #8 rebar. Wraps 16-gauge TW1525 wire around the tying area, then cuts and twists in approximately one second. Simple to use and ergonomically designed. Weighs 7.2lbs.

- MAXTW1525** 50 Roll Box Tie Wire for RB655
- MAXJP509** 9.6 Volt Battery For RB655




ANCHOR CLIPS



18 gauge. Galvanized. BOCA Research Report 92-30. Holds wood sill to masonry foundation, both poured and block construction.

MUDSILL ANCHORS

The LMA offers a higher lateral load capacity in a lighter gauge. Two sizes provide an economical replacement for 1/2" diameter sill plate bolts.



SIMLA6Z 6" Anchors - 100 pc. box

WIRE REEL

KRGG309

Lightweight Reeler of sturdy, safety yellow Lexan for fast, easy dispensing of tie wire from the workers utility belt.



METAL WIRE REEL



KLEIN TOOLS
For Professionals... Since 1857™

KL27400 Rugged, lightweight reel feeds pre-coiled wire smoothly, easily, and quickly. Saves time and reduces waste. Made of smooth aluminum alloy with wear parts made of steel.



Anchors, Blades, Bits, Caulks, & Adhesives

WIRE TWISTER

GG310 Tie Wire Twister

Designed to twist wire bar ties with a minimum of effort. Lets you do the job right, quickly and safely.




WIRE TWISTER



AMBPT Blitz P Automatic Tool (Plastic Handle)

The Blitz automatic wire tying tool makes quick work of tying mainline. Just bring the two loops of the wire tie together under the mainline, insert the hook and pull down with the tool. All aluminum construction will hold up in the harshest conditions and the ergonomic handle helps with hand fatigue.

TIE WIRE



- AM1001** 16 Gauge Roll
- AM1002** 16 Gauge Plastic Coated Roll
- AM1003** Sharkskin 60 lb. Shark PVC Coated Roll
- AM2009** #9 Wire 16 Ga. 100lb. Coil



WIRE TIES 5000 per Bundle



- AM1004** Roll 4" Tie Wire Ties
- AM1005** Roll 5" Tie Wire Ties
- AM1006** Roll 6" Tie Wire Ties
- AM1008** Roll 8" Tie Wire Ties
- AM1010** Roll 10" Tie Wire Ties
- AM1012** Roll 12" Tie Wire Ties

Other Sizes Available. PVC Coated Available.

POWDER GUN



RAT52000 P3500 .27 Cal. Strip Load Powder Gun

The P3500™ is a low velocity, semi-automatic tool that can be used to install .300 head drive pins, 8mm head drive pins and 1/4"-20 threaded studs, up to 3" in total length. The P3500™ is designed for high speed and repetitive volume applications.

Includes: Safety Glasses, Disposable Ear Plugs, Allen Wrenches, Wire Brushes, Tool Lubricant, Spall Guard, Spare Parts. Pin Starter Kit: .300 Headed Pins [(50) 1/2", (50) 3/4"; (15) 3" with 7/8" washer]

POWDER LOADS



Powers Rawl offers the high quality powder loads, produced by the largest manufacturer in the United States, with unsurpassed quality and reliability.



.27 Caliber 10 Load Strip

For Powers P3500, PA3500, PA351, P3600, Ramset® SA270, Viper, Hilti® DX350, DX36M, DX451 and DX460.

- RA50626** 100 Pc. Box 27 Caliber Yellow Strip Load
- RA50630** 100 Pc. Box 27 Caliber Red Strip Load

DRIVE PINS



Designed for permanently fastening a fixture to concrete, some types of concrete block and A36 structural steel. Drive pins are formed with a .300" diameter head on one end, and a 0.143 diameter shank in various lengths.

Cat. No.	Shank Length	Std. Box	Head Dia.	Shank Dia.
50012	1/2" (knurled)	100	.300	.143
50016	5/8" (knurled)	100	.300	.143
50022	3/4"	100	.300	.143
50026	1"	100	.300	.143
50030	1-1/8"	100	.300	.143
50032	1-1/4"	100	.300	.143
50034	1-1/2"	100	.300	.143
50036	1-3/4"	100	.300	.143
50038	2"	100	.300	.143
50040	2-1/4"	100	.300	.143
50042	2-3/8"	100	.300	.143
50044	2-1/2"	100	.300	.143
50046	2-3/4"	100	.300	.143
50048	3"	100	.300	.143



DRIVE PINS WITH WASHER



To provide resistance to pullover, these pins are available with preassembled 14 gauge metal washers.

Cat. No.	Shank Length	Std. Box	Head Dia.	Washer Dia.
RA50090	1"	100	.300	7/8"
RA50092	1-1/4"	100	.300	7/8"
50108	1-1/4"	100	.300	1"
50110	1-1/2"	100	.300	1"
50112	2"	100	.300	1"
50114	2-1/2"	100	.300	1"
RA50116	3"	100	.300	1"



DRIVE PINS WITH TOP HAT



For fastening drywall track to concrete or steel. Assembled with a metal top hat to provide extra bearing surface against the drywall track.

Cat. No.	Shank Length	Std. Box	Head Dia.	Shank Dia.
50136	1/2" (knurled)	100	.300	.143
50138	5/8" (knurled)	100	.300	.143
50140	3/4"	100	.300	.143
50144	1"	100	.300	.143



Anchors, Blades, Bits, Caulks, & Adhesives

WASHERS



RA55040 100 Pc. Box Stick-E 1" Lathing Washer
For Trak-It C3-ST And C5-ST. For attaching wire lath to wood, steel, concrete or block for the purpose of troweling stucco or plaster.

RA55042 100 Pc. Box Insulation Washers

Foam to Foundations. 1-7/16" Insulation Stick-E Washer for Trakit.



GAS FASTENING SYSTEM



RAT55112 C5 Trak-It® Gun
A gas-powered fastening system used for light-duty static applications including drywall track, block or steel, lath or block, furring strips or plywood to concrete or block base materials. A fuel cell contains enough gas to install up to 800 or 1,200 fasteners depending on the tool. Useable nail length 3/4" to 2-9/16".

TRAK-IT® ACCESSORIES



- RA55010** Trak-It Fuel Cell (For C-3 Gun)
- RA55020** 1,000 Pc. Box 1/2" Trak-It Pins w/ Fuel Cell (for C3 Gun)
- RA55022** 1,000 Pc. Box 3/4" Trak-It Pins w/ Fuel Cell (for C-3 Gun)
- RA55024** 1,000 Pc. Box 1" Trak-It Pins w/ Fuel Cell (For C-3 Gun)
- RA55026** 1,000 Pc. Box 1-1/4" Trak-It Pins w/ Fuel Cell (For C-3 Gun)
- RA55028** 1,000 Pc. Box 1-1/2" Trak-It Pins w/ Fuel Cell (For C-3 Gun)
- RA55080** 1,000 Pc Box 7/8" Knurl Step Shank Trak Pin (For C-3 Gun)
- RA55115** 2 Pack Green Fuel Cell (For C-4 Gun)
- RA55130** 800 Pc. Box 3/4" Pins w/ Fuel Cell (For C4 Gun)
- RA55138** 800 Pc. Box 2-3/8" Pins w/ Fuel Cell (For C4 Gun)
- RA55145** 800 Pc. Box 2-9/16" Pins w/ Fuel Cell (For C4 Gun)
- RA55167** 800 Pc. Box 1" Knurled Pins w / Fuel Cell (For C4 Gun)
- RA55174** 800 Pc. Box 2" Knurled Steel Pins w/ Fuel Cell (for C4 Gun)

COMPRESSOR



MAX03-AKHL1230E High Pressure Air Compressor 400 psi

Light, easily movable onsite. Uses an oil less direct drive pump. 2 HP and quieter only producing 65 db.



AIR HOSE

MAX05-KH100FT-H Air Hose

MAX USA 100' 400 psi hose



CONCRETE/STEEL PINNER



MAX03-GS865E Cordless SuperPinner™ For Concrete & Steel

- Super-Powerful gas tool
- No licensing required
- Low recoil, less operation fatigue
- Drivers wide range of pins - from 3/4" x .102" pins up to 2-1/2" x .145" pins.



CONCRETE PINNER



MAX03-HN120 PowerLite™ High Pressure Coil Concrete Pinner

- Powered by 400 psi high pressure system
- Extremely powerful-186 Ft.lbs. driving energy
- Unique tangle free swivel fitting
- Lightweight 6.4lbs.
- Drives from 1" to 2-1/2" concrete/steel pins (.145"/.133" shank)



CONCRETE PINNER



MAX03-HN25C PowerLite™ High Pressure Coil Concrete Pinner

- Powered by 400psi high pressure system
- Dial adjustable depth of drive control
- Slim body and slim nose
- Side exhaust with built-in silencer
- Ultra light weight only 4.4lbs
- Drives from 3/4" to 1" (.102" shank) plastic sheet collated concrete pins



PINNER ACCESSORIES



FOR GS865 GUN:

- MAX04-CP713W1-K(G)** 800 Pc. Box 1/2" Knurled Pins w/ Fuel Cell
- MAX04-CP-719V6(G)** 800 Pc. Box 3/4" Pins w/ Fuel Cell
- MAX04-CP-725W7(G)** 800 Pc. Box 1" Pins w/ Fuel Cell
- MAX04-CP-765W5-TP(G)** 800 Pc. Box 2-9/16" Pins w/ Fuel Cell
- MAX04-CP-W765W7(G)** 800 Pc. Box 2-1/2" Pins w/ Fuel Cell

FOR HN25C GUN:

- MAX04-CP-C619V6-ICC** 1000 Pc. Box Coiled 3/4" Pins

FOR HN120 GUN:

- MAX04-CP-C838W7-ICC** 1000 Pc. Box Coiled 1-1/2" Pins
- MAX04-CP-C850W7-ICC** 1000 Pc. Box Coiled 2" Pins
- MAX04-CP-C865W7-ICC** 1000 Pc. Box Coiled 2-1/2" Pins
- MAX04-CP-W850W4** 1000 Pc. Box Coiled 2" Concrete Nails
- MAX04-ZC99970** 100 Pc. Box 7/8" Washers
- MAX04-ZC90945** 800 Pc. Box 1" Square Sill Plate Washer

Anchors, Blades, Bits, Caulks, & Adhesives

ROOFING NAILER



MAX03-CN445R (CN445R2) SuperRoofers™ Roofing Coil Nailer

- Rapid fire trigger valve
- Dial adjustable depth control
- Powerful, fast and light weight
- Maintenance free end cap filter
- Removable contact foot
- Full round driver
- Nose magnet holds the last nail in the coil
- Drives from 3/4" x .120" up to 1-3/4" x .120" roofing coil nails



SIDING NAILER



MAX03-CN565S SuperSider™ Coil Siding Nailer

- Well balanced with the lightest weight in its class.
- Anti-double fire mechanism
- Accepts both flat wire welded and plastic sheet collated nail.
- Dial adjustable depth control.
- No-mar contact tip included.
- Drives from 1-3/4"x.092"-2-1/2"x.099" flat wire welded nails Drives from 1-1/4" x .092" - 2-1/2" x .099" flat plastic sheet collated nails



FRAMING NAILER



MAX03-SN883CH34 (SN890CH2/34) SuperFramer® 34° Clipped Head Framing Nailer

- Compact design only 12-1/4" in height
- Selective trigger system
- Open Nose for easy jam clearance
- Dial adjustable depth control
- Pointy teeth on contact arm
- Maintenance free end cap filter (US Patent 5637125)
- Drives 2" x .113" up to 3-1/4" x .131" 34 degree plastic collated and paper tape collated clipped head stick nails



BRAD NAILER



MAX03-NF255F SuperFinisher™ 18 Ga. Brad Nailer

- High durable parts
- Reliable thread style driver unit- Durable high composite bumper
- Switchable fire mechanism. The tool can be contact or single fired with switch lever.
- Lightweight-only 2.5 lbs & Slim body- Compact and well balanced body. Easily reaches tight spot.
- Drives 5/8" to 2-1/8" brad nails



*If you don't see what your looking for...
Give us a call. We'll find it for you!*

CROWN STAPLER



MAX03-TA238A 18 Ga. Narrow Crown Stapler

- Reliable thread style driver unit
- Durable high composite bumper
- Lightweight-only 2.7 lbs.
- Compact and well balanced body. Easily reaches tight spot.
- Switchable fire mechanism- The tool can be contact or single fired with switch lever.
- Drives 1/2" to 1-1/2" narrow crown staples



CROWN STAPLER



MAX03-TA551A SuperStapler™ 16 Ga. Medium Crown Stapler

- Rapid fire trigger valve
- Adjustable depth control
- New design click lever
- Comfortable rubber grip
- Durable aluminum frame and cylinder cap
- Lightweight-only 4.9lbs
- Drives from 1" to 2", 16 Ga. medium crown (7/16") staples



Anchors, Blades, Bits, Caulks, & Adhesives

PNEUMATIC FRAMING STRIP NAILER



PAS501000 (#511990) PowerMaster Plus™ Nailer

- Unmatched Power-to-Weight Ratio - The best in the industry! All the power needed to drive into engineered lumber, yet still is comfortable to use.
- The Lightest 3-1/2" Nailer - Reduce arm fatigue with the lightest nailer in its class.
- Ergonomic Design - Center of gravity is closer to the trigger, providing better balance. Also offers the lowest recoil for a tool of its size.
- Durable and Reliable - Rugged design will stand up to the demands of the job in any kind of weather.



PNEUMATIC FINISH NAILER



PAS500970 (#501680) 16 Gauge Straight Finish Nailer

- Powerful - Drives 3/4" to 2-1/2" 16 gauge finish nails into hard woods.
- Tool-free Adjustable Depth of Drive - Provides precise control of nail depth in hard or soft wood - No wrenches needed.
- Lightweight and Well Balanced - Only 4.3 lbs. Reduces user fatigue and increases productivity.



PNEUMATIC ROOFING COIL NAILER



PAS405000 (#50245R175-C) Roofing Coil Nailer

- Heavy-Duty Wear Plates - Minimize damage to tool casing.
- Shingle Guide - Allows for accurate nail placement.
- Single-Door Magazine - Provides fast and easy loading.



PNEUMATIC STAPLER

EAGZTOOLFIB5016 FIB-5016 Fasco Pneumatic Stapler

Automatic long magazine tacker. Uses the duo-fast 50 type staple. Greater surface area with 1/2" width and a full .050 wire width for additional pull through resistance compared to thinner wire staples commonly used.



PNEUMATIC CONSTRUCTION STAPLER



PAS501230 16 Gauge Framing Stapler

- Extend Bumper Life- tested to over 600,000 cycles without failure. More than three times the life of ordinary bumpers.
- Distinct Bumper Geometry- for consistent low pressure return during rapid fire. Drive up to 12 fasteners per second.
- Improved Upper Piston Valve- virtually eliminates valve seizure even under adverse environmental conditions such as dust, high heat and humidity.
- Top Load- For fast, easy loading, holds two strips
- Durable- For everyday use and long tool life
- Versatile- Drives 3/4" to 2" standard crown staples
- Lightweight- Decrease fatigue and increase productivity



HAMMER TACKER



EAGZGUNHT550H Hammer Tacker (#GRR11)

Hammer Tacker Model # R50 Staple Sizes 1/4" 5/16" 3/8" Features lightweight powerful rugged fast comfort handle. Portable uses: insulation carpeting roofing tar paper poly and much more.

TUBING STAPLER

The Reddi-Strip® System

Utilizes flexible strips of PEX staples that are manufactured in unitized strips of 50, rather than separately or taped together.



- WILPETSTAPLER** Reddi Strip Stapler
- WILPETSTAPLESS5RE13** 200 Pc Box S5RE-13 Staples
- WILPETSTAPLESS5RE16** 200 Pc.Box S5RE-16 Staples

RADIANT HEATING TUBING



Integrated hydronic radiant technology for the controllable, dependable, energy-efficient heating.



- WIL1011602** Roll 1/2" x 300' Orange Kitec Tubing

Anchors, Blades, Bits, Caulks, & Adhesives

CORDLESS FINISH NAILER



PAS900600 TrimMaster® Cordless Angled Finish Nailer (IM250A)

- Fast Set-Up - No hoses, no compressors.
- Angled Magazine - Easy access to corners. Perfect for overhead use. Very maneuverable. Fits into tight spots.
- Light Touch - Easy to operate. Depress tool only 3/4" to drive a nail.
- Versatile - Drives 1-1/4" to 2-1/2" angled finish nails.
- Depth-of-Drive Wheel with Probe Position Indicator - Provides precise control of nail depth in hard or soft wood. No wrenches needed.



16 Gauge Smooth Galvanized

Use this tool for: Door Jambs, Door Stop, Base Shoe, Baseboard Molding, Chair Rails, Paneling, Window Casings, Crown Molding, Cabinetry, Pick-Up and Service Work.

NAILS, FUEL CELLS & ACCESSORIES



FUEL CELLS & NAILS:

- PAS816000** 2 Pack Red Fuel Cell
- PAS816001** 2 Pack Yellow Fuel Cell
- PAS650039** 4 Pack Yellow Fuel - Finish
- PAS816005** Fuel Cell For #CF325 Nailer
- PAS650522** 1M Box 2-3/8" x .113 Smooth Brite Nails for CF-325 w/ Fuel Cell
- PAS650523** 1M Box 2-3/8" x .113 Ring Shank Brite Nails for CF-325 w/ Fuel Cell
- PAS650525** 1M Box 3" x .131 Smooth Brite Nails for CF-325 w/ Fuel Cell
- PAS650566** 3M Box 3" x .131 Smooth Brite Nails For CF-325 w/ 3 Ea. Fuel Cells
- PAS097394** 5M Box 2-3/8" Smooth Nails
- PAS097397** 5M Box 2-3/8" x .113 Ring Shank Nails
- PAS097975** 2.5M Box 3-1/4"x .131 Collated Frame Nails
- PAS401838** 2.5M Box 3" x .131 Collated Frame Nails
- PAS650026** 3M Box 1-1/2" x .148 Positive Placement Nails
- PAS650027** 2.5M Box 2-1/2" x .148 Positive Placement Nails
- PAS650046** 2M Box 1-3/4" Angled Finish Nails
- PAS650047** 2M Box 2" Angled Finish Nails
- PAS650230** 2M Box 1-1/4" Angled Finish Nails
- PAS650231** 2M Box 1-1/2" Angled Finish Nails
- PAS650232** 2M Box 2-1/2" Angled Finish Nails

ACCESSORIES:


- PAS219086** Cordless Tool Cleaner
- PAS219090** 8 Oz. Bottle Pneumatic Tool Oil w/ Antifreeze
- PAS401482** Impulse Tool Oil
- PAS403720** Paslode Air Tool Oil
- PAS404717** Oval Battery
- PAS900200** Battery Charger
- PAS902654** Li-Ion Battery For #CF-325 Nailer
- PAS902667** Li-Ion Battery Charger

CORDLESS FRAMING NAILER



PAS902600 CF325 Li-Ion Cordless Framing Nailer

- NEW Li-ion battery technology drives 50% more nails per charge (up to 6,000 nails)
- Portable, freedom on the jobsite without hoses or compressors
- 2X faster charge time; 2 minute quick charge drives up to 200 nails
- Powerful enough to drive 3 1/4" nails in the toughest lumber with PowerBoost™ Black Tip Coated nails (available only with/ Fuel + Nail Combo Packs)
- Compact size fits between 16" o.c. studs, joists and roof trusses




CORDLESS FINISH NAILER



PAS901000 TrimMaster 18™ 18 Gauge Finish Nailer (IM200-F-18)

- Cordless - No hoses or compressors
- Adjustable Work Contact Element - Control of nail setting depth.
- Powerful Motor - Drives 5/8" to 2" fasteners into the hardest woods.
- 18 Ga. Finish Nails. Leaves small holes.
- Long Narrow Nose - Precise placement of fasteners in tight spots.



BRAD NAILS

Finish/Brad Nails



Primary Applications:

Finish and Trim, Paneling, Baseboard, Decorative Trim, Door & Window Casing, Hardwood Flooring, Cabinets, Chair Rail, Molding, Mirror and Picture Frames, Furniture Frames, Nailable Plastic Parts, Upholstery Trim Panels

- EAGBLUEBRADB16-212** 2.5M Box 2-1/2" Straight 16 Ga. Galv. Brads
- EAGGREENBRADB18-1** 5M Box 1" Finish 18 Ga. Galv. Brads
- EAGGREENBRADB18-112** 5M Box 1-1/2" Finish 18 Ga. Galv. Brads
- EAGGREENBRADB18-114** 5M Box 1-1/4" Finish 18 Ga. Galv. Brads
- EAGGREENBRADB18-2** 5M Box 2" Finish 18 Ga. Galv. Brads

Anchors, Blades, Bits, Caulks, & Adhesives

COIL NAILS

Flat Coil Nails - Wire Collation

Zinc Galvanized Coating

Primary Applications: Pallet building and Pallet Repair, Framing, Exterior Decks, Subflooring, Crate and Box Assembly, Floor Sheathing



15°

EAGORANGECOIL238X099C	3M Box 2-3/8" Smooth Nails
EAGORANGECOIL238X099RC	3M Box 2-3/8" Ring Coil Nails
EAGORANGECOIL3X120C	2.5M Box 3" Sinkers Coil Nails
EAGORANGECOIL3X131C	2.5M Box 3" Smooth Coil Nails
EAGORANGECOIL314X120C	2.5M Box 3-1/4" Smooth Nails

Framing & Siding Coil Nails - Plastic Collation

Hot Dip Galvanized Ring Shank

Primary Applications: Roofing, Siding, Sheeting, Deck Pickets, Fencing, Exterior Trim, Wood Shingles, Crate and Box Assembly



15°

EAGBLACKCOIL214X092HDRPC	4.8M Box 2-1/4" x .092 Hot Dipped Ring Galvanized Nails
---------------------------------	---

Zinc Coated Roofing Coil Nails - Wire Collation

Primary Applications: Roofing, Roof Repairs, Sheeting, Vinyl Siding, Asphalt Paper, Metal Drip Edges



15°

EAGPURPLECOILCR-112	7.2M Box 1-1/2" Roofing Nails
EAGPURPLECOILCR-114	7.2M Box 1-1/4" Roofing Nail

FRAMING NAILS

Paper - Offset Collated



33°

Primary Applications: Pallet building and Pallet Repair, framing, Exterior Decks, Subflooring, Crate and Box Assembly, Floor Sheathing

EAGREDNAIL238X113/33A	2.5M Box 2-3/8" x .113 Smooth Nails
EAGREDNAIL238X120R/33	5M Box 2-3/8" Ring Nails
EAGREDNAIL314X120HDR/33	2M Box 3-1/4" Hot Dipped Ring Nails
EAGREDNAIL314X131/33	2M Box 3-1/4" Smooth Nails
EAGREDNAIL3X120HDR/33	2M Box 3" Hot Dipped Ring Nails
EAGREDNAIL3X120R/33	2.5M Box 3" Ring Nails [LX]
EAGREDNAIL3X131/33A	2.5M Box 3" Smooth Nails

STAPLES

Fine Hammer Tacker


Primary Applications: Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Shoemaking, Mirror and Picture Frames, Bedding, Furniture Frames, Molding



EAG5019-38	5M 3/8" Staples For Bostitch Hammer Tacker
EAGA11-38C	5M Box 3/8" T-50 Staples
EAGA11-516C	5M Box 5/16" T-50 Staples

16 Ga. 1/2" Crown Staples (Paslode Style)

Primary Applications: Cedar Shingles, Fascia & Soffits, Fencing, Floor Underlayment, Furniture Frames, Roof & Wall Cedar Shingles, Pallets and Pallet Repair, Vinyl/Metal Siding, Crate and Box Assembly, Sheathing



EAGBLUESTAPLEPM-112	10M Box 1/2" Crown x 1-1/2" Leg Staples
EAGBLUESTAPLEPM-134	10M Box 1/2" Crown x 1-3/4" Leg Staples


18 Ga. 1/4" Crown Staples

Primary Applications: Great for fascia and soffits, molding, cabinets, trim, casebacks, lattice, paneling, drawers, upholstery and more

EAGGRL11	5M Box 3/4" X 1/4" 18 Gauge Galv. Crown Staples
-----------------	---

15 Ga. 1/2" Crown Flooring Staples

Primary Applications: Hardwood flooring



EAGBCS-1516	5M Box 15 Gauge 2" Staples for Flooring Stapler
--------------------	---

FINISH NAILS

16 Ga. Paslode Style

Primary Applications: Roofing Felt, House Wrap, TV and Stereo Grille Cloth, Upholstery, Furniture Trim, Automotive Vinyl and Trim, Mirror and Picture Frames, Bedding, Furniture Frames, Molding



20°

EAGAF16X2	2M Box 2" Angle Finish Nails
EAGAF16X212	2M Box 2-1/2" Angle Finish Nails

Anchors, Blades, Bits, Caulks, & Adhesives

PERMA-GRIP® NAILS



For use in concrete brick or block. These hot dipped galvanized anchors require no special driving tool. Simply drill the appropriate size hole 1/4" deeper than the anchor, then tap the Perma-grip until securely seated. Anchor is compatible with steel and plastic stress plates.

NORPG0112	100 Pc. Box 1-1/2" Permagrip Nails
NORPG0200	100 Pc. Box 2" Permagrip Nails
NORPG0212	100 Pc. Box 2-1/2" Permagrip Nails
NORPG0300	100 Pc. Box 3" Permagrip Nails
NORPG0312	100 Pc. Box 3-1/2" Permagrip Nails

FLUTED MASONRY NAILS

Flat head. Diamond point. Fluted shank. Temper hardened steel is used to survive powerful hammer blows. Used for nailing lumber to concrete and masonry.



SQ4000	50 LB. Box 3/4" Fluted Masonry Nails
SQ4001	50 LB. Box 1" Fluted Masonry Nails
SQ4015	50 LB. Box 1-1/2" Fluted Masonry Nails
SQ4025	50 LB. Box 2-1/2" Fluted Masonry Nails

COMMON NAILS

Most popular nail and versatile style for construction, carpentry and framing. Larger shank provides greater resistance to bending.



SQ6000	50 Lb. Box 1-1/2" 4D Common Bright Nails #4C
SQ6000.5	5 Lb. Box 6d Bright Common Nail

FINISH NAILS


SQ6003

50 Lb. Box 1-1/2" 4D Finish Nails #4F

For trim and fine finishing work. Small diameter and cupped head for countersinking beneath the wood surface.



MAGNETIC SWEEPER



175 lbs. of magnetic lifting power!!

A.M.K.
Magnetics,
Inc.



AKMSM The Terminator is our most powerful push-type sweeper and has the advantage of a Load Release Bar. Just lift the flat bar and the debris falls off. In seconds you're ready to continue with the job site cleanup.

This magnetic assembly is enclosed in a 4" x 5" heavy gauge aluminum housing. The handle is quickly removed without tools for easy storage. Magnet Width: 36", Overall Width: 43".

SINKER NAILS

Flat countersunk head. Diamond point. Smooth shank. Sinkers feature a thin shank to reduce wood splitting and have hundreds of carpentry uses. Vinyl coated.



SQ3006	50 LB. Box 6 Penny VC Sinker Nails
SQ3008	50 LB. Box 8 Penny VC Sinker Nails
SQ3016	50 LB. Box 16 Penny VC Sinker Nails

DOUBLE HEAD NAILS

Double flat head. Diamond point. Smooth shank. The bottom head acts as a stop to make it easy to remove the nail and dismantle temporary structures. Used for scaffolds, framework & other temporary structures.




SQ5008	30 Lb. Pail 8 Penny Double Head Nails
SQ5016	30 Lb. Pail 16 Penny Double Head Nails
SQ2006	50 LB. Box 6 Penny Double Head Nails
SQ2008	50 LB. Box 8 Penny Double Head Nails
SQ2010	50 LB. Box 10 Penny Double Head Nails
SQ2016	50 LB. Box 16 Penny Double Head Nails

ROOFING NAILS

For use in slate, synthetic slate, roof shingle applications, and other applications that require a larger head bearing surface coverage.

Features:

- Aggressive ring shank provides superior holding power
- Large 3/8" smooth head for an extended bearing surface
- Certified Type 304 or Type 316 Stainless Steel alloy meets AISI standards



SSQ4814	50 LB. Box 1-1/4" E.G. Roofing Nails
SQ4815	50 LB. Box 1-1/2" E.G. Roofing Nails
SQ4817	50 LB. Box 1-3/4" E.G. Roofing Nails
SQ4820	50 LB. Box 2" E.G. Roofing Nails
SQ4825	50 LB. Box 2-1/2" E.G. Roofing Nails

NAIL STAKES



Steel Stakes

3/4" Dia. Standard Stakes for general construction
7/8" Dia. Heavy Duty Stakes for heavy construction
Available Lengths: 18", 24", 30", 36"



DE10018	3/4" x 18" Stake with Holes
DE10024	3/4" x 24" Stake with Holes
DE10030	3/4" x 30" Stake with Holes
DE20018	7/8" x 18" Stake with Holes
DE20024	7/8" x 24" Stake with Holes
DE20030	7/8" x 30" Stake with Holes
DE20036	7/8" x 36" Stake with Holes

Anchors, Blades, Bits, Caulks, & Adhesives

WRECKING BARS



This Gooseneck Wrecking Bar is made of quality 3/4-inch bar stock. It also has a single curved end and flattened points with a small slot on both ends for removing nails.

AS11716 36" Gooseneck Wrecking Bar
AS11730 48" Gooseneck Wrecking Bar

WRECKING BARS

Fulton **AMES**
TRUE TEMPER
Learn & Garden Tools - Since 1774




This bar has a push/pull action making even the toughest job simple. Made of extra heavy duty hex stock, this guaranteed for life product is a great all around tool. 7/8" hex shank.

MZTW36WB 36" Wrecking Bar
MZTW48WB 48" Wrecking Bar

PRY BAR

Heavy Duty Little John Pry Bar

Ideal all purpose tool for prying forms and other construction jobs. Specially designed 3" wide blade angle and hardened steel claw.



KRGG630 56" Heavy Duty Big John Pry Bar
KRGG631 46" Heavy Duty Little John Pry Bar

CROW BAR



KLEIN TOOLS
For Professionals... Since 1857

KL64306
55-1/2" Grizzly Crow Bar

A heavy, strong, multi-purpose tool that saves time and effort on the job. Its 3" width protects concrete when stripping forms. Its efficient blade provides high leverage as a crow bar and nail and spike puller. Blade is hardened alloy with keyhole nail-pulling slot in center and V-notch in a tapered edge.



Pulling Spikes

NAIL PULLER



STITICLW12
12" Titanium Clawbar Nail Puller
 Solid titanium framing nail puller with a dimpler feature.

STEEL HANDLE HAMMERS



ESE3-16C SH 16 oz. Curved Claw Hammer
ESE3-16S SH 16 oz. Straight Claw Hammer
ESE3-20C SH 20 oz. Curved Claw Hammer
ESE3-20S SH 20 oz. Straight Claw Hammer
ESE3-22S SH 22 oz. Smooth Face Framing Hammer
ESE3-24S SH 24 oz. Smooth Face Straight Claw Framing Hammer
ESE3-24BL 24 oz. Mason's Hammer (#E3-24BLC)
ESE6-22T SH 22 oz. Smooth Face Hammertooth Hammer

TITANIUM FRAMER HAMMER



Titanium 14 oz. Framer

Our most popular framing weight in our solid Titanium heads. Hits like a 24 oz. Steel hammer with 45% less weight and 10 times less recoil shock! Features: 14 oz. Solid Milled or Smooth face Titanium head with 16" curved axe-style Hickory handle. Straight claw design. Stiletto's signature Magnetic Nail Starter



STITI14MC 14 oz. Framing Hammer - Milled Face
STITI14SC 14 oz. Framing Hammer - Smooth Face
STITLHDL-C 18" Replacement Curved Hickory Handle

TITANIUM FINISH HAMMER



STFH10C

Titanium 10 oz. Finish Hammer

Smallest of our solid Titanium hammers heads, this is a perfectly balanced little Ti Finish hammer. Hits like a 16 oz. Steel hammer with 45% less weight and 10 times less recoil shock! Features: 10 oz. solid smooth face Titanium head. 14.5" curved axe-style Hickory handle. Straight claw design. Magnetic nail starter.



HANDLE WRAP



STIAG102

8" AirGrip "Coldshrink" Handle Grip Wrap tube

Our innovative handle grip wrap. 2" x 8" pre-expanded rubber tube shrinks to fit any handle. Non-slip hand grip increases job safety and reduces hand fatigue at the end of the day.

Anchors, Blades, Bits, Caulks, & Adhesives

SOFF-CUT EARLY ENTRY SYSTEM



Husqvarna Soff-Cut is a unique patented system for early entry concrete sawing. This technology enables concrete to be cut within the first one or two hours of finishing and before final set.



Husqvarna Soff-Cut provides the best solution for minimizing the risk of random cracking and it simplifies the working process, compared to conventional sawing.

EARLY ENTRY BLADES



FLX 3000/4000 Series -

The FLX Series features unique triangular arbor configuration. **ORANGE** cuts medium aggregate, medium abrasive sand. **RED** cuts medium to hard aggregate, medium abrasive sand.

Includes Skid Plate!

- HUS02-575383227** FLX6-4000 6" Orange Blade w/ Skid Plate
- HUS02-575383228** FLX8-4000 8" Orange Blade w/ Skid Plate
- HUS02-575383218** FLX10-4000 10" Orange Blade w/ Skid Plate
- HUS02-575383220** FLX14-4000 14" Orange Blade w/ Skid Plate
- HUS02-575383224** FLX55-3000A 5.5" Red Blade w/ Skid Plate
- HUS02-575383225** FLX6-3000 6" Red Blade w/ Skid Plate

EARLY ENTRY BLADES



4000 Series - ORANGE

Recommended for medium aggregate, medium abrasive sand.

Includes Skid Plate!

- HUS02-542777008** 6" x .100 Standard - orange XL6-4000
- HUS02-542756133** 8" x .100 Standard - orange XL8-4000
- HUS02-542756103** 10" x .100 Standard - orange XL10-4000
- HUS02-542756108** 12" x .120 Standard - orange XL12-4000
- HUS02-542756115** 13-1/2" x .120 Standard - orange XL14-4000

JOINT PROTECTORS



- HUS02-505483203** Blue - bag of 150 - 12", 14" blades
- HUS02-505483202** Red - bag of 150 - 6", 8", 10" blades
- HUS02-505483201** Black - bag of 150 - 4", 5.5" blades

EARLY ENTRY BLADES



3000 Series - RED

Recommended for medium to hard aggregate, medium abrasive sand.

Includes Skid Plate!

- HUS02-542756118** 5" x .095 Standard - red XL5-3000AC
- HUS02-542756122** 5-1/2" x .095 Standard - red XL55-3000AC
- HUS02-542756121** 5-1/2" x .095 Standard - red XL55-3000A
- HUS02-542777007** 6" x .100 Standard - red XL6-3000
- HUS02-542756132** 8" x .100 Standard - red XL8-3000
- HUS02-542756102** 10" x .100 Standard - red XL10-3000
- HUS02-542756114** 12" x .120 Standard - red XL12-3000
- HUS02-542756114** 13-1/2" x .120 Standard - red XL14-3000

EARLY ENTRY BLADES



3000 Series - Purple

Recommended for medium to extra hard aggregate, medium abrasive sand.

Includes Skid Plate!

- HUS02-542777005** XL6-1000 6" Purple Soff-Cut Blade w/ Skid Plate
- HUS02-542756137** XL8-1000 8" Purple Soff-Cut Blade w/ Skid Plate
- HUS02-542756100** XL10-1000 10" Purple Soff-Cut Blade w/ Skid Plate
- HUS02-542756105** XL12-1000 12" Purple Soff-Cut Blade w/ Skid Plate
- HUS02-542756112** XL14-1000 13-1/2" Purple Soff-Cut Blade w/ Skid Plate

EARLY ENTRY BLADES



5000 Series - YELLOW

Medium hard to soft aggregate, abrasive sand.

Includes Skid Plate!

- HUS02-542756124** 5-1/2" x .095 Standard - yellow XL55-5000AC
- HUS02-542756123** 5-1/2" x .095 Standard - yellow XL55-5000A
- HUS02-542777009** 6" x .100 Standard - yellow XL6-5000
- HUS02-542756134** 8" x .100 Standard - yellow XL8-5000
- HUS02-542756104** 10" x .100 Standard - yellow XL10-5000
- HUS02-542756109** 12" x .120 Standard - yellow XL12-5000
- HUS02-542756116** 13-1/2" x .120 Standard - yellow XL14-5000

EARLY ENTRY BLADES



3000 Series - Green

Recommended for medium to extra hard aggregate, medium abrasive sand.

Includes Skid Plate!

- HUS02-542777006** XL6-2000 6" Green Soff-Cut Blade w/ Skid Plate
- HUS02-542756131** XL8-2000 8" Green Soff-Cut Blade w/ Skid Plate
- HUS02-542756101** XL10-2000 10" Green Soff-Cut Blade w/ Skid Plate
- HUS02-542756106** XL12-2000 12" Green Soff-Cut Blade w/ Skid Plate
- HUS02-542756113** XL14-2000 13-1/2" Green Soff-Cut Blade w/ Skid Plate

Anchors, Blades, Bits, Caulks, & Adhesives

FARRELL GREEN & GOLD TURBO BLADE



Green & Gold "Turbo" Dry Diamond Blade

Fast cutting, extra long life when cutting cured concrete, masonry, stone, and brick pavers.

HUS01-542793832 12" Green & Gold "Turbo" Dry Diamond Blade
HUS01-542791914 14" Green & Gold "Turbo" Dry Diamond Blade

GENERAL PURPOSE BLADE



Badger Diamond Blade

Fast cutting, tears through brick, block & concrete on the first pass. Fast, smooth cutting on a variety of critically hard concrete, stone and masonry materials.

HUS01-579862001 12" "Badger" Dry Diamond Blade
HUS01-579860101 14" "Badger" Dry Diamond Blade
HUS01-579860102 16" "Badger" Dry Diamond Blade

FARRELL GREEN & GOLD "NEXT GENERATION" BLADE



High Speed Segmented Premium General Purpose Diamond Blade

For extra long life when cutting cured concrete, masonry, stone, concrete pilings with steel, culvert pipe with steel and brick pavers.

DIA53742 14" Farrell Green & Gold Diamond Blade

BLOCK BUSTER



Block Buster Diamond Blade

Demolishes Block- Long Life Maximum life while cutting block, abrasive block, soft brick, concrete pavers and green concrete.

HUS01-582578101 14" Farrell "Block Buster" Diamond Blade
HUS01-582588901 20" Farrell "Block Buster" Diamond Blade

GREEN CONCRETE BLADE FOR MICRO-CON SAW



Green Concrete Diamond Blade

For long life and low cost per foot. For general purpose cutting of green concrete.

HUS01-790237 7" Dry Diamond Blade for Green Concrete
HUS01-790238 8" Dry Diamond Blade for Green Concrete
HUS01-542791683 10" Dry Diamond Blade for Green Concrete

BRICK BUSTER



HUS01-582577701 14" Brick Buster Diamond Blade

Demolishes Brick - Long Life! For fast, smooth cutting on a variety of critically hard masonry, concrete, and stone materials. Total segment height is .500" (.400" diamond depth; .100" segment base).

FARRELL PREMIUM GREEN & GOLD BLADE



High Speed Segmented Premium General Purpose Diamond Blade

For extra long life when cutting cured concrete, masonry, stone, concrete pilings with steel, culvert pipe with steel and brick pavers.

HUS01-590531 12" x .110 x 1" 20mm Premium
HUS01-590524 14" x .110 x 1" 20mm Premium
HUS01-590618 16" x .125 x 1" 20mm Premium

GENERAL PURPOSE DIAMOND BLADE



General Purpose/Cured Concrete Tall Segment Diamond Blades

Dry Cutting Cured Concrete blades designed for cutting cured concrete. Blades deliver excellent speed of cut while maximizing longevity.

LAC-SG14SPP PLUS 10 Pack of 14" Tall Segment Blades

Anchors, Blades, Bits, Caulks, & Adhesives

WALK BEHIND BLADES



Millenium® .315" Series Cured Concrete Blades, 35-120 HP

The F720C blade can cut concrete with a medium steel reinforcement and river gravel. Total segment height is .390".



- HUS01-542758669** 24" Millenium Blade For Cured Concrete
- HUS01-542758673** 26" Millenium Blade For Cured Concrete

GENERAL PURPOSE DIAMOND BLADE



Wet or Dry Cutting

Vari-Cut General Purpose / Abrasive Material Blade

Broad range of applications makes it a perfect combination blade. Designed to cut hard and abrasive materials. Faster cutting due to alternating turbo blade segments. Total segment high is .400"



- HUS01-542751358** 12" Diamond Blade
- HUS01-542751359** 14" Vari-Cut Diamond Blade
- HUS01-586107801** 14" Vari-Cut Turbo Diamond Blade
- HUS01-542751360** 16" Vari-Cut Diamond Blade

WALK BEHIND BLADES



Banner Line® Blue 200B General Purpose

The Blue 200B blade is a general purpose blade used to cut soft to medium-hard aggregate with light steel reinforcing.



- HUS01-773236** 14" Wet Cured Concrete Blade - Blue 200B
- HUS01-773248** 18" Wet Cured Concrete Blade - Blue 200B
- HUS01-773264** 24" Wet Cured Concrete Blade - Blue 200B
- HUS01-773266** 26" Wet Cured Concrete Blade - Blue 200B

GENERAL PURPOSE BLADES



Wet or Dry Cutting



Husqvarna HI Series General Purpose, Abrasive Material Blades

Fast cut a wide variety of materials on the first pass, such as cured concrete and brick. Aggressive notched segments grab and grind material for a rapid first cut. The total segment height is .475"

- HUS01-542774540** 12" HI-5 Dry Blade for Cured Concrete / Brick
- HUS01-542774541** 14" HI-5 Dry Blade for Cured Concrete / Brick

GENERAL PURPOSE BLADES



Wet or Dry Cutting

VH-5 Series

For general purpose cutting of cured concrete and brick. The total segment height is .400" diamond depth.




- HUS01-542774462** 12" VH-5 Dry Blade for Cured Concrete
- HUS01-542774463** 14" VH-5 Dry Blade For Cured Concrete

GENERAL PURPOSE DIAMOND BLADE



Wet or Dry Cutting

HG5 Diagrip™ A revolutionary new technology. The diamonds have a special treatment that ensures an optimal distribution and holds them in the segment longer, ensuring blades with superior cutting capacity, longer life and a smooth, rapid cut. The total segment height is .400".



- HUS01-542756483** 14" HG5 Diagrip Diamond Blade

GENERAL PURPOSE DIAMOND BLADE



Piranha Turbo Diamond Blade

Multi-Segment Cutting Power. XXXL - Three Different Segment Types Faster. Serrated turbo segment for fastest cut. Extended blade life with slant segment wear protection and tall segments.



- DIA42891** 14" X .125 Piranha Turbo Diamond Blade for Brick

GENERAL PURPOSE BLADE



Husqvarna EH Series. General Purpose, Abrasive Materials, Asphalt Blades

EH5 is a general purpose blade used for cutting concrete, masonry and stone. The total segment height for the EH series is .450"



- HUS01-542778735** 14" EH-5 Cured Concrete Blade

Anchors, Blades, Bits, Caulks, & Adhesives

GENERAL PURPOSE BLADES



HUS01-542773482 5 Pack 14" VH-10 Series

VH10 is for maximum life, general purpose cutting of block, abrasive block, soft brick, concrete pavers and green concrete.



PRECUT WALL BLADE



GH5 Series

A general purpose blade that cuts most cured concrete, masonry or stone materials. Total segment height of this series is .350"



HUS01-542774251 14" x .250 Precut Wall Saw Diamond Blade

ASPHALT/GREEN CONCRETE BLADE




Farrell Premium Asphalt/ Green Concrete Diamond Blade

For extra long life cutting asphalt, asphalt over concrete, and some abrasive green concrete.



HUS01-790235 12" x 1" Dry Dia. Blade for Green Concrete/Asphalt
HUS01-790236 14" x 1" Dry Dia. Blade for Green Concrete/Asphalt

DUCTILE IRON BLADE



D15 High Speed Segmented Diamond Blade

For extra long life in ductile iron. Can last up to 75 abrasive blades. Incorporates electroplating on the core to aid cutting and is designed to eliminate pinching. Segment height is .200" diamond depth.

HUS01-542776408 14" Ductile Iron Blade

ASPHALT / GREEN CONCRETE BLADE



Husqvarna VH10 Blade

Cuts block, abrasive block, soft brick, concrete pavers and green concrete. It can be used with power cutters, flat saws or masonry saws. Blade features undercut protection to give great performance for asphalt and can be used wet or dry.



HUS01-542777195 14" VH10 Dry Diamond Blade for Asphalt

Husqvarna Millenium® Asphalt Blades

30 - 120 HP. General purpose asphalt cutting. Total segment height is .390".



HUS01-542759357 18" Millenium
Diamond Blade

Banner Line® Black 500B-R

Extra long life when cutting abrasive asphalt. Undercut protection is standard on this blade.



HUS01-542751078 18" Black 500B
Wet Diamond Blade

RESCUE BLADE



NXS Metal Cutting/Fire Rescue Blades

Cuts metal, concrete, asphalt, rebar and brick/block This blade incorporates a thicker core with cooling holes and an extremely fast segment. Total segment height of this blade is .200" diamond depth.



HUS01-542776454 14" NXS Metal Demolition Diamond Blade

DEMO / RESCUE BLADE



Demo-Cut Carbide Specialty Diamond Blade

Carbide-tipped blade for metals, roofing and building materials, wood, tar, fire doors, plastic and rubber. Allows extremely fast cutting that will not bind or load, which is an important factor in rescue cutting.



DIA96302 14" X .250 Demo-Cut 911 Blade #HDC14250

METAL CUTTING BLADE




FR-3

Specially recommended when free cutting any material is a critical requirement. FR3 blade cuts most hard metals, PVC, tile backer boards, steel and roofing tiles.

HUS01-542773403 4-1/2" FR-3 Metal Cutting Rescue Blade

Anchors, Blades, Bits, Caulks, & Adhesives


TILE SAW DIAMOND BLADES



Vari-Cut™ Tile Porcelain Tile Blade
Used for chip-free cutting of porcelain tile, granite, quarry tile and dense floor tile with a thin rim for precise, fast cuts. The total rim height is .275".

- HUS01-542774131** 4" Porcelain Tile Blade
- HUS01-542774037** 7" Porcelain Tile Blade
- HUS01-542774038** 8" Porcelain Tile Blade
- HUS01-542751358** 12" Porcelain Tile Blade
- HUS01-542751359** 14" Porcelain Tile Blade
- HUS01-542751360** 16" Porcelain Tile Blade

SMALL DIAMETER DIAMOND BLADES



Barracuda™ Small Diameter Diamond Blades
For cutting almost any masonry, tile, stone or hard concrete material.


- HUS01-579827801** 4-1/2" Barracuda Dry Diamond Blade
- HUS01-579828101** 7" Barracuda Dry Diamond Blade
- HUS01-579828201** 8" Barracuda Dry Diamond Blade

TILE SAW DIAMOND BLADE



LAC-BP10 10" Beast Porcelain RH Tile Blade
Chip free cutting in critically hard porcelain. Incorporates a thin kerf cutting edge, silent core reinforced hub design, anti-vibration reliefs, and cooling holes.

DIAMOND BLADES



TSD-S Dri Disc Wet and Dry Cutting Diamond Blade

Our most affordable segmented blade for fast cutting a wide variety of materials including concrete, masonry, brick and stone. Total segment height of this blade is .275" diamond depth.

- HUS01-773039** 4-1/2" TSD-S Dry Diamond Blade (542761409)
- HUS01-773046** 7" TSD-S Dry Diamond Blade (542761412)

BLADE ADAPTORS



Steel Bushing For High-Speed Diamond and Abrasive Blades.

- HUS01-049019** 1" to 20mm Adaptor
- HUS01-160022** 1" to 7/8" Adaptor

METAL CUT-OFF BLADE



LX1972921 4-1/2" X 7/8" Diamond MetalMax Cut-Off Wheel
Delivers 1,000 or more cuts with no need for wheel changes. Advanced diamond technology provides extreme durability in metal cutting applications. Lower cost per cut compared to thin bonded cut-off wheels.

CUT-N-BREAK BLADES



Cut-n-Break Blade Sets
EL45CnB A general purpose blade that will cut a wide range of material including concrete less than 6,000 psi tensile strength, lightly reinforced concrete, concrete pipes and other precast concrete.



- HUS01-543088823** EL35CnB Set of 2 Cut-N-Break Blades for gas saw
- HUS01-576778401** EL10CnB Set of 2 Cut-N-Break Blades - elec. saw

RINGSAW BLADES



Fast cutting with depths up to 10".
ELR70 (Blue-Red) For concrete block, green concrete, limestone, lava rock, slate rock, shale and sandstone. This blade is suitable for cutting through very abrasive, softer material and has excellent speed and life.

ELR45 (Blue) A general purpose blade for cutting wide range of material including concrete less than 6,000 psi tensile strength, lightly reinforced concrete, concrete pipes and other precast concrete.

- HUS01-531100708** ELR 70-Red 14" Ringblade for Block
- HUS01-531108059** ELR 45-Blue 14" Ringblade for Cured Concrete

WE OFFER A FULL LINE OF POWER TOOLS!




BOSCH



Anchors, Blades, Bits, Caulks, & Adhesives

DIAMOND BLADE



Small Diameter Diamond Blade
Our most affordable segmented blade for fast cutting a wide variety of materials including concrete, masonry, brick and stone. Total segment height of this blade is .275" diamond depth.

HUS01-FA4508CDUX2 4-1/2" x .070 Dry Diamond Blade


SANDWICH BLADE



Small Diameter Diamond Tuckpoint Blades
Features a double row of tuckpointing for aggressive mortar removal. A total segment height of .400".

HUS01-542774614 4-1/2" x .250 x 7/8-5/8 Sandwich Blade


TUCKPOINT BLADES



Diamond Tuckpoint Blade
Quickly remove mortar between brick and block. The total segment height is .400".

HUS01-FA4525CDPX2 4-1/2" x .250 Dry Diamond Blade

CRACK CHASER BLADE



Bevel Diamond Tuckpoint (Crack Chaser) Blade
The 45° Bevel Tuckpoint blade is used for crack chasing and mortar removal between brick and block. A great multi-purpose blade for the restoration market. A total segment height of .525".

HUS01-FASHM0401 4" Crack Chaser Diamond Blade

DIAMOND GRINDING DISCS



Single Row for fast removal on concrete, masonry, stone and similar materials.



Double Row for long life and smooth finish on concrete, masonry, stone and similar materials.



Turbo for faster and smoother finish (segmented turbo) on concrete, masonry, stone and similar materials. For faster grinding with extended life.

HUS04-FA04GDDDX1 4" x 5/8-11 Double Row Diamond Disc
HUS04-FA04HDDGDX2 4" x 5/8-11 Turbo Diamond Disc
HUS04-FA04HDDSX1 4" x 5/8-11 Single Row Diamond Disc
HUS04-FA07HDDDX1 7" x 5/8-11 Double Row Diamond Disc
HUS04-FA07HDDGDX2 7" x 5/8-11 Turbo Diamond Disc
HUS04-FA07GDDSX1 7" x 5/8-11 Single Row Diamond Disc

DUST CONTAINMENT SHROUD

The DustBuddie dust containment shroud fits most hand grinders including Makita, Bosch, Dewalt and more. It captures up to 99% of airborne particles.



DTSD1835 4" - 5" Dust Buddie w/ Universal Arbor & 18" Hose
DTSD1850 7" - 9" Dust Buddie w/ Universal Arbor & 18" Hose
DTSD1846 5" Cut Buddie II Dust Shroud

FLOOR GRINDING HEADS



Husqvarna TDGH Diamond Grinding Heads
Grinding heads for smoothing rough or patched floors and feathering uneven joints or slab panels; removing hard epoxies, urethane and other coatings or toppings; and grinding down bumps, raised or curled sidewalk panels.

HUS01-656088 10" Floor Grinding Head-10 Segment
HUS01-656089 10" Floor Grinding Head-20 Segment

Anchors, Blades, Bits, Caulks, & Adhesives

DRY DIAMOND CORE BITS



Dri Bits™ for drilling brick and lightweight block or concrete block materials. Not recommended for use on cured concrete.


Use on core drilling machines or right angle grinders (mount bits directly onto standard 5/8"-11 grinder spindles).

Drills faster than conventional carbide-tipped percussion bits, creating a smoother finish and requiring little patching.

Use on core drilling machines or right angle grinders (mount bits directly onto standard 5/8"-11 grinder spindles).

HUS03-684015	1-1/2" Dry Core Bit
HUS03-684020	2" Dry Core Bit
HUS03-684025	2-1/2" Dry Core Bit
HUS03-684030	3" Dry Core Bit
HUS03-684035	3-1/2" Dry Core Bit
HUS03-684040	4" Dry Core Bit
HUS03-681955	4-1/2" Dry Core Bit
HUS03-684050	5" Dry Core Bit
HUS03-681956	6" Dry Core Bit

WET DIAMOND CORE BITS



Millennium® B5300 Series Professional

Good balance of speed and life for drilling medium to hard concrete with medium to heavy steel reinforcing. Total segment height: .300" (.250" diamond depth; .050" segment base).

HUS03-780164	1-1/2" Wet Core Bit
HUS03-780167	2" Wet Core Bit
HUS03-780169	2-1/2" Wet Core Bit
HUS03-780171	3" Wet Core Bit
HUS03-780173	3-1/2" Wet Core Bit
HUS03-780174	4" Wet Core Bit
HUS03-780176	4-1/2" Wet Core Bit

HUS03-780177	5" Wet Core Bit
HUS03-780179	6" Wet Core Bit
HUS03-780181	7" Wet Core Bit
HUS03-780182	8" Wet Core Bit
HUS03-780184	10" Wet Core Bit
HUS03-780186	12" Wet Core Bit

Millennium® B5400 Series Prestressed

For drilling prestressed concrete and concrete with loose rebar.

HUS03-542786613	2" Wet Precast Core Bit
HUS03-542786615	2-1/2" Wet Precast Core Bit
HUS03-542786617	3" Wet Precast Core Bit
HUS03-542786619	3-1/2" Wet Precast Core Bit
HUS03-542786620	4" Wet Precast Core Bit
HUS03-542786622	4-1/2" Wet Precast Core Bit
HUS03-542786623	5" Wet Precast Core Bit
HUS03-542786625	6" Wet Precast Core Bit

CORE BIT ACCESSORIES



HUS03-541201736	1-1/4" Shaft - 5/8" Thread Adaptor
HUS03-541201737	1-1/4" x 12" Extension
HUS03-541400070	5/8" x 12" Dry Core Bit Extension

WATER TANK



HUS06-506326302 4 Gallon Plastic Water Tank

Pump the handle a few times to give the required pressure. The tank hold 4 gallon and comes complete with a 10ft hose which is connected to the wet cutting kit on the machine.



DIAMOND GRIT HOLE SAWS



One piece diamond hole saws

More holes. Less time. Long lasting. Continuous, brazed edge lasts longer in tile and stone. Fast, easy cutting. Low torque, little pressure required. Over-sized slot in hole saw for easy plug removal. No arbor required

LX12106	3/16" Diamond Grit Hole Saw Bit
LX12107	1/4" Diamond Grit Hole Saw Bit
LX12108	5/16" Diamond Grit Hole Saw Bit
LX12109	3/8" Diamond Grit Hole Saw Bit
LX12110	1/2" Diamond Grit Hole Saw Bit
LX12111	5/8" Diamond Grit Hole Saw Bit
LX12112	3/4" Diamond Grit Hole Saw Bit
LX12114	1" Diamond Grit Hole Saw Bit
LX12116	1-3/8" Diamond Grit Hole Saw Bit

DIAMOND CHAINS & ACCESSORIES



Diamond Chain Technology™

A revolution in concrete cutting. Diamond segments laser-welded to a steel chassis grind through concrete and other aggregate material, eliminating kickback and the damage that percussive methods can cause.



ICSC2971400	12" Chain For 680 & 613 Saws - Standard
ICSC3271486	14" Chain For 633 & 680 Saws - Premium
ICSC3271705	14" Plus Chain For 633 & 680 Saws - Premium
ICSCRM525392	14" RentMax Chain For 633 & 695GC Saws
ICSC525342	15" Chain For 880F4 Hydraulic Saw for Force4
ICSC531749	20" Chain For Force4 Hydraulic Saw
ICSB1271395	12" Bar for 613 & 680 Saw
ICSB1473600	14" Bar for 633 & 695GC Saws
ICSC525495	Drive Sprocket (Converts 853 Hyd. To Force4 Hyd.)

PowerGrit™ Utility Chain

An exciting new cutting product designed to change the way the job gets done. For use in Utility, Commercial Infrastructure, Fire & Rescue, Underwater and General Construction. From ductile iron to plastic pipe, PowerGrit will get you in and out of the job faster, easier and safer than other methods.



ICSC537764	15" Chain For PowerGrit 880F4 Hydraulic Saw
ICSC537765	20" Chain For PowerGrit 880F4 Hydraulic Saw
ICSC537764-16	16" Chain For PowerGrit Force4 633 Gas Saw
ICSB524490	16" Force4 Bar For 633 Gas Saw
ICSB529767	20" Force4 Bar For 880F4 Hydraulic Saw
ICSB523080	15" Force4 Hydraulic Saw Guidebar

Anchors, Blades, Bits, Caulks, & Adhesives

SELF-FEED BITS



Selffeed Bits for large hole drilling in wood. The inside cutting plane shaves the hole radius for clean smooth holes without pressure. A removable, replaceable feed screw draws the bit into the gummiest of woods effortlessly. A hex shank provides a secure gripping surface for the drill chuck.

- MIL05-48-25-1002** 1" Self-Feed Bit
- MIL05-48-25-1122** 1-1/8" Self-Feed Bit
- MIL05-48-25-1252** 1-1/4" Self-Feed Bit
- MIL05-48-25-1372** 1-3/8" Self-Feed Bit
- MIL05-48-25-1502** 1-1/2" Self-Feed Bit
- MIL05-48-25-1752** 1-3/4" Self-Feed Bit
- MIL05-48-25-2002** 2" Self-Feed Bit
- MIL05-48-25-2122** 2-1/8" Self-Feed Bit
- MIL05-48-25-2252** 2-1/4" Self-Feed Bit
- MIL05-48-25-2562** 2-9/16" Self-Feed Bit
- MIL05-48-25-3001** 3" Self Feed Bit
- MIL05-48-25-3621** 3-5/8" Self-Feed Bit
- MIL05-48-25-4125** 4-1/8" Self-Feed Bit
- MIL05-48-25-4621** 4-5/8" Self-Feed Bit



MIL05-48-25-6000 Service Kit Replacement feed and set screw set contains: (5) feed screws, (3) set screws and a hex wrench.

QUIK-LOK EXTENSION



Universal Quik-Lok Extensions

The 7/16" Universal QUIK-LOK™ Extension has an innovative design that fits all 7/16" shanks - with or without a power-groove.

- MIL05-48-28-1030** 5-1/2" Universal Quik-Lok Extension
- MIL05-48-28-1040** 12" Universal Quick-Lok Extension
- MIL05-48-28-1050** 18" Universal Quik-Lok Extension

CARBIDE CORE BITS



Core bits go beyond the range of standard bits and allow smaller hammers to drill larger holes. Bosch rotary hammer core bits are carbide tipped with an integral shank for better power transmission. Available in SDS-max and Spline shank.

- BOS04-HC8506** SDS Max 1-3/4" x 22"
- BOS04-HC8515** SDS Max 2" x 22"
- BOS04-HC8526** SDS Max 2-5/8" x 22"
- BOS04-HC8536** SDS Max 3-1/4" x 22"
- BOS04-HC8545** SDS Max 3-9/16" x 22"
- BOS04-HC8555** SDS Max 4" x 22"
- BOS04-HC8575** SDS Max 5" x 22"
- BOS04-HC8595** SDS Max 6" x 22"
- BOS05-HC8005** Spline Shank 1-1/2" x 22"
- BOS05-HC8015** Spline Shank 2" x 22"
- BOS05-HC8025** Spline Shank 2-1/2" x 22"
- BOS05-HC8035** Spline Shank 3-1/8" x 22"
- BOS05-HC8045** Spline Shank 3-1/2" x 22"
- BOS05-HC8055** Spline Shank 4" x 22"
- BOS05-HC8075** Spline Shank 5" x 22"



Use with One-Piece Core Bits w/Integral Shank/Centering Drill Bits

- BOS02-1618596029** Centering Bit A-Taper For Carbide Core Bit
- BOS02-2610919258** Centering Bit w/Pin For Carbide Core Bits

HOLE SAWS



Ice Hardened Hole Saws

Up to 50-percent longer life than the competition and are ideal for metal and wood cutting in a wide variety of applications. Features Matrix II bi-metal construction for greater durability and a unique precision-ground tooth geometry for faster cutting.



- MIL04-49-56-0023** 3/4" Ice Hardened Hole Saw
- MIL04-49-56-0032** 7/8" Ice Hardened Hole Saw
- MIL04-49-56-0043** 1" Ice Hardened Hole Saw
- MIL04-49-56-0052** 1-1/8" Ice Hardened Hole Saw
- MIL04-49-56-0062** 1-1/4" Ice Hardened Hole Saw
- MIL04-49-56-0072** 1-3/8" Ice Hardened Hole Saw
- MIL04-49-56-0082** 1-1/2" Ice Hardened Hole Saw
- MIL04-49-56-0102** 1-3/4" Ice Hardened Hole Saw
- MIL04-49-56-0117** 2" Ice Hardened Hole Saw
- MIL04-49-56-0127** 2-1/8" Ice Hardened Hole Saw
- MIL04-49-56-0132** 2-1/4" Ice Hardened Hole Saw
- MIL04-49-56-0147** 2-1/2" Ice Hardened Hole Saw
- MIL04-49-56-0158** 2-5/8" Ice Hardened Hole Saw
- MIL04-49-56-0163** 2-3/4" Ice Hardened Hole Saw
- MIL04-49-56-0173** 3" Ice Hardened Hole Saw
- MIL04-49-56-0193** 3-1/2" Ice Hardened Hole Saw
- MIL04-49-56-0197** 3-5/8" Ice Hardened Hole Saw
- MIL04-49-56-0213** 4" Ice Hardened Hole Saw
- MIL04-49-56-0217** 4-1/8" Ice Hardened Hole Saw
- MIL04-49-56-0223** 4-1/4" Ice Hardened Hole Saw
- MIL04-49-56-0233** 4-1/2" Ice Hardened Hole Saw
- MIL04-49-56-0237** 4-3/4" Ice Hardened Hole Saw
- MIL04-49-56-0243** 5" Ice Hardened Hole Saw
- MIL04-49-56-0247** 5-1/2" Ice Hardened Hole Saw
- MIL04-49-56-0253** 6" Ice Hardened Hole Saw

HOLE SAW ACCESSORIES



Hole Saw Arbors



Arbor Pilot Bits
Self-Centering Split Point

- MIL04-49-56-7010** 3/8" Arbor (9/16" - 1-3/16")
- MIL04-49-56-7150** 3/8" Quick Change Arbor (1-1/4" - 6-7/8")
- MIL04-49-56-9100** 1/2" Quick Change Arbor (1-1/4" - 6-7/8")
- MIL04-49-56-8000** Arbor Pilot Bit for 49-56-7150
- MIL04-49-56-8010** Arbor Pilot Bit for 49-56-9100, 49-56-7010

HOLE SAW KIT



MIL04-49-22-4175 Ice Hardened™ 15 Pc. Hole Saw Kit Hole saws are more consistently hard throughout, resulting in life up to 50% longer than the competition.

Includes: (11) Hole Saws: 3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2". (2) Arbors with Pilot Bits. (2) Additional Pilot Bits. (1) Adapter. (1) Spacer.



Anchors, Blades, Bits, Caulks, & Adhesives

HOLE CUTTER KIT



MIL04-49-56-9085 10-Pc Big Hawg® Kit

For drilling large holes in rough wood applications with the speed and longevity that HVAC, plumbing, and other professional contractors require.

Includes: (6) hole cutters: 2-1/8", 2-1/4", 2-9/16", 3", 3-5/8", 4-1/4"; (1) arbor with pilot bit; (2) pilot bits; (1) diamond file; (1) hex wrench and impact resistant case.



HOLE CUTTERS

Big Hawg® Hole Cutters

These hole cutters are specifically designed for drilling large holes in rough wood applications with the speed and longevity that HVAC, plumbing, and other professional contractors require. Arbor and pilot bit sold separately.



- MIL04-49-56-9000 2-1/8" Big Hawg Hole Cutter
- MIL04-49-56-9010 2-9/16" Big Hawg Hole Cutter
- MIL04-49-56-9020 3" Big Hawg Hole Cutter
- MIL04-49-56-9030 3-5/8" Big Hawg Hole Cutter
- MIL04-49-56-9045 4-1/4" Big Hawg Hole Cutter
- MIL04-49-56-9050 4-5/8" Big Hawg Hole Cutter
- MIL04-49-56-9065 6-1/4" Big Hawg Hole Cutter
- MIL04-49-56-9105 Big Hawg Hole Cutter Arbor



MIL04-48-27-1401 Big Hawg Hole Cutter Center Spade Pilot Bit

WOOD BORING SPADE BITS



RapidFeed™ Spade Bits

Cut 3X faster than standard spade bits thanks to the innovative RapidFeed™ tip. This tip is threaded like a wood screw and literally pulls the bit through the wood for fast cutting action.

- | | |
|---------------------|-----------------------------|
| BOS08-SB1001 1/4" | BOS08-SB1011 7/8" |
| BOS08-SB1002 5/16" | BOS08-SB1012 15/16" |
| BOS08-SB1003 3/8" | BOS08-SB1013 1" |
| BOS08-SB1004 7/16" | BOS08-SB1015 1-1/8" |
| BOS08-SB1005 1/2" | BOS08-SB1017 1-1/4" |
| BOS08-SB1006 9/16" | BOS08-SB1019 1-3/8" |
| BOS08-SB1007 5/8" | BOS08-SB1021 1-1/2" |
| BOS08-SB1008 11/16" | BOS08-SB1021 1-1/2" |
| BOS08-SB1009 3/4" | BOS08-SBE1006 6" Extension |
| BOS08-SB1010 13/16" | BOS08-SBE1012 12" Extension |

BI-METAL HOLE SAWS



Bi-metal Hole Saws

Lenox's unique tooth shape evenly distributes cutting force over a wider area of the tooth. Patented variable tooth set and height ensure that each tooth works independently, with super efficiency. They will cut faster and cleaner and last longer than other hole saws.

- | | |
|-------------------------|------------------------|
| LX010L 5/8" Hole Saw | LX040L 2-1/2" Hole Saw |
| LX012L 3/4" Hole Saw | LX042L 2-5/8" Hole Saw |
| LX016L 1" Hole Saw | LX044L 2-3/4" Hole Saw |
| LX017L 1-1/16" Hole Saw | LX048L 3" Hole Saw |
| LX018L 1-1/8" Hole Saw | LX052L 3-1/4" Hole Saw |
| LX020L 1-1/4" Hole Saw | LX056L 3-1/2" Hole Saw |
| LX022L 1-3/8" Hole Saw | LX058L 3-5/8" Hole Saw |
| LX024L 1-1/2" Hole Saw | LX060L 3-3/4" Hole Saw |
| LX026L 1-5/8" Hole Saw | LX064L 4" Hole Saw |
| LX028L 1-3/4" Hole Saw | LX066L 4-1/8" Hole Saw |
| LX030L 1-7/8" Hole Saw | LX068L 4-1/4" Hole Saw |
| LX032L 2" Hole Saw | LX072L 4-1/2" Hole Saw |
| LX034L 2-1/8" Hole Saw | LX076L 4-3/4" Hole Saw |
| LX036L 2-1/4" Hole Saw | LX080L 5" Hole Saw |
| LX038L 2-3/8" Hole Saw | LX096L 6" Hole Saw |

HOLE SAW ACCESSORIES



Hole Saw Arbors & Pilot Bits

- LX001L Pilot Arbor w/ Drive Pins & Drill Bit fits 9L-19L Hole Saws
 - LX002L Pilot Arbor w/ Drive Pins, & Drill Bit fits 20L-96L Hole Saws
 - LX006L Pilot Arbor w/ Extension fits 20L-96L Hole Saws
-
- LX1779771 1/4" Pilot Drill Bit (For: 1L, 2L, 4L)
 - LX1779810 1/4" Pilot Drill Bit (For: 3L, 5L, 6L, 7L)

HOLE SAW KITS



LX30821 Bi-metal Electrician's Hole Saw Kit

Six sizes most frequently used for pipe and conduit entrance. One each hole saws: 7/8", 1 1/8", 1 3/8", 1 3/4", 2", 2 1/2". One each arbors 1L, 5L. One 4321 pilot drill. One arbor adapter. Plastic case.



LX30808 Bi-metal Pumber's Hole Saw Kit

Six sizes most commonly used for pipe tape and entrance. One each hole saws: 3/4", 7/8", 1 1/8", 1 1/2", 1 3/4", 2 1/4". One each arbors 1L, 5L. One 4321 pilot drill. One arbor adapter. Plastic case.

29985-700CGK Carbide Grit Hole Saw Kit

General Purpose Kit. One each hole saws: 7/8", 1", 1 1/4", 1 3/8", 1 1/2", 1 3/4", 2 1/8". One each arbors 1L, 2L. One 123CT pilot drill. One arbor adapter. Plastic case.

Anchors, Blades, Bits, Caulks, & Adhesives

BELLHANGER BITS



Bellhanger Bits are ideal for installing all types of small wire systems including computer, security, phone, and cable. Provides extra reach where needed and a hole in the tip to help pull wires through holes.

MIL04-48-13-7225 1/4" X 18" Bellhanger Bit

MAGNETIC DRILL CUTTERS



Slugger HSS Nova Annular Cutter
Made from (M2) High Speed Steel for long service life. Suitable for aluminum and other non-ferrous metals.



FEI6-31-34-110-00-2	7/16" X 2" Slugger HSS Nova DOC
FEI6-31-34-111-00-1	7/16" X 1" Slugger HSS Nova DOC
FEI6-31-34-127-00-1	1/2" X 1" Slugger HSS Nova DOC
FEI6-31-34-127-00-2	1/2" X 2" Slugger HSS Nova DOC
FEI6-31-34-142-00-1	9/16" X 1" Slugger HSS Nova DOC
FEI6-31-34-142-00-2	9-16" X 2" Slugger HSS Nova DOC
FEI6-31-34-158-00-1	5/8" X 1" Slugger HSS Nova DOC
FEI6-31-34-158-00-2	5/8" X 2" Slugger HSS Nova DOC
FEI6-31-34-174-00-1	11/16" X 1" Slugger HSS Nova DOC
FEI6-31-34-174-00-2	11/16" X 2" Slugger HSS Nova DOC
FEI6-31-34-190-00-1	3/4" X 1" Slugger HSS Nova DOC
FEI6-31-34-190-00-2	3/4" X 2" Slugger HSS Nova DOC
FEI6-31-34-206-00-1	13/16" X 1" Slugger HSS Nova DOC
FEI6-31-34-206-00-2	13/16" X 2" Slugger HSS Nova DOC
FEI6-31-34-222-00-1	7/8" X 1" Slugger HSS Nova DOC
FEI6-31-34-222-00-2	7/8" X 2" Slugger HSS Nova DOC
FEI6-31-34-237-00-2	15/16" X 2" Slugger HSS Nova DOC
FEI6-31-34-238-00-1	15/16" X 1" Slugger HSS Nova DOC
FEI6-31-34-254-00-1	1" X 1" Slugger HSS Nova DOC
FEI6-31-34-254-00-2	1" X 2" Slugger HSS Nova DOC
FEI6-31-34-269-00-1	1-1/16" X 1" Slugger HSS Nova DOC
FEI6-31-34-269-00-2	1-1/16" X 2" Slugger HSS Nova DOC

VARI-BITS®



Lenox Vari-Bits® feature high speed steel construction and steam oxide coating. Two cutting flutes allow for clean burr-free holes.



LX30881 VB-1	Vari Bit	1/8 - 1/2"	1/4" Shank
LX30882 VB-2	Vari Bit	1/2 - 1"	3/8" Shank
LX30883 VB-3	Vari Bit	1/4 - 1/2"	3/8" Shank
LX30888 VB-11	Vari Bit	7/8, 1-1/8"	3/8" Shank
LX30908 VB-8	Vari Bit	3/16 - 7/8"	3/8" Shank
LX30912 VB-12	Vari Bit	7/8 - 1-3/8"	3/8" Shank (for 1/2" & 3/4" conduit)

SPIRA-CUT BLADES



BOS02-GP10	8 Pack Spira-Cut, Guide Point Bit
BOS02-SC5	Pack Spira-Cut, Sabre Cut (#SC4)
BOS02-ZB10	8Pack Spira-Cut, Outlet (2B8)

ZIP® BITS



Rotozip Bits
Designed to tackle the rigors of the jobsite and every tough job imaginable, while still delivering quick, clean cuts every time.

BOS02-DC1	1/4" Dura Cut Zip Bit
BOS02-TC1	1/8" Tile Cut Zip Bit

AUGER & SHIP AUGER BITS



Ship Auger Bits have a new through center cutting design for improved life in nail-embedded wood. The flutes are coated, which produces a non-stick surface for fast and smooth chip ejection, especially in deep holes.

MIL06-48-13-0750	3/4" X 6-1/2" Auger Bit
MIL06-48-13-0753	3/4" X 6" Ship Auger Bit
MIL06-48-13-0870	7/8" X 6-1/2" Auger Bit
MIL06-48-13-0873	7/8" X 6" Ship Auger Bit
MIL06-48-13-1000	1" X 6-1/2" Auger Bit
MIL06-48-13-1003	1" X 6" Ship Auger Bit
MIL06-48-13-1120	1-1/8" X 6-1/2" Auger Bit
MIL06-48-13-1123	1-1/8" X 6" Ship Auger Bit
MIL06-48-13-1250	1-1/4" X 6-1/2" Auger Bit
MIL06-48-13-1253	1-1/4" X 6" Ship Auger Bit
MIL06-48-13-5560	9/16" X 18" Ship Auger Bit
MIL06-48-13-5750	3/4" X 18" Ship Auger Bit
MIL06-48-13-5870	7/8" X 18" Ship Auger Bit
MIL06-48-13-5930	15/16" X 18" Ship Auger Bit
MIL06-48-13-6000	1" X 18" Ship Auger Bit
MIL06-48-13-6120	1-1/8" X 18" Ship Auger Bit
MIL06-48-13-6250	1-1/4" X 18" Ship Auger Bit

ROUND SHANK DRILL BITS



BlueGranite™ Carbide Hammer Drill Bits

Delivers fast impact drilling in concrete, stone and masonry. Low voltage, high temperature brazing prevents the carbide cutting edge from breaking out even when heat builds up during deep drilling.

BOS10-HCBG04B25	3/16" x 6" Round Shank Drill Bit
BOS10-HCBG06B25	1/4" x 6" Round Shank Drill Bit
BOS10-HCBG12B25	3/8" x 6" Round Shank Drill Bit
BOS10-HCBG16B25	1/2" x 6" Round Shank Drill Bit

REBAR CUTTER BITS



SDS Rebar Cutter Bit

High Quality Rotary Carbide - For long drilling life. Tapered Shank Body Design - Less weight for smoother drilling. Unique flute geometry removes metal shavings quickly less vibration and weight. For use with most common rotary hammers in rotation mode.

BOS03-RC2064	3/8" X 12" SDS Rebar Cutter Bit
BOS03-RC2084	1/2" X 12" SDS Rebar Cutter Bit
BOS03-RC2094	9/16" X 12" SDS Rebar Cutter Bit
BOS03-RC2104	5/8" X 12" SDS Rebar Cutter Bit
BOS03-RC2124	3/4" X 12" SDS Rebar Cutter Bit
BOS03-RC2144	7/8" X 12" SDS Rebar Cutter Bit
BOS03-RC2164	1" X 12" SDS Rebar Cutter Bit
BOS03-RC2168	1-1/8" X 12" SDS Rebar Cutter Bit
BOS03-RC2172	1-1/4" X 12" SDS Rebar Cutter Bit
BOS03-RC2176	1-1/2" X 12" SDS Rebar Cutter Bit

Anchors, Blades, Bits, Caulks, & Adhesives

JOBBER LENGTH DRILL BITS



Type 190

Heavy Duty - Surface Treated

This 135° split point drill is self centering and requires less thrust in drilling harder metal than a general purpose drill. It is recommended for medium hardness metal drilling applications.



Type 190-AG

Magnum™ Super Premium

Special Hi-Molybdenum tool steel. 135° split point for fast penetration and accurate starting without a center punch.

Type 190 Part No.	Type 190-AG Part No.	Diameter Inches	Overall Length Inches
-	-	1/64	3/4
-	-	1/32	1-3/8
-	-	3/64	1-3/4
04490	05580	1/16	1-7/8
04500	05590	5/64	2
04510	05600	3/32	2-1/4
04520	05610	7/64	2-5/8
04530	05620	1/8	2-3/4
04540	05630	9/64	2-7/8
04550	05640	5/32	3-1/8
04560	05650	11/64	3-1/4
04570	05660	3/16	3-1/2
04580	05670	13/64	3-5/8
04590	05680	7/32	3-3/4
04600	05690	15/64	3-7/8
04610	05700	1/4	4
04620	05710	17/64	4-1/8
04630	05720	9/32	4-1/4
04640	05730	19/64	4-3/8
04650	05740	5/16	4-1/2
04660	05750	21/64	4-5/8
04670	05760	11/32	4-3/4
04680	05770	23/64	4-7/8
04690	05780	3/8	5
04700	05790	25/64	5-1/8
04710	05800	13/32	5-1/4
04720	05810	27/64	5-3/8
04730	05820	7/16	5-1/2
04740	05830	29/64	5-5/8
04750	05840	15/32	5-3/4
04760	05850	31/64	5-7/8
04770	05860	1/2	6

DOUBLE END DRILL BITS



Type 140

Twin End - Heavy-Duty - 135° Split Point. This twin end drill has wide applications in drilling any thin sheetmetal or wood.

NM28140 #30 Double End Drill Bit

STUB LENGTH DRILL BITS



Type 135 Heavy Duty - 135° Split Point Black Finish

A sturdy drill for use in portable power drilling. Accurate centering, fast penetration. Ideal for sheet metal work.

Type 135 Part No.	Diameter Inches	Overall Length Inches
25560	1/16	1-5/8
25570	5/64	1-11/16
25580	3/32	1-3/4
25590	7/64	1-13/16
25600	1/8	1-7/8
25610	9/64	1-15/16
25620	5/32	2-1/16
25630	11/64	2-1/8
25640	3/16	2-3/16
25650	13/64	2-1/4
25660	7/32	2-3/8
25670	15/64	2-7/16
25680	1/4	2-1/2
25690	17/64	2-5/8
25700	9/32	2-11/16
25710	19/64	2-3/4
25720	5/16	2-13/16
25730	21/64	2-15/16
25740	11/32	3
25750	23/64	3-1/16
25760	3/8	3-1/8
25770	25/64	3-1/4
25780	13/32	3-5/16
25790	27/64	3-3/8
25800	7/16	3-7/16
25810	29/64	3-9/16
25820	15/32	3-5/8
25830	31/64	3-11/16
25840	1/2	3-3/4

TAPS



Type 740 & 741 Hi-Carbon Steel

Made of super tough carbon steel, these taps are ideal for hand tapping applications. All taps have the size drill to use permanently marked on the tap. Packaged 3 per pack.

NM55270	Tap 1/4 x 20 NC - Type 740
NM55930	Tap 6 x 32 NC - Type 741
NM55960	Tap 8 x 32 NC - Type 741
NM55990	Tap 10 x 24 NC - Type 741
NM56000	Tap 10 x 32 NF - Type 741
NM56010	Tap 12 x 24 NC - Type 741

SILVER & DEMING DRILL BITS



Type 130 This general purpose 118° point H.S.S. drill is recommended for use in portable air and electric drilling equipment with 1/2" chucks. Type 130 drills may be used in power applications such as drill presses where a short rigid drill is required.

Part No.	Diameter	Part No.	Diameter
29130	33/64"	29320	13/16"
29140	17/32"	29330	53/64"
29150	35/64"	29340	27/32"
29160	9/16"	29350	55/64"
29170	37/64"	29360	7/8"
29180	19/32"	29370	57/64"
29190	39/64"	29380	29/32"
29200	5/8"	29390	59/64"
29210	41/64"	29400	15/16"
29220	21/32"	29410	61/64"
29230	43/64"	29420	31/32"
29240	11/16"	29430	63/64"
29250	45/64"	29440	1 inch
29260	23/32"	29450	1-1/16"
29270	47/64"	29460	1-1/8"
29280	3/4"	29470	1-5/32"
29290	49/64"	29480	1-3/16"
29300	25/32"	29490	1-1/4"
29310	51/64"		

Individually packaged in plastic tubes. 6 inch overall length, all sizes.



DRILL BIT SETS



NM44150

29 Piece Drill Bit Set

Type 190 Jobber Length 135° Split Point. (1/16" through 1/2" by 64ths)



BLACK & GOLD

NM44190 29 Pc. Drill Bit Set

Black/Gold Type 190-AG Blaze Orange Rd. Case



BLACK & GOLD

NM66820 29 Pc. Drill Bit Set Black

Gold Type 175-AG (3 Flats On Shank) Rd. Case

Anchors, Blades, Bits, Caulks, & Adhesives

ROTARY HAMMER BITS



SDS-plus® S4® Rotary Hammer Bits

Feature a patent-pending 4-flute design for fast dust removal.

BOS03-HC2001B25	5/32" X 6" SDS Bit
BOS03-HC2010B25	3/16" X 4" SDS Bit
BOS03-HC2011B25	3/16" x 6" SDS Bit
BOS03-HC2012B25	3/16" x 8-1/2" SDS Bit
BOS03-HC2040B25	1/4" x 4" SDS Bit
BOS03-HC2041B25	1/4" x 6" SDS Bit
BOS03-HC2042B25	1/4" x 8-1/2" SDS Bit
BOS03-HC2045	1/4" x 14" SDS Bit
BOS03-HC2051B25	5/16" x 6" SDS Bit
BOS03-HC2061B25	3/8" x 6" SDS Bit
BOS03-HC2064B25	3/8" x 12" SDS Bit
BOS03-HC2067	3/8" x 18" SDS Bit
BOS03-HC2068	3/8" x 24" SDS Bit
BOS03-HC2071	7/16" x 6" SDS Bit
BOS03-HC2081B25	1/2" x 6" SDS Bit
BOS03-HC2084B25	1/2" x 12" SDS Bit
BOS03-HC2087	1/2" x 18" SDS Bit
BOS03-HC2088	1/2" x 24" SDS Bit
BOS03-HC2091	9/16" x 6" SDS Bit
BOS03-HC2094	9/16" x 12" SDS Bit
BOS03-HC2102B25	5/8" x 8" SDS Bit
BOS03-HC2104	5/8" x 12" SDS Bit
BOS03-HC2107	5/8" x 18" SDS Bit
BOS03-HC2122	3/4" x 8" SDS Bit
BOS03-HC2124	3/4" x 12" SDS Bit
BOS03-HC2127	3/4" x 18" SDS Bit
BOS03-HC2142	7/8" x 8" SDS Bit
BOS03-HC2144	7/8" x 12" SDS Bit
BOS03-HC2147	7/8" x 18" SDS Bit
BOS03-HC2163	1" x 10" SDS Bit
BOS03-HC2167	1" x 18" SDS Bit



SDS-max® Rotary Hammer Bits

Feature tips that stay sharper longer and deliver more holes within their ANSI specification than competitors' bits.

BOS04-HC5010	1/2" x 13" SDS Max Drill Bit
BOS04-HC5091	1/2" x 23" SDS Max Drill Bit
BOS04-HC5020	5/8" x 13" SDS Max Bit
BOS04-HC5021	5/8" x 21" SDS Max Drill Bit
BOS04-HC5030	3/4" x 13" SDS Max Bit
BOS04-HC5031	3/4" x 21" SDS Max Drill Bit
BOS04-HC5040	7/8" x 13" SDS Max Drill Bit
BOS04-HC5041	7/8" x 21" SDS Max Drill Bit
BOS04-HC5050	1" x 13" SDS Max Bit
BOS04-HC5051	1" x 21" SDS Max Bit
BOS04-HC5061	1-1/8" x 23" SDS Max Bit
BOS04-HC5071	1-1/4" x 23" SDS Max Bit
BOS04-HC5091	1-1/2" x 23" SDS Max Bit



Spline Rotary Hammer Bits

Bosch spline rotary hammer bits feature tips that stay sharper longer and deliver more holes within their ANSI specification.

BOS05-HC4511	1/2" x 16" Spline Shank Bit
BOS05-HC4516	9/16" x 16" Spline Shank Bit
BOS05-HC4521	5/8" x 16" Spline Shank Bit
BOS05-HC4531	3/4" x 16" Spline Shank Bit
BOS05-HC4532	3/4" x 23" Spline Shank Bit
BOS05-HC4540	7/8" x 16" Spline Shank Bit
BOS05-HC4541	7/8" x 23" Spline Shank Bit
BOS05-HC4550	1" x 16" Spline Shank Bit
BOS05-HC4551	1" x 23" Spline Shank Bit
BOS05-HC4561	1-1/8" x 22" Spline Shank Bit
BOS05-HC4571	1-1/4" x 22" Spline Shank Bit
BOS05-HC4591	1-1/2" x 22" Spline Shank Bit

HEAVY DUTY CHISELS



Heavy Duty Chisels are designed for use in a rotary hammer equipped with a Spline, SDS-Max, or 3/4" Hex type chuck.



Bull Point



1" Flat Chisel



Wide Scaling Chisel



1 Piece Bushing

SDS-MAX Shown, Spline and Hex Shank also available.

Cat. No.	Shank Type	Chisel Type	Size or Width	Overall Length
0950	Spline	Bull Point	-	12"
0951	Spline	Bull Point	-	18"
0952	Spline	Flat	1"	12"
0953	Spline	Flat	1"	18"
0954	Spline	Scaling	1-1/2"	12"
0955	Spline	Scaling	2"	12"
0956	Spline	Slotting	1-1/8"	12"
0957	Spline	Mortar / Seam	1-1/8"	15"
0959	Spline	Ground Rod	5/8" & 3/4" Rod	10-1/2"
0960	Spline	One Piece	1-1/2" x 1-1/2"	9-3/4" Rod
		Bushing	(16 Point)	
0961	-Bushing	(16 point)	1-1/2" x 1-1/2"	2-1/2"
0962	Spline	Bushing Driver	-	12"
0965	SDS-Max	Bull Point	-	12"
0966	SDS-Max	Bull Point	-	18"
0967	SDS-Max	Flat	1"	12"
0968	SDS-Max	Flat	1"	18"
0969	SDS-Max	Scaling	1-1/2"	12"
0970	SDS-Max	Scaling	2"	12"
0971	SDS-Max	Slotting	1-1/8"	15"
0972	SDS-Max	Mortar / Seam	1-1/8"	15"
0974	SDS-Max	Ground Rod	5/8" & 3/4" Rod	10-1/2"
0975	SDS-Max	One Piece	1-1/2" x 1-1/2"	12" Rod
		Bushing	(16 point)	
0980	3/4"	Hex Bull Point	-	12"
0981	3/4"	Hex Bull Point	-	18"
0982	3/4"	Hex Flat	1"	12"
0983	3/4"	Hex Flat	1"	20"
0984	3/4"	Hex Ground Rod	5/8" & 3/4" Rod	10-1/2"

ADAPTERS

Bosch offers adapters to make it easy to utilize SDS-max® while still utilizing your current SDS-plus® and spline accessories.



Spline to SDS-plus **SDS Max to SDS-plus**

BOS02-HA1020 Spline to SDS Adaptor
BOS02-HA1030 SDS Max to SDS Adaptor

PAVEMENT BREAKERS



VC1020 1-1/8" Hex 20-1/2" Moil Point



VC1030 1-1/8" Hex 20-1/2" Narrow Chisel
VC1040 1-1/8" Hex 3" X 20-1/2" Chisel



VC1045 1-1/8" Hex 5" X 17" Asphalt Cutter

PNEUMATIC HAMMER TOOLS



VCF0121 Bull Point - 12" Length



VCF0181 1" Flat Chisel - 12" Length



VCF01815 2" x 12" Scaling Chisel

Anchors, Blades, Bits, Caulks, & Adhesives

INSERT BITS



Bosch insert bits are designed to handle tough torque applications. The combination of highest quality S2 tool steel and a proven sub-zero tempering process gives these bits long life and increased durability.

	BOS07-27035 #1 Phillips Bit Tip
	BOS07-27021 #2 Phillips Bit Tip (Wide Neck)
	BOS07-27036 #2 Phillips Bit Tip (Narrow Neck)
	BOS07-27022 #3 Phillips Bit Tip
	BOS07-27360 #1 x 1-15/16" Long Phillips Bit Tip
	BOS07-27361 #2 x 1-15/16" Long Phillips Bit Tip
	BOS07-27362 #3 x 1-15/16" Long Phillips Bit Tip
	BOS07-27364 #2 x 2-3/4" Long Phillips Bit Tip
	BOS07-27365 #3 x 2-3/4" Long Phillips Bit Tip
	BOS07-27367 #2 x 3-1/2" Long Phillips Bit Tip
	BOS07-27368 #3 x 3-1/2" Long Phillips Bit Tip
	BOS07-CCP2601 #2 X 6" Long Phillips Bit Tip
	BOS07-27464 Narrow Slotted Bit Tip x 1-15/16"
	BOS07-27467 Wide Slotted Bit Tip x 1-15/16"
	BOS07-29049 #1 Square Bit Tip 3/4"
	BOS07-29050 #2 Square Bit Tip 3/4"
	BOS07-29051 #3 Square Bit Tip 3/4"
	BOS07-29053 #2 x 1-15/16" Square Bit Tip
	BOS07-29054 #3 x 1-15/16" Square Bit Tip
	BOS07-39947 #2 Square Bit Tip - 3-1/2" Long
	BOS07-37717 T15 TORX® Power Bits - 1-15/16"
	BOS07-37719 T20 TORX® Power Bits - 1-15/16"
	BOS07-37721 T25 TORX® Power Bits - 1-15/16"
	BOS07-37725 T30 TORX® Power Bits - 1-15/16"

INSERT BIT ACCESSORIES



Screw Cap Style Magnetic with 1/4" Hex Tool Steel Shank	Magnetic Nut Setter with 1/4" Hex Shank
Magnetic with 1/4" Hex Tool Steel Shank	Extension

BOS07-61943	1/4" X 2-9/16" Magnetic Nut Setter
BOS07-61944	5/16" x 2-9/16" Magnetic Nut Setter
BOS07-61945	3/8" x 2-9/16" Magnetic Nut Setter
BOS07-61946	7/16" x 2-9/16" Magnetic Nut Setter
BOS07-26790	Magnetic Bit Tip Holder w/ O'Ring
BOS07-34403	Replacement O'Ring for Bit Tip Holder
BOS07-27690	Magnetic Bit Tip Holder 2-7/8" Length
BOS07-37570	1/4" x 3" Extension

REPLACEMENT BLADES



102	18 Ga. Blade Kit
104	16 Ga. Blade Kit
80-21	Center Scissor Blade
60-21	Center Blade
1022	Nibbler Punch



UTILITY KNIVES

LXFLK1 #10771 Locking Tradesman Knife



LXSSRK1
Gold Retractable BladeUtility Knife



TE01-070
8-Point Orange Snap-Off Blade Knife



TE03817
Retractable Utility Knife with Holster



UTILITY BLADES



LXGOLD100D
100 pack Gold Utility Blades



Titanium coating that keep the blades cutting after others have quit.

18 GAUGE POWER SHEARS



KD-400

These double-cut shears feed quickly and quietly, without warping or bending your finished piece (distortion is in the waste strip). It easily follows a scribed line - edges are not hardened or burred, so you get maximum use of a sheet. These shears cut sheet metal up to 18 gauge in straight or contour lines at 180 inches per minute and plastic or Formica up to 3/32" thick.



14 GAUGE POWER SHEARS



KD-440

This lightweight, pistol-grip shear cuts 14 gauge mild steel and most grades of stainless to 18 gauge. Double-insulated, the 5 AMP Shears cuts at over 150 inches per minute, leaving a clean, flat sheet, ready to fabricate. Distortions are absorbed in an easily disposed of waste curl, leaving the sheet cool and free of burn, chips and burrs. Easily Replaceable blades.



Anchors, Blades, Bits, Caulks, & Adhesives

OSCILLATING BLADES



The coarse tooth saw blade has larger teeth for aggressive cutting. It is designed for cutting **wood, drywall and other soft material**. This blade will cut through a few nails but is mainly used for softer applications.

IMP-IBOA250-3 3 Pack ONE FIT 2-1/2" Standard Wood HCS Blade

IMP-IBOA270-3 3 Pack ONE FIT 2-1/2" Precision Hardwood HCS



This blade is made to cut **larger framing nails, bolts, sheet metal, etc.**

IMP-IBOA300-3 3 Pack ONE FIT 1-1/4" Bi-Metal Blade



The patented REACH blade will allow you to use your tool like never before, bringing almost any cut within your reach. Cut everything from subflooring under toe kicks to rusted tabs hidden inside mechanical boxes.

IMP-IBOA391 ONE FIT 2" 90 Degree Plunge Cut Blade



The high-speed steel material is rigid, allowing the blade to cut through **harder wood and sheet metal up to 1mm thick as well as carbon fiber, fiberglass, & nails**. Ideal for long rip cuts.

IMP-IBOA450-1 ONE FIT 4" Round HSS Saw Blade



The rigid scraper blade is optimal for the removal of **old paint, adhesive residue, carpet, and tile adhesives**.

IMP-IBOA500-1 ONE FIT Rigid Scraper Blade



The flexible scraper blade is best for the removal of **silicone or acrylic caulking in plumbing, but is also suitable for adhesive removal**.

IMP-IBOA520-1 ONE FIT Flat Scraper Blade



The segmented carbide blade gives you the ability to cut out damaged **tile grout**, scoring grooves in **plaster, porous concrete, and similar construction materials**.

IMP-IBOA610-1 ONE FIT 2-1/2" Segment Carbide Blade



The carbide RASP is best utilized for coarse grinding, rasping, or aggressive material removal over large areas. Applications include **wood, hardened adhesives, thinset, & masonry**.

IMP-IBOA620-1 ONE FIT Triangular RASP Carbide Blade



Diamond blade will remove **tough grout from between tiled surfaces**. Efficient shape allows aggressive grinding without damaging the tile.

IMP-IBOA730-1 Segment Boot Diamond Blade



Designed for **wood, metal and PVC**. Our highest quality Titanium coated high speed steel blade is specifically designed for various applications.

IMP-IBOAT330-10 10 Pack ONE FIT 1-1/4" TiN STORM Bi-Metal Blade



The coarse tooth saw blade has larger teeth for aggressive cutting. Designed for cutting wood, drywall and other soft material. This blade will cut through a few nails but is mainly used for softer applications.

IMP-IBOA200-3 3 Pack ONE FIT 1-1/4" Bi-Metal Blade



The Japanese precision style oscillating blade uses extremely sharp teeth for making precision cuts through wood. This 1-1/4-Inch blade and "J" tooth design, allows you to make flush cuts with ease on a cut-by-cut basis.

IMP-IBOA220-3 3 Pack ONE FIT 1-1/4" Japanese Precision HCS



New "Longest-life" blades with special titanium-coated, bi-metal teeth. **For all wooden materials up to 2-inch, also with nails, plasterboard, all plastics and fiberglass reinforced plastics. Ideal for all crafts including general contracting, flooring, and tile.**

IMP-IBOAT337-1 ONE FIT 2-1/2" Wood w/Nails BM STORM Blade



The industry-leading, titanium coated Bi-Metal STORM blade in our line of premium blades is designed for **wood, metal and PVC**.

IMP-IBOAT340-1 ONE PACK 1-3/4" Bi-Metal STORM Blade Fits



The high-speed steel material is rigid, allowing the blade to cut through **harder wood and sheet metal up to 1mm thick as well as carbon fiber, fiberglass, and nails**.

IMP-IBOAT410-1 ONE FIT 3-1/8" Segment HSS TiN STORM Blade



These are the most popular blades in North America. These bi-metal blades are optimized for **wood, metal and PVC**.

IMP-IBOATV-3 3 Pack ONE FIT Variety STORM



These are the most popular blades in North America. These bi-metal blades are optimized for **wood, metal and PVC**.

IMP-IBOATV-6 6 Pack ONE FIT Variety STORM

ARBORTECH TOOL BLADES



A) ARB-BLAFG1110 General Purpose Blade

General cutting for brick and mortar to 4-1/2" depth. Economical solution for general masonry cutting tasks. Also for cutting tree-stumps or wood through dirt and sand.

B) ARB-BLAFG4110 Plunge Blade

Used for square and deep precision cuts into masonry walls without overcutting. Ideal for single brick removal, installation of electrical boxes, Max cutting depth: 4-3/4"

Anchors, Blades, Bits, Caulks, & Adhesives

CARBIDE BLADES

freud

Freud Diablo Carbide Blades

Specially designed to meet the needs of the construction and remodeling market. Laser-cut stabilizer vents for reduced vibration and precise cuts.



- FRD01-D0436X** 4-3/8" X 20mm X 36T Diablo Finish Blade
- FRD01-D0536X** 5-3/8" X 10mm X 36T Diablo Finish Blade
- FRD01-D0516X** 5-3/8" X 10mm X 16T Diablo Framing Blade
- FRD01-D0518X** 5-1/2" X 10mm X 18T Diablo Framing Blade
- FRD01-D0524X** 5-3/8" X 10mm X 24T Diablo Framing Blade
- FRD01-D0620X** 6" X 1/2" X 20T Diablo Framing Blade
- FRD01-D0640X** 6" X 1/2" X 40T Diablo Finish Saw Blade
- FRD01-D0624X** 6-1/2" X 5/8" X 24T Diablo Framing Saw Blade
- FRD01-D0641X** 6-1/2" X 5/8" X 40T Diablo Finish Saw Blade
- FRD01-D0760A** 7-1/4" X 5/8" X 60T Diablo Finish Saw Blade
- FRDD0724A** 7-1/4" Diablo Framing Blade 24T - Wet Lumber
- FRDD0740A** 7-1/4" Diablo Framing Blade 40T - Wet Lumber
- FRD01-D0824X** 8" X 5/8" X 24T Diablo Framing Saw Blade
- FRD01-D0840X** 8-1/4" X 5/8" X 40T Diablo Framing Blade
- FRDD1060X** 10" Diablo Fine Finish Blade 60T - Wood/Melamine
- FRDD1080X** 10" Diablo Ultra Finish Blade 80T - Wood/Melamine
- FRDLM72R010** 10" Industrial Heavy-Duty Rip Blade 24T
- FRDLM74R010** 10" Industrial Glue Line Rip Blade 30T
- FRDLU73R010** 10" Cabinetmaker's Crosscut Blade 60T
- FRDLU85R010** 10" X 80 Tooth Ultimate Cut-Off Blade
- FRDLU91R010** 10" Fine Finish Blade for Slide Miter Saw 60T
- FRDLU85R012** 12" Ultimate Cut-Off Blade 96T
- FRDD1244X** 12" Diablo General Purpose Blade 44T
- FRDD1280X** 12" Diablo Fine Wood/Melamine Blade 80T

CARBIDE DEMOLITION BLADE

freud

Demo Demon Framing / Demolition Blade

Ideal for extreme framing and demolition applications. Delivers up to six times the life of standard blades in extreme situations.



FRDD0724DA 7-1/4" X 24 Tooth "Demo Demon" Blade

COMPOSITE DECKING BLADES

freud

Trex Composite Decking Circular Saw Blades

44 Modified Triple Chip Grind-MTCG Teeth. Laser cut stabilizer vents keep the blade straight and true for superior quality cuts and no swirl marks.



FRD01-D0744CD 7-1/4" X 5/8" X 44T Blade For Composite Decking
FRD01-D1072CD 10" X 5/8" X 72T Blade For Composite Decking

HARDI BLADES

freud

Diablo Fiber Cement Blades™

Features a unique, spark-eroded Triple Chip grind for long life – up to 60 times the life in fiber cement of conventional carbide blades Perfect for full time use in heavy duty applications.



FRDD0704DH 7-1/4" X 5/8" 4T Hardie Blade
FRDD1006DH 10" X 5/8" 6T Hardie Blade
FRDD1208DH 12" X 1" 8T Hardie Blade

PREMIER FUSION BLADE

freud

Ideal for oak, pine, plywood, pressure-treated lumber and beams. This blade was made of durable TiCo high-density carbide for long-lasting performance.



FRDP410 10" x 40T Premier Fusion Blade

GENERAL PURPOSE BLADE



LAC-WGPB07024E 7-1/4" X 24T Circular Saw Blade

Universal use. Rip and crosscut natural woods and plywood. The medium tooth count allows for a wide range of cuts.



CARBIDE BLADES

BOSCH



Construction / Framing Blades

Bosch's Construction Series carbide blades have been designed to fit the needs of all framing and trim carpenters. Each blade has a thin-plate that has been hardened to stay flat and run true, cut after cut.

BOS06-CB724AB25 (#DCB724B25) 7-1/4" x 24T Framing Blade

CARBIDE BLADES

BOSCH

Bosch Professional Series Circular Saw Blades

Designed to meet the needs of professional users from woodworkers to firefighters. All blades feature industrial quality, laser cut, fully hardened bodies and oversized carbide tips for resharpening.



BOS06-CB748ST Carbide Blade 7-1/4" x 48 Tooth-Steel Cutting
BOS06-PRO1260ST Carbide Blade 12" X 60 Tooth- Steel Cutting
BOS06-PRO1280FIN Carbide Blade 12" X 80 Tooth - Wood Cutting
BOS06-PRO1296SM Carbide Blade 12" X 96 Tooth- Wood Cutting
BOS06-PRO1480ST Carbide Blade 14" X 80 Tooth- Steel Cutting

CORDLESS SAW BLADE

BOSCH

BOS06-CBCL618A Bosch 6-1/2" X 18T Cordless Circular Saw Blade

Ripping blade for both general-purpose and fast-cutting applications. Twenty-degree hook angle for fast cutting. 5/8" Arbor.



Anchors, Blades, Bits, Caulks, & Adhesives

RESCUE BLADES



Carbide rescue blades with 1" arbor. Designed for rough cutting applications.

- BOS06-PRO1224RES** 12" X 24 Tooth Blade
- BOS06-PRO1424RES** 14" X 24 Tooth Blade



PRO STACKED DADO



FRD01-SD208 8" Stacked Dado

- Features Freud's Hi-Density Carbide with Titanium for long life and a flawless finish
- The negative hook angles make flat bottom grooves and virtually splinter-free cuts



NON FERROUS BLADE



Diablo Non-Ferrous Metal and Plastic Cutting Saw Blades

Laser cut heat expansion slots allow blade to expand due to heat build-up keeping the cut true and straight.

- FRD01-D0756N** 7-1/4" X 56T Diablo Non-Ferrous Steel Blade
- FRDD1296N** 12" X 96T Diablo Plastic/Copper/Alum/Brass Blade



SUPER STACKED DADO



FRD01-SD508 8" Stacked Dado

- Cuts all composition material, plywood, hardwoods, and softwoods.
- Set includes two outer blades, six chippers, Dado Tips & Tricks DVD, shim set, and storage case.
- Cuts dado widths from 1/4" to 29/32". Includes a 3/32" chipper.



FERROUS METAL CUTTING BLADES



Exclusive TiCo Hi-Density Carbide designed specifically for metal cutting applications. Anti vibration Technology reduces noise and extends cutting life and Laser Cut steel blade body for smoother cuts.

- FRD01-D0530F** 5-3/8" X 10mm X 30T Diablo Steel Demon Blade
- FRD01-D0530FM** 5-3/8" X 20mm X 30T Diablo Steel Demon Blade
- FRD01-D0649F** 6-3/4" X 20mm X 48T Diablo Steel Demon Blade
- FRD01-D0738F** 7-1/4" X 5/8" X 38T Diablo Steel Demon Blade
- FRD01-D0738FM** 7" X 20mm X 38T Diablo Steel Demon Blade
- FRD01-D0748FM** 7" X 20mm X 48T Diablo Steel Demon Blade
- FRD01-D0756F** 7-1/4" X 5/8" X 56T Diablo Steel Demon Blade
- FRD01-D0770F** 7-1/4" X 5/8" X 70T Diablo Steel Demon Blade
- FRD01-D0842CF** 8" X 5/8" X 42T Diablo Steel Demon Blade
- FRDD1260F** 12" X 1" 60 Teeth Diablo Steel Demon Blade
- FRDD1472F** 14" X 1" 72 Teeth Diablo Steel Demon Blade



HIGH SPEED CUT-OFF WHEELS



Triple Reinforced Wheels for Safe and Long lasting Performance!

METAL CUTTING BLADE

14" Carbide Tip Ferrous Metal Blade. 72 Tooth, 1" Arbor. Cuts all ferrous metals such as: iron and steel pipe, angle iron, flat bar, rebar, and galvanized materials.

- LAC-FMB14072** 14" X 72T Carbide Blade For Metal Cutting



Brute™ - Metal

Long life. Extremely hard bond for cutting metals that present a very sharp edge to the wheel.

A24R- General Purpose Metal

Aluminum oxide grain. Provides consistent performance with long life.

Big M.A.C.™ - Masonry, Asphalt, Concrete

Special silicon carbide grain. Superior cutting action. 40% longer life than general purpose concrete wheels.

- UA23412** 12" x 1/8" x 1" Brute™ Metal Cut-Off Blade
- UA23422** 12" x 1/8" x 20mm Brute™ Metal Cut-off Blade
- UA23452** 14" x 1/8" x 1" Brute™ Metal Cut-Off Blade
- UA23457** 14" x 1/8" x 20mm Brute™ Metal Cut-Off Blade
- UA23459** 16" x 1/8" x 1" A24R Metal Cut-Off Blade
- UA23470** 16" x 1/8" x 20mm A24R Metal Cut-Off Blade
- UA23460** 12" x 1/8" x 1" Big M.A.C. Concrete Cut-Off Blade
- UA23462** 12" x 1/8" x 20mm Big M.A.C. Concrete Cut-Off Blade
- UA23463** 14" x 1/8" x 1" Big M.A.C. Concrete Cut-Off Blade
- UA23464** 14" x 1/8" x 20mm Big M.A.C. Concrete Cut-Off Blade

**We Sharpen Carbide Blades
Keep your Blades in Top-Notch Condition!**



Anchors, Blades, Bits, Caulks, & Adhesives

CHOP SAW WHEELS



Iron Worker™ Angle Iron, Medium Size Metal.
Stud King® Metal Studding, Thin Metals.
Steel Worker® Cool Cutting on Stainless Steel.

- UA24031** 12" x 3/32" x 1" Iron Worker Chop Saw Blade
- UA24050** 14" x 3/32" x 1" Stud King Chop Saw Blade
- UA24051** 14" x 3/32" x 1" Iron Worker Chop Saw Blade
- UA24053** 14" x 3/32" x 1" Steel Worker Chop Saw Blade

METAL CUTTING WHEELS



A60S - General Purpose Metal
 Thin .045 width. Special aluminum oxide grain. Hard bond for extremely long life. Fast, burr-free cutting Type 27 Depressed Center.

- UA22021** 4-1/2" x 1/16" x 7/8" A60S Metal Cutting Disc
- UA22047** 6" x .045 x 7/8" A60S Metal Cutting Disc
- UA20916** 7" x .90" x 5/8-11 A60S Metal Cutting Disc

A36T - Fast Cutting
 Type 1 Thin High Speed Cut-Off Wheels - Fast Cutting. Ferrous metals and Stainless Steel



- UA23101** 4-1/2" X .045" X 7/8" A36T Metal Cutting
- UA23265** 7" x 1/16" x 5/8" A36T Metal Cutting Blade
- UA23275** 8" x 1/16" x 5/8" A36T Metal Cutting Blade

CONCRETE CUTTING WHEELS



C24R - Concrete

Silicon carbide grain. General purpose cutting, hard bond for long life. Primary application: Masonry, concrete, stone. Wheels with 5/8-11 threaded bore come with Super-Lock™ Hub. Type 27 Depressed Center.

- UA22061** 9" x 1/8" x 5/8-11 Concrete Cutting Disc



CUPPED GRINDING WHEELS



C24N - Concrete

Soft bond for fast stock removal. Type 28 Depressed Center.

- UA21016** 9" x 1/4" x 5/8-11 Cupped Concrete Grinding Disc



GRINDING WHEELS



A24R - Metal Grinding

For general purpose grinding. Longer life for fewer wheel changes. **Saitech Ultimate Performance™**

Very uniform, high density grain structure is extremely durable and self sharpening for long life and cooler cut. Combines fast stock removal with long life.

C24N - Concrete Grinding

Soft bond for fast stock removal.

Type 27 Depressed Center. Wheels with 5/8-11 threaded bore come with Super-Lock™ Hub.

- UA20063** 4-1/2" x 1/4" x 7/8" A24R Metal Grinding Disc
- UA20064** 4-1/2" x 1/4" x 7/8" Saitech U.P. Metal Grinding Disc
- UA20086** 7" x 1/4" x 5/8-11 A24R Metal Grinding Disc
- UA20096** 9" x 1/4" x 5/8-11 A24R Metal Grinding Disc
- UA20061** 4-1/2" x 1/4" x 7/8" C24N Concrete Grinding Disc
- UA20087** 7" x 1/4" x 5/8-11 C24N Concrete Grinding Disc
- UA20097** 9" x 1/4" x 5/8-11 C24N Concrete Grinding Disc

FLAP DISCS



More flaps that are larger yield longer life, made with premium zirconium abrasive material that provide long-life and high stock removal. Grind, blend and finish with one product, Out performs competitive low density flap discs. Resists loading on aluminum, unique in the industry.

- UA71206** 4-1/2" X 7/8" 40 Grit Flap Disc
- UA71208** 4-1/2" X 7/8" 60 Grit Flap Disc
- UA71211** 4-1/2" X 7/8" 120 Grit Flap Disc

SPECIALTY METAL CUTTING/GRINDING WHEELS



A24R Pipeline - Long Life

Aluminum oxide grain. For the pipeline industry. Designed and manufactured to perform both cutting and light grinding.



A24R - General Purpose

Aluminum oxide grain. For general purpose, low cost cutting only. Combines fast cutting and long life.



A24R - Ultimate Cut

Cuts a wide range of STAINLESS (thick & thin gauge, flat stock, bar stock, square tubing, etc.). METAL & ALUMINUM

- UA22062** 9" x 1/8" x 5/8-11 A24R Pipeline Metal Cutting Disc
- UA22067** 9" x 3/32" x 5/8-11 A24R G. P. Metal Cutting Disc
- UA22030** 4-1/2" x 1/8" x 7/8" A24R Pipeline Metal Grinding Disc
- UA22230** 4-1/2" x .045" x 7/8" Ultimate Cut Grinding Disc

Anchors, Blades, Bits, Caulks, & Adhesives

CUP WHEELS



A16 - Type 11

- Aluminum oxide grain.
- Coarse grit wheel for tough grinding applications.
- Excellent for cleaning castings, mold marks, removing flashing.
- Max RPM 7,250 rpm.

UA26013 for Metal - 5" Diameter, 2" Width, 5/8-11 Bore
UA26014 for Concrete - 5" Diameter, 2" Width, 5/8-11 Bore

WIRE BRUSHES & WHEELS

For use on small grinders.
 5/8-11 Arbor.



UA03414 2-3/4" Knotted Wire Cup Brush
UA06513 3-1/2" Crimped Wire Cup Brush
UA03410 6" Knotted Wire Cup Brush
UA03426 4" Knotted Wire Wheel

SAITSCREEN™ DISCS



- Cloth screen impregnated with silicon carbide grain.
- Long life, non-loading, double sided.
- Excellent for removing paint and varnish from floors.

UA88706 17" Saitscreen - 60 Grit for Disc Sander
UA88708 17" Saitscreen - 80 Grit for Disc Sander
UA88710 17" Saitscreen - 100 Grit for Disc Sander
UA88712 17" Saitscreen - 120 Grit for Disc Sander



NYLON FLOOR PADS



Excellent for maintaining wood, cement and tile floors.



UA86174 17" Black Nylon Pad For Disc Sander

SCYTHE STONE



UA 120L Scythe Stone
 10" x 1-5/16" x 9/16"

HAND/FLOOR RUBS

Vitrified Bonded Abrasives
 Removes form marks on concrete.



Handle: For extra comfort and working overhead.

Fluted: For extra shearing action.

Scored: For cleaning castings and dressing bench grinding wheels.

UA25040 6" x 3" x 1" Rubbing Stone w/ Handle
UA25050 8" x 3-1/2" x 1-1/2" Rubbing Stone w/ Handle
UA25062 8" x 2" x 2" Scored Rubbing Stone Fine Grit
UA25030 8" x 2" x 2" Fluted Rubbing Stone

FLOOR SCRAPER

Ideal for after work clean up. Scraper blades are firm but flexible. Comes with heavy-duty 5' shovel type wood handle.

CC-214 14" Scraper
CC-218 18" Scraper
CC-222 22" Scraper
CC-207 14" Replacement blade
CC-208 18" Replacement blade
CC-209 22" Replacement blade



FLOOR SCRAPER

T-Handle Floor Scraper

Floor scraper has 7" blade that shaves all kinds of floor coverings on any type of floor. Also scrapes carpeting. All steel "T" handle is 54" long. Blades are replaceable.

GG-393 7" Scraper
GG-394 7" Replacement blade



FLOOR SCRAPERS



All steel construction.

KRFC506 8" Floor Scraper w/ Adjustable Handle
KRFC507 3 Pc Pack 8" Replacement Blades for KRFC506
KRFC520 Heavy Duty 5" Scraper w/ 15" Handle
KRFC521 10 Pc Pack 5" Replacement Blades for KRFC520



Anchors, Blades, Bits, Caulks, & Adhesives

SANDING BELTS

Aluminum Oxide Closed Coat Abrasive Belts

Primary application: Ferrous metals and/or non ferrous metals. Secondary application: Wood, fiberglass, plastic, etc. Use dry only.



UA58162	3" x 21"	40 Grit Sanding Belt
UA58164	3" x 21"	60 Grit Sanding Belt
UA58165	3" x 21"	80 Grit Sanding Belt
UA58166	3" x 21"	100 Grit Sanding Belt
UA58167	3" x 21"	120 Grit Sanding Belt
UA58172	3" x 24"	40 Grit Sanding Belt
UA58173	3" x 24"	50 Grit Sanding Belt
UA58174	3" x 24"	60 Grit Sanding Belt
UA58175	3" x 24"	80 Grit Sanding Belt
UA58176	3" x 24"	100 Grit Sanding Belt
UA58177	3" x 24"	120 Grit Sanding Belt
UA58192	4" X 24"	40 Grit Sanding Belt
UA58193	4" x 24"	50 Grit Sanding Belt
UA58194	4" x 24"	60 Grit Sanding Belt
UA58195	4" x 24"	80 Grit Sanding Belt
UA58196	4" x 24"	100 Grit Sanding Belt
UA58197	4" x 24"	120 Grit Sanding Belt

SANDING BELTS

3M™ 761D Purple Belts



A Cubitron™ abrasive grain cloth belt constructed on a Y weight, strong, durable cloth backing. Resin bonded for heat resistance. Primary markets: metalworking, woodworking.



- 3M01-27495 10 Pc. Box 3" x 21" 120 Grit Sanding Belts
- 3M01-81400 5 Pc. Box 3" x 21" 60 Grit Sanding Belts

WIDE SANDING BELTS



3M™ Cloth Belt 240D

Durable cloth-backed belts are generally good choices for applications ranging from heavy duty grinding to fine finishing. They are resistant to tearing and will not easily nick.



- 3M01-03949 37" x 60" Wide Sanding Belt - 60 Grit
- 3M01-03950 37" x 60" Wide Sanding Belt - 80 Grit
- 3M01-03951 37" x 60" Wide Sanding Belt - 100 Grit
- 3M01-03952 37" x 60" Wide Sanding Belt - 120 Grit
- 3M01-06828 37" x 60" Wide Sanding Belt - 150 Grit
- 3M01-06829 37" x 60" Wide Sanding Belt - 180 Grit
- 3M01-06830 37" x 60" Wide Sanding Belt - 220 Grit

SANDING DISCS



3M™ Stikit™ Cloth Disc

An aluminum oxide open coat, load resistant Stikit™ disc constructed on a J weight, light and flexible cloth backing. Resin bonded for heat resistance.

- 3M01-50450 50 pc. Pack 5" Stikit Sanding Disc - 80 Grit
- 3M01-50451 50 Pc. Pack 5" Stikit Sanding Disc - 100 Grit
- 3M01-50452 50 Pc. Pack 5" Stikit Sanding Disc - 120 Grit
- 3M01-50453 50 Pc. Pack 5" Stikit Sanding Disc - 150 Grit
- 3M01-50454 50 Pc. Pack 5" Stikit Sanding Disc - 180 Grit
- 3M01-50455 50 Pc. Pack 5" Stikit Sanding Disc - 220 Grit

POLISHING PADS

5" Diamond Polishing Pads

Includes 5/8-11 Thread Backing Pad. 8 Polishing Pads (50, 80, 150, 300, 500, 1000, 2000, 3000 Grits).



- VANDVAZZ05000A 5" Backing Pad with 5/8-11 Thread
- VANDVHC050050A Polish Pad 50 Grit Blue
- VANDVHC050080A Polish Pad 80 Grit Tan
- VANDVHC050150A Polish Pad 150 Grit Yellow
- VANDVHC050300A Polish Pad 300 Grit Orange
- VANDVHC050500A Polish Pad 500 Grit Red
- VANDVHC051000A Polish Pad 1,000 Grit Green
- VANDVHC052000A Polish Pad 2,000 Grit Light Green
- VANDVHC053000A Polish Pad 3,000 Grit Brown

SANDING DISCS



Bosch Sanding Disc 5-Inch Hook & Loop Sanding Disc, 8-Hole, Red, 5 Pack

- BOS02-SR5R040 5" Diameter Sanding Disc 40 Grit
- BOS02-SR5R060 5" Diameter Sanding Disc 60 Grit
- BOS02-SR5R080 5" Diameter Sanding Disc 80 Grit
- BOS02-SR5R120 5" Diameter Sanding Disc 120 Grit
- BOS02-SR5R180 5" Diameter Sanding Disc 180 Grit
- BOS02-SR5R240 5" Diameter Sanding Disc 240 Grit
- BOS02-SR5R320 5" Diameter Sanding Disc 320 Grit

POLISHING PADS



Wet Diamond Hand Pads


Diamond hand polishers utilize hardeners impregnated with industrial grade diamonds to polish natural stones, granite, marble, and concrete.



- LAC01-100 #HP60P 60 Grit Wet Diamond Hand Pad
- LAC01-200 #HP120P 120 Grit Wet Diamond Hand Pad
- LAC01-300 #HP200P 200 Grit Wet Diamond Hand Pad
- LAC01-400 #HP400P 400 Grit Wet Diamond Hand Pad
- LAC01-500 #HP800P 800 Grit Wet Diamond Hand Pad
- LAC01-600 #HP1800P 1800 Grit Wet Diamond Hand Pad
- LAC01-700 #HP3500P 3500 Grit Wet Diamond Hand Pad

FESTOOL

YES, WE CARRY FESTOOL BRAND SANDING DISCS! ASK ABOUT OUR WOODWORKING CATALOG.



Anchors, Blades, Bits, Caulks, & Adhesives

RECIPROCATING BLADES



Ice Hardened Sawzall® Blades

Cryogenically treated to minimize soft metal (austenite) and create more hard metal (martensite). More consistently hard throughout, for up to 50% longer life than standard blades. Matrix II bi-metal teeth for greater durability.

GENERAL PURPOSE

Versatile cutting performance across the broadest selection of materials, including nail embedded wood, plastics, ferrous and non-ferrous metals:

MIL03-48-00-4091 6" Ice Hardened - 8/12 Teeth per Inch

MIL03-48-00-4093 8" Ice Hardened - 8/12 Teeth per Inch

METAL CUTTING

Metal 3/16" thru 1/4", Pipe, Conduit, Strut, Threaded Rod, Angle Iron and other metals:

MIL03-48-00-4182 6" Ice Hardened - 14 Teeth per Inch

MIL03-48-00-4187 9" Ice Hardened - 14 Teeth per Inch

METAL CUTTING

Metal 18" thru 3/16", Pipe, Conduit, Strut, Threaded Rod, Angle Iron and other metals:

MIL03-48-00-4184 6" Ice Hardened - 18 Teeth per Inch

MIL03-48-00-4188 9" Ice Hardened - 18 Teeth per Inch

METAL CUTTING

Metal 1/4" thru 3/8", Pipe, Conduit, Strut, Threaded Rod, Angle Iron and other metals:

MIL03-48-00-4712 6" Ice Hardened - 10 Teeth per Inch

MIL03-48-00-4713 9" Ice Hardened - 10 Teeth per Inch

Metal 3/16" thru 1/4", Pipe, Conduit, Strut, Threaded Rod, Angle Iron and other metals:

MIL03-48-00-4782 6" Ice Hardened - 14 Teeth per Inch

MIL03-48-00-4787 9" Ice Hardened - 14 Teeth per Inch

Metal 1/8" thru 3/16", Pipe, Conduit, Strut, Threaded Rod, Angle Iron and other metals:

MIL03-48-00-4784 6" Ice Hardened - 18 Teeth per Inch

MIL03-48-00-4788 9" Ice Hardened - 18 Teeth per Inch

RECIPROCATING BLADES



Milwaukee Sawzall® Blades

Designed to maximize performance in specific cutting applications. Durability and endurance are the goal of every blade we make. This blade has a 1/2" universal tang that fits all Sawzall® Reciprocating Saws and standard competitive saws.

ALL PURPOSE

All woods, nail embedded wood, composition material, plastic, ferrous and non-ferrous metals, Cast iron:

MIL03-48-00-5091 6" Super - 8/12 Teeth per Inch

MIL03-48-00-5093 8" Super - 8/12 Teeth per Inch

MIL03-48-00-5094 12" Super - 8/12 Teeth per Inch

WOOD CUTTING

Very fast cutting, nail embedded wood, general roughing-in:

MIL03-48-00-5031 6" Super - 5/8 Teeth per Inch

MIL03-48-00-5036 9" Super - 6 Teeth per Inch

MIL03-48-00-5037 12" Super - 6 Teeth per Inch

MIL03-48-01-6035 50 Pack: 6" - 5 Teeth per Inch

MIL03-48-01-6036 50 Pack: 9" - 5 Teeth per Inch

WOOD & PLASTIC

Very fast cutting wood, plastics & pruning:

MIL03-48-00-5015 6" Super Sharp - 6 Teeth per Inch

MIL03-48-00-5016 9" Super Sharp - 6 Teeth per Inch

WOOD/METAL RESCUE & DEMOLITION

Excellent for plunge cutting into wood and nail embedded without buckling blades:

MIL03-48-00-5021 6" The Ax Super - 5/8 Teeth per Inch

MIL03-48-00-5026 9" The Ax Super - 5/8 Teeth per Inch

MIL03-48-00-5027 12" The Ax Super - 5/8 Teeth per Inch

METAL CUTTING

Metal 3/16" thru 1/4", Conduit, Tubing, Channels, Pipe, Rubber, Fiber:

MIL03-48-00-5182 6" Super - 14 Teeth per Inch

MIL03-48-01-6182 50 Pack: 6" - 14 Teeth per Inch

MIL03-48-00-5187 9" Super - 14 Teeth per Inch

MIL03-48-01-6187 50 Pack: 9" - 14 Teeth per Inch

Metal 1/8" thru 3/16", Conduit, Tubing, Channels, Pipe:

MIL03-48-00-5184 6" Super - 18 Teeth per Inch

MIL03-48-01-6184 50 Pack: 6" - 18 Teeth per Inch

MIL03-48-00-5188 9" Super - 18 Teeth per Inch

MIL03-48-01-6188 50 Pack: 9" - 18 Teeth per Inch

Metal thinner than 1/8", Tubing, Pipe, Tim:

MIL03-48-00-5186 6" Super - 24 Teeth per Inch

MIL03-48-00-5189 12" Super - 18 Teeth per Inch

RESCUE & DEMOLITION

All woods, nail embedded wood, composition material, plastic, light gauge non-ferrous metals and aluminum.

MIL03-48-00-5701 6" The Wrecker - 8 Teeth per Inch

MIL03-48-00-5706 9" The Wrecker - 8 Teeth per Inch

RESCUE & DEMOLITION

Metal 1/4" thru 3/8" Channels, Metal Pipe, Cast iron:

MIL03-48-00-5712 6" Torch Super - 10 Teeth per Inch

MIL03-48-00-5713 9" Torch Super - 10 Teeth per Inch

Metal 3/16" thru 1/4" Channels, Metal Pipe, Cast iron:

MIL03-48-00-5782 6" Torch Super - 14 Teeth per Inch

MIL03-48-00-5787 9" Torch Super - 14 Teeth per Inch

Metal 1/8" thru 3/16", Conduit, Tubing, Channels, Pipe, Rubber, Fiber:

MIL03-48-00-5784 6" Torch Super - 18 Teeth per Inch

MIL03-48-00-5788 9" Torch Super - 18 Teeth per Inch

MIL03-48-00-5789 12" Torch Super - 18 Teeth per Inch

RECIPROCATING GRIT BLADES

Carbide Grit Blades

Designed for cutting ceramic tile, plaster, masonry, brick, fiberglass and other abrasive materials.



MULTI PURPOSE - CARBIDE GRIT

MIL03-48-00-1420 6" Tungsten Carbide - Course Grit

MIL03-48-00-1430 9" Tungsten Carbide - Course Grit

SAWZALL MATERIAL REMOVAL SET



MIL02-49-22-5403

Material Removal Set For Sawzalls

Features 3 tools for a broad range of professional applications

Anchors, Blades, Bits, Caulks, & Adhesives

RECIPROCATING BLADES



Advantage™ Bi-Metal

Tuff Tooth™ Bi-metal reciprocating blades keep cutting where others fail. They are shatter resistant. The teeth retain their sharpness and they cut fast.

WOOD CUTTING

Fast cutting, roughing-in work & nail embedded wood:

- LX656R** 6" Length Blade, 6 Teeth per Inch
- LX956R** 9" Length Blade, 6 Teeth per Inch
- LX156R** 12" Length Blade, 6 Teeth per Inch

WOOD/METAL CUTTING

Nail-embedded wood, Composition materials and plastics, Pipe, Carbon steel, Stainless steel (1/8" - 1/4"). Non-ferrous metal (1/8" - 1/2"):

- LX610R** 6" Length Blade, 10 Teeth per Inch
- LX810R** 8" Length Blade, 10 Teeth per Inch

PLASTER CUTTING

Plaster, Plaster board & lath, bidirectional cutting:

- LX636RP** 6" Length Blade, 6 Teeth per Inch

METAL CUTTING

Pipe, Structural steel, Stainless steel (3/32" - 1/4"),

Non-ferrous metal (3/32" - 3/8"):

- LX614R** 6" Length Blade, 14 Teeth per Inch

Structural steel, Pipe, Conduit, Stainless steel (1/16"-3/16"), Non-ferrous metal (1/16" - 5/16"):

- LX618R** 6" Length Blade, 18 Teeth per Inch
- LX818R** 8" Length Blade, 18 Teeth per Inch

All metals less than 1/8", Tubing, Conduit, Trim:

- LX624R** 6" Length Blade, 24 Teeth per Inch

Lazer™ Metal Cutting Blades- Angle Iron, Rebar, Steel Rod, Black Pipe:

- LX6110R** 6" Length Blade, 10 Teeth per Inch

RESCUE & DEMOLITION

Demolition Work in nail-embedded wood:

- LX6066R** 6" Length Blade, 6 Teeth per Inch
- LX966R** 9" Length Blade, 6 Teeth per Inch
- LX9514R** 9" Length Blade, 10 Teeth per Inch

Wood, Nail-embedded wood, Pipe, Carbon steel, Stainless steel (1/8" - 1/2").

Demolition, Fire & rescue:

- LX110R** 12" Length Blade, 10/14 Teeth per Inch

MULTI PURPOSE - CARBIDE GRIT

Carbide grit edge for tile, fiber, cast iron, ceramics, stone, brick, marble:

- LX800RG** 8" Master-Grit™ Blade



LENOX Gold Titanium Edge

Reinforced tooth design and titanium coating combine to create the longest lasting blade. Shatter Resistant Bi-metal blades bend and resist breaking and extend blade life. Specially formulated titanium edge improves the wear resistance of the teeth.

WOOD CUTTING

Fast cutting, Roughing-in work & nail embedded:

- LX656G** 6" Length Blade, 6 Teeth per Inch

WOOD/METAL CUTTING

Nail-embedded wood, Composition materials and plastics, Pipe, Carbon steel, Stainless steel (1/8" - 1/4"). Non-ferrous metal (1/8" - 1/2"):

- LX610G** 6" Length Blade, 10 Teeth per Inch

METAL CUTTING

Pipe, Structural steel, Stainless steel (3/32" - 1/4"), Non-ferrous metal (3/32" - 3/8"):

- LX614G** 6" Length Blade, 14 Teeth per Inch

Gold Metal Cutting Blades- Angle Iron, Rebar, Steel Rod, Black Pipe:

- LX618G** 6" Length Blade, 18 Teeth per Inch
- LX818G** 8" Length Blade, 18 Teeth per Inch

JIG SAW BLADES



Lenox® Bi-metal Jig Saw blades will outperform and outlast any other blade on the market. In cutting tests, they give up to ten times more cuts.

WOOD CUTTING

- LX450S** T-Shank Jig Saw Blades 10 Teeth per Inch
- LX450SR** T-Shank Cut Down Jig Saw Blade 10 Teeth per Inch
- LX456S** T-Shank Jig Saw Blade 6 Teeth per Inch

METAL CUTTING

- LX314S** T-Shank Jig Saw Blades 14 Teeth per Inch
- LX318S** T-Shank Jig Saw Blades 18 Teeth per Inch
- LX324S** T-Shank Jig Saw Blades 24 Teeth per Inch

HACKSAW BLADES



Bi-metal construction allows blades to bend and flex without breaking.

- LX224HE** Hacksaw Blade 24 Tooth
- LX232HE** Hacksaw Blade 32 Tooth

PORTABLE BANDSAW BLADES

Lenox blades deliver superior cost-per-cut value. Bi-metal construction ensures high productivity and long life. Size: 44-7/8" x 1/2" x .020



- LX38424** Portable Band Saw Blade 14 Tooth
- LX38425** Portable Band Saw Blade 18 Tooth

BANDSAW BLADES



- LAG02-BBPF-12-3-115** 1/2" x 115" 3 TPI Variable Bandsaw Blade

- LAG02-BBPF-14-6-115** 1/4" x 115" 6 TPI Hook Bandsaw Blade

Anchors, Blades, Bits, Caulks, & Adhesives

RECIPROCATING BLADE SETS

freud

FRD02-DS006S

Steel and Demolition Reciprocating Blade Assortment - 6 Pc. Set

- (1) 6" 8/10TPI Metal Demolition Blade;
- (2) 6" 14-18TPI Metal Cutting Blades,
- (2) 6" 6-12TPI Nail-Embedded Wood Blades;
- (1) 9" 6/12 TPI Nail-Embedded Wood Blade



FRD02-DS0014S

Nail-Embedded Wood and Metal Demolition Reciprocating Blade Assortment 14 Pc. Set

- (4) 6" 14/18TPI Blades for Metal;
- (4) 6" 8/14TPI Blades for Wood/Metal;
- (4) 6" 6/12TPI Blades for Wood;
- (1) 9" 6/12TPI Blade for Wood;
- (1) 9" 10/14TPI Blade for Wood/Metal



RECIPROCATING CARBIDE GRIT BLADE

FRD02-DS0930CGX

9" Reciprocating Grit Saw Blade

Cut cast iron, fiber cement, masonry and fiberglass.



RECIPROCATING DIAMOND GRIT BLADE

FRD02-DS0930DGX

9" Diamond Grit Recip Blade

Cut cast iron, fiber cement, masonry and fiberglass. It makes fast, controlled cuts while its diamond grit particles resist wear.



PRUNING RECIPROCATING BLADES

freud



Ideal for pruning wood, including pressure treated wood.

- FRD02-DS0905FG** 9" Diablo 5 TPI Pruning Recip Blade
- FRD02-DS0905FG5** 5 Pack 9" Diablo 5 TPI Pruning Recip Blades
- FRD02-DS1205FG** 12" Diablo 5 TPI Pruning Recip Blade
- FRD02-DS1205FG5** 5 Pack 12" Diablo 5 TPI Pruning Recip Blades

STRIP METAL RECIPROCATING BLADES

freud



Diablo Steel Demon Carbide Strip Metal Recip Blade

- Carbide strip stainless, reciprocating saw blade.
- Teeth are molded to perfection for longer cutting life.

- FRD02-DS0620CF** 6" Carbide Strip Steel Demon 18 TPI Recip Blade
- FRD02-DS0820CF** 8" Carbide Strip Steel Demon 18 TPI Recip Blades

RECIPROCATING BLADES

freud



Nail-Embedded Wood Blades

- Blade features oversized demolition blade body that has increased height for straighter cuts with less vibration.
- Perma-Shield coating for less heat, gumming and corrosion.
- Freud's TiCo hi-density Carbide Teeth deliver 10 times the cutting life of standard reciprocating blades.

- FRD02-DS0606CWS** 6" Demo Demon 6 TPI Carbide Tipped
- FRD02-DS0612BW25** 25 Pack 6" Demo Demon 6/12 TPI
- FRD02-DS0612BW5** 5 Pack 6" Demo Demon 6/12 TPI
- FRD02-DS0614BGP25** 25 Pack 6" Demo Demon 8/14 TPI
- FRD02-DS0614BGP5** 5 Pack 6" Demo Demon 8/14 TPI
- FRD02-DS0906CWS** 9" Demo Demon 6 TPI Carbide Tipped
- FRD02-DS0906CWS3** 3 Pack 9" Demo Demon 6 TPI Carbide Tipped
- FRD02-DS0912BW5** 5 Pack 9" Demo Demon 6/12 TPI
- FRD02-DS0914BGP25** 25 Pack 9" Demo Demon 8/14 TPI
- FRD02-DS0914BGP5** 5 Pack 9" Demo Demon 8/14 TPI
- FRD02-DS1206CWS** 12" Demo Demon 6 TPI Carbide Tipped
- FRD02-DS1212BW25** 25 Pack 12" Demo Demon 6/12 TPI
- FRD02-DS1212BW5** 5 Pack 12" Demo Demon 6/12 TPI

Metal Demolition and Metal Cutting Blades

Steel demon saw blades are specifically designed for maximum performance in metal cutting and protects the blade from heat, gumming, and corrosion.



- FRD02-DS0408CF** 4" Carbide Tipped For Metal
- FRD02-DS0414BF5** 5 Pack 4" Steel Demon 14/18 TPI
- FRD02-DS0608BFD25** 25 Pack 6" Steel Demon 8/10 TPI
- FRD02-DS0608BFD5** 5 Pack 6" Steel Demon 8/10 TPI
- FRD02-DS0608CF** 6" Carbide Tipped For Metal
- FRD02-DS0608CF3** 3 Pack 6" Carbide Tipped For Metal
- FRD02-DS0614BF25** 25 Pack 6" Steel Demon 14/18 TPI
- FRD02-DS0614BF5** 5 Pack 6" Steel Demon 14/18 TPI
- FRD02-DS0618SSX** 6" Steel Demon 18 TPI For Stainless Steel
- FRD02-DS0908BFD5** 5 Pack 9" Steel Demon 8/10 TPI
- FRD02-DS0908CF** 9" Carbide Tipped For Metal
- FRD02-DS0914AFC5** 5 Pack 9" Diablo 10/14 TPI
- FRD02-DS0914BF25** 25 Pack 9" Steel Demon 14/18 TPI
- FRD02-DS0914BF5** 5 Pack 9" Steel Demon 14/18 TPI
- FRD02-DS0920BF5** 5 Pack 9" Steel Demon 20/24 TPI
- FRD02-DS1208CF** 12" Carbide Tipped For Metal
- FRD02-DS1214AFC5** 5 Pack 12" Diablo 10/14 TPI
- FRD02-DS1214BF25** 25 Pack 12" Steel Demon 14/18 TPI
- FRD02-DS1214BF5** 5 Pack 12" Steel Demon 14/18 TPI

FINECUT SAW BLADES

BOSCH




For use with Bosch 1640VS Power Handsaw. High-alloy steel (HAS) blades with hardened ground teeth or bimetal blades. Ultra-fine teeth design provides smooth, tear-free cuts.

- BOS06-FS180ATU** Fine Tooth Saw Blade for Finecut Saw
- BOS06-FS180DTU** Coarse Tooth Saw Blade Finecut Saw

Anchors, Blades, Bits, Caulks, & Adhesives

UP SPIRAL BITS *freud*



Solid Carbide Up Spiral Bit

- Combines effective chip removal with a cut unmatched by standard straight bits.
- Suited for cutting mortises and routing deep blind holes.

FRD03-75-100	1/8" (Dia.) Up Spiral Bit with 1/4" Shank
FRD03-75-102	1/4" (Dia.) Up Spiral Bit with 1/4" Shank
FRD03-75-106	3/8" (Dia.) Up Spiral Bit with 1/2" Shank
FRD03-75-108	1/2" (Dia.) Up Spiral Bit with 1/2" Shank

DOWN CUT BIT *freud*



FRD03-76-102

1/4" (Dia.) Down Spiral Bit with 1/4" Shank

- Excellent for grooves and dados in all composite materials, plywoods, hardwoods and softwoods.
- Use on CNC and other automatic routers as well as hand-held and table-mounted portable routers.

DOUBLE FLUTE STRAIGHT BITS *freud*



- Cuts all composite materials, plywoods, hardwoods, and softwoods.
- Use on CNC and other automatic routers as well as hand-held and table-mounted portable routers.

FRD03-04-096	1/16" Double Flute Straight Bit
FRD03-04-100	1/8" Double Flute Straight Bit
FRD03-04-102	3/16" Double Flute Straight Bit
FRD03-04-104	1/4" Double Flute Straight Bit
FRD03-04-106	1/4" Double Flute Straight Bit
FRD03-04-108	1/4" Double Flute Straight Bit
FRD03-04-111	7/32" Double Flute Straight Bit
FRD03-04-118	5/16" Double Flute Straight Bit
FRD03-04-124	3/8" Double Flute Straight Bit
FRD03-04-130	1/2" Double Flute Straight Bit
FRD03-04-132	1/2" Double Flute Straight Bit
FRD03-04-136	5/8" Double Flute Straight Bit
FRD03-04-140	3/4" Double Flute Straight Bit
FRD03-12-100	1/4" Double Flute Straight Bit
FRD03-12-110	3/8" Double Flute Straight Bit
FRD03-12-118	1/2" Double Flute Straight Bit
FRD03-12-122	1/2" Double Flute Straight Bit
FRD03-12-130	1/2" Double Flute Straight Bit
FRD03-12-136	5/8" Double Flute Straight Bit
FRD03-12-150	23/32" Double Flute Straight Bit
FRD03-12-156	3/4" Double Flute Straight Bit
FRD03-12-172	1" Double Flute Straight Bit

2-FLUTE COMPRESSION BITS *freud*

freud




Carbide Double Compression Bit

- Combination of up & down shear flute that will eliminate chipping on both sides of double-sided veneers or laminated materials for a fine finish.

FRD03-77-204	3/8" (Dia.) Double Compression Bit with 3/8" Shank
FRD03-77-208	1/2" (Dia.) Double Compression Bit with 1/2" Shank

TOP BEARING FLUSH TRIM BITS

freud



Top Bearing Flush Trim Bit

- The top mounted bearings on these bits make them ideal for lettering and other template work where the work piece is being grooved or routed out.
- Ideal For: Template work & sign lettering.

FRD03-50-102	1" Top Bearing Flush Trim Bit 1/2" (Dia.)
FRD03-50-103	9/16" Top Bearing Flush Trim Bit 5/8" (Dia.)
FRD03-50-104	1" Top Bearing Flush Trim Bit 5/8" (Dia.)
FRD03-50-106	1" Top Bearing Flush Trim Bit 3/4" (Dia.) 1/4" Shank
FRD03-50-116	1" Top Bearing Flush Trim Bit 3/4" (Dia.) 1/2" Shank
FRD03-50-118	1-3/4" Top Bearing Flush Trim Bit 3/4" (Dia.)
FRD03-50-501	1-1/4" Top & Bottom Bearing Flush Trim 1/2" (Dia.)
FRD03-50-509	1-5/8" Top & Bottom Bearing Flush Trim 3/4" (Dia.)

FLUSH TRIM BIT

freud



Flush Trim Bit

- These are the bits to rely on for a smooth, burn-free cut. Two flutes provide faster cutting and three flutes yield a superior finish.

FRD03-42-100	1" Bearing Flush Trim Bit 3/8" (Dia.)
FRD03-42-104	1" Bearing Flush Trim Bit 1/2" (Dia.)
FRD03-42-106	1/2" Bearing Flush Trim Bit 1/2" (Dia.)
FRD03-42-110	1" Bearing Flush Trim Bit 1/2" (Dia.)
FRD03-42-114	1-1/2" Bearing Flush Trim Bit 1/2" (Dia.)
FRD03-44-100	1" Bearing Flush Trim Bit 1/2" (Dia.) 1/4" Shank
FRD03-44-104	1" Bearing Flush Trim Bit 1/2" (Dia.) 1/2" Shank
FRD03-44-108	1-1/2" Bearing Flush Trim Bit 1/2" (Dia.)

DOWNSHEAR HELIX FLUSH TRIM BIT

freud



Downshear Helix Flush Trim Bit

- The 3/4" diameter body provide the stability & cutting capacity for thick stock or for routing multiple parts with a template.

FRD03-42-202	1" Downshear Helix Flush Trim Bit
FRD03-42-204	2" Downshear Helix Flush Trim Bit

FLUSH TRIM BIT



freud

FRD03-64-100

1/4" Carbide Flush Trim Bit

- Solid micrograin carbide extends the cutting life and the self-piloting feature eliminates the expense and upkeep of a ball bearing assembly.

Anchors, Blades, Bits, Caulks, & Adhesives

BEVEL TRIM BIT

FRD03-66-100

1/4" Carbide Bevel Trim Bit

Provides a range of bevels from 8 degrees to 45 degrees and feature a ball bearing guide.



freud

RADIUS TRIM BIT

FRD03-41-502

1/16" Radius

Laminate Trim Bit

- Produces an ultra-smooth finish on laminate edges.
- Use on hand-held & table-mounted routers, and laminate trimmers for trimming plastic laminate.



freud

ROUND NOSE BITS

freud



- Ideal for fluted millwork, signs and decorative veining.
- Add a personal touch to cabinet doors, drawer fronts, and fluted millwork, or use these bits to engrave wood signs.

FRD03-18-104	1/8" Round Nose Bit
FRD03-18-106	3/16" Round Nose Bit
FRD03-18-108	1/4" Round Nose Bit
FRD03-18-110	5/16" Round Nose Bit
FRD03-18-112	3/8" Round Nose Bit
FRD03-18-116	1/4" Round Nose Bit
FRD03-18-122	3/8" Round Nose Bit

V-GROOVING BIT

freud



V-Grooving Bit

- Ideal for engraving, sign making, and veining.
- Designed to cut deep or shallow "V" Grooves.

FRD03-20-102	3/8" V-Grooving Bit
FRD03-20-104	1/2" V-Grooving Bit
FRD03-20-108	3/4" V-Grooving Bit

PLYWOOD BIT SETS

freud



FRD03-89-650

4 Pc. Undersized Plywood Bit Set

- Creates perfectly fitted grooves and dados for today's plywood, which nearly always measures less than the stated nominal thickness.
- Cut dados for 1/4", 3/8", 1/2" and 3/4" nominal thickness.

FRD03-89-670

3 Pc. Undersized Plywood Bit Set - 1/2" Shank

- Creates perfectly fitted grooves and dados.
- Ideal for 1/4" to 3/4" plywood.
- Includes 7/32", 15/32", and 23/32" diameters.



PANEL PILOT BIT

freud



Outlasts high-speed steel bits many times before sharpening. The drill through point allows self-starting, and the pilot acts as a guide for template work.

FRD03-26-100	3/4" Panel Pilot Bit
FRD03-26-104	1-1/4" Panel Pilot Bit
FRD03-28-100	1" Panel Pilot Bit
FRD03-28-104	1-1/4" Panel Pilot Bit

CHAMFER BIT

freud



Chamfer Bit

- Creates a uniform chamfer on the edge of any work piece to add character, while retaining crisp geometric lines.
- Chamfer size easily adjusts by changing the height of the bit.

FRD03-40-100	23/32" Chamfer Bit
FRD03-40-102	1-1/4" Chamfer Bit
FRD03-40-104	1-11/32" Chamfer Bit
FRD03-40-106	1-3/4" Chamfer Bit
FRD03-40-114	1-5/8" Chamfer Bit
FRD03-40-118	2-1/2" Chamfer Bit

ROUND OVER BIT

freud



Rounding Over Bits

- Use rounding over bits to soften furniture edges.
- Cuts composition materials, plywoods, hardwoods & softwoods.

FRD03-34-100	1/16" Rounding Over Bit
FRD03-34-104	1/8" Rounding Over Bit
FRD03-34-108	3/16" Rounding Over Bit
FRD03-34-110	1/4" Rounding Over Bit
FRD03-34-112	5/16" Rounding Over Bit
FRD03-34-114	3/8" Rounding Over Bit
FRD03-34-116	1/2" Rounding Over Bit
FRD03-34-118	1/8" Rounding Over Bit
FRD03-34-120	1/4" Rounding Over Bit
FRD03-34-124	3/8" Rounding Over Bit
FRD03-34-126	1/2" Rounding Over Bit
FRD03-34-127	5/8" Rounding Over Bit
FRD03-34-128	3/4" Rounding Over Bit

COVE BIT

freud



- Create smooth, classic cove profiles with Freud cove bits, which have a shear angle that slices wood similar to the way a craftsman uses a hand plane.

FRD03-30-102	1/4" Cove Bit
FRD03-30-104	3/8" Cove Bit
FRD03-30-106	1/2" Cove Bit

Anchors, Blades, Bits, Caulks, & Adhesives

BEADING BITS

freud



Beading Bits

- Match moldings in historic homes.
- Form a single bead with a square shoulder.

FRD03-36-110	1/4" Beading Bit
FRD03-36-112	5/16" Beading Bit
FRD03-36-114	3/8" Beading Bit
FRD03-36-116	1/2" Beading Bit

BEADING BITS

freud



Traditional Beading Bits

- Cuts all composition materials, plywoods, hardwoods, and softwoods.
- Use on hand-held and table-mounted portable routers.
- Ideal for creating moldings found in historical homes.

FRD03-80-102	1/8" Radius Traditional Beading Bit with 1/4" Shank
FRD03-80-104	3/16" Radius Traditional Beading Bit with 1/4" Shank

CLASSICAL COVE & BEAD BIT

freud



FRD03-38-352 1-1/2" Classical Cove & Bead Bit

- Adds distinctive design to cabinets, furniture, plaques, and millwork with these decorative edging bits.

REVERSIBLE WAINSCOTING BIT

freud



FRD03-99-470 1-1/2" Reversible Wainscoting Bit

- Works with stock from 1/2" to 5/8" thick and mills matching frame joints with remarkable ease and precision.

ROMAN OGEE BITS

freud



Roman Ogee Bit

- Decorative edging for cabinets, molding and furniture.
- Use on hand-held and table-mounted routers.

FRD03-38-100	1-1/16" (Dia.) Roman Ogee Bit with 1/4" Shank
FRD03-38-102	1-3/8" (Dia.) Roman Ogee Bit with 1/4" Shank
FRD03-38-106	1-5/8" (Dia.) Roman Ogee Bit with 1/2" Shank

NO LIP DOOR EDGE BIT



FRD03-99-063

1-3/4" No Lip Door Edge Bit

- Creates a decorative inverted ogee profile on the face of door and drawer fronts. Also designed to compliment the profile created by the 99-064 Finger Pull door edge bit.

NO LIP DOOR EDGE BIT



FRD03-99-064

1-3/4" Finger Pull Door Lip Bit

- Creating the finger pull found on popular contemporary cabinet doors.

TABLE EDGE & HANDRAIL BIT

freud




FRD03-99-027 2-19/32" Table Edge & Handrail Bit

- Combine with another rail profile to create a custom railing design.
- Cuts all composition materials, plywoods, hardwoods, and softwoods.

ADJUSTABLE CABINET DOOR SETS

freud




FRD03-97-150 3 Pc. Premier Cabinet Door Set

- This set allows the woodworker to build doors from 5/8 inch to 1-1/4 inch thickness and any length long tenon construction for rock-solid joints that last a lifetime
- This set features Freud's 99-515 2 + 2 raised panel bit; Two small wings that cut downward and two large wings that shear upward, produce an extremely smooth cut in hardwoods, softwoods and even plywoods

FRD03-97-260 3 Pc. Premier Cabinet Door Set

- Combines rail and stile bit sets with Quadra-Cut™ Raised Panel Bits
- This set allows the woodworker to build doors from 5/8-Inch to 1-1/4-Inch thickness and any length long tenon construction for rock-solid joints that last a lifetime
 - This set features a backcutter. Two small wings that cut downward and two large wings that shear upward, produce an extremely smooth cut in hardwoods, softwoods and even plywoods.



Anchors, Blades, Bits, Caulks, & Adhesives

PREMIER ADJUSTABLE RAIL & STILE SETS

freud

- Produce perfect-fitting beaded stile and rail doors from 5/8" to 1-1/4" thick!
- Adjustable shims adjust panel groove down to 7/32" (5.5mm) and up to 3/8" (9.5mm) thick, ideal for plywood panels.

FRD03-99-760
1-11/16" Premier Adjustable Rail & Stile Set (Round Over)



FRD03-99-761
1-11/16" Premier Adjustable Rail & Stile Set (Ogee)



FRD03-99-762
1-11/16" Premier Adjustable Rail & Stile Set (Shaker Profile)



FRD03-99-764
1-11/16" Premier Adjustable Rail & Stile Set (Bevel)

DOUBLE SIDED PROFILE CUTTERS

1-11/16" Optional Double Sided Profile Cutters

- Making double-sided doors with a quarter-round profile.

- FRD03-99-860** Double Sided Profile Cutters (Round Over Profile)
- FRD03-99-861** Double Sided Profile Cutters (Ogee Profile)
- FRD03-99-862** Double Sided Profile Cutters (Shaker Profile)
- FRD03-99-863** Double Sided Profile Cutters (Round Over Bead)
- FRD03-99-864** Double Sided Profile Cutters (Bevel Profile)



freud

ENTRY & INTERIOR DOOR BIT SET

freud

FRD03-99-267
1-7/8" Entry & Interior Door Router Bit System with 1/2" Shank

Build doors with true mortise and tenon construction for rock-solid joints that last a lifetime.



RAISED PANEL BITS

freud


Ideal for creating raised panels for doors and paneling, as well as decorative tops, plaques and molding. 1/2" Shank.




FRD03-99-513
2-3/4" Raised Panel Bit (Ogee)



FRD03-99-515
3-1/2" Raised Panel Bit (Bevel)




FRD03-99-518
3-1/2" Raised Panel Bit (Cove)




FRD03-99-520
3-1/2" Raised Panel Bit (Ogee)

Raised Panel Bit with Backcutters


Producing panels from 3/4" stock that are flush with the doorframe for a professional, architecturally correct appearance.



FRD03-99-566
3-1/2" Raised Panel Bit with Backcutters (Bevel)



FRD03-99-569
3-1/2" Raised Panel Bit with Backcutters (Cove)



FRD03-99-571
3-1/2" Raised Panel Bit with Backcutters (Ogee)

ADJUSTABLE TONGUE & GROOVE BIT SET

freud

FRD03-99-036
Adjustable Tongue & Groove Bit Set


- Produce perfectly fitted tongue and groove joints for projects such as Shaker style cabinet doors, raised panel doors, frame and panel end panels, wainscoting and edge joints.



**DON'T SEE THE BIT YOUR
LOOKING FOR?
CALL US AND WE WILL
FIND IT FOR YOU!**

Anchors, Blades, Bits, Caulks, & Adhesives

FINGER JOINT BIT BIT *freud*



FRD03-99-037 1-3/8" Finger Joint Bit

- Produces a joint that is stronger than the wood itself.
- Tips on each side of the bit are offset, cutting twice as many fingers as you see tips on each side of the bit.

LOCK MITER BIT *freud*



Lock Miter Bit

- Ideal for humidors and jewelry boxes; run one board vertically and run the piece to be joined horizontally.


FRD03-99-034 2-3/4" (Dia.) Lock Miter Bit with 1/2" Shank

FRD03-99-035 2-11/64" (Dia.) Lock Miter Bit with 1/2" Shank

LOCK MITER BIT *freud*

FRD03-99-043 Lock Miter Bit

- Use for creating interlocking corner joints. Run one board vertically and the piece to be joined horizontally.



REVERSIBLE GLUE JOINT BIT BIT *freud*

freud



FRD03-99-031

1-1/2" Reversible Glue Joint Bit

- Plane boards to a uniform thickness; align bit to the center of the board, then reverse each board for a perfect glue joint.
- Cuts all composition materials, plywoods, hardwoods, and softwoods.

DRAWER LOCK BIT

FRD03-99-240 2" Drawer Lock Bit

- Forms a strong joint between the sides and front of a drawer.



MORTISING BITS *freud*



- Ideal for down shear works to eliminate splintering ideal for hinges, mortises, and dados.
- Freud's Mortising Bits are designed with deep center gullets for maximum material removal without chip loading.

FRD03-16-100 1/2" Mortising Bit

FRD03-16-102 5/8" Mortising Bit

FRD03-16-104 3/4" Mortising Bit

FRD03-16-106 1-1/4" Mortising Bit

FRD03-16-560 Hinge Mortising Bit

RABBETING BITS

freud



- Use for joining boards and letting in back panels.
- Produces super smooth cuts on both surfaces of the rabbet.

FRD03-32-100 1/2" Height Rabbeting Bit with 1/4" Shank

FRD03-32-102 1/2" Height Rabbeting Bit with 1/2" Shank

MULTI-RABBET KITS

freud



- With interchangeable bearings to cut rabbets of different depths, these sets produce super smooth cuts on both surfaces of the rabbet.
- 1/8", 1/4", 5/16", 3/8", 7/16", 1/2" Depths

FRD03-32-504 Multi-Depth Rabbeting Bit Set 1/4" Shank

FRD03-32-524 Multi-Depth Rabbeting Bit Set 1/2" Shank

DOVETAIL BITS

freud



- Compatible with popular dovetail jigs, these bits produce smooth, intricate dovetail joints.

FRD03-22-115 7 Degree Dovetail Bit 5/8"

FRD03-22-104 14 Degree R.H Dovetail Bit 3/4"

FRD03-22-112 14 Degree R.H Dovetail Bit 9/16"

KEY HOLE BIT

freud



FRD03-70-104

25/64" Key Hole Bit

- The large diameter end bores holes to allow nail or screw heads to enter the slot, and the smaller diameter allows room for the shank of the nail or screw.

THREE WING SLOTTING CUTTERS



- Produces a precision slot for T-Mouldings, spline joints and many other applications.
- Cuts all composition materials, plywoods, hardwoods, and softwoods.

FRD03-56-108 1/8" Three Wing Slotting Cutters

FRD03-56-109 5/32" Three Wing Slotting Cutters

FRD03-56-112 1/4" Three Wing Slotting Cutters

Anchors, Blades, Bits, Caulks, & Adhesives


CAULKING GUN



NEW215 Economy Calk Gun

6:1 Thrust ratio. Seal puncture tool. Built-in spout cutter. Ladder hook. No pinch finger guard.

CAULKING GUN



NEW41001

Standard Caulk Gun for 11 oz. Tubes
7:1 Thrust ratio. Heat treated rod & friction plate. Seal puncture tool. Ladder hook.

CAULKING GUNS



Super Smooth Rod Revolving Frame Caulk Gun

18:1 Thrust ratio. Revolving barrel. Seal puncture tool. Spout cutter. Ladder hook. Thumb release. Zinc alloy handle.

NEW250
NEW255

Small Heavy Duty Caulk Gun for 11 oz. Tubes
Professional Quart Caulk Gun

BULK/SAUSAGE CAULKING GUN



NEW224

24 oz. Bulk / Sausage Caulk Gun

Convertible 24 oz. Bulk / Sausage Caulking Gun, 7:1 Thrust. Uses 10 to 20 oz sausage packs. Plus up to 24 ounce bulk dispensing. Steel Barrel, Rotating with Barrel Lock. Includes Accessories.

NEW224
NEWLH-36A
NEWRCF-60

24 oz. Bulk / Sausage Caulk Gun
Aluminum Ladder Hook For Model 224
Front Cap For Model 224

 *Includes Cones!*

EPOXY APPLICATOR



Model 535-XSP Multi Ratio Applicator

300ml x 300ml 300ml x 150ml; 150ml x 150ml; 150ml x 75ml. 26:1 Thrust Ratio. Easily Converts in Just Seconds with Snap In/ Snap Out Push Disks.

EPOXY APPLICATOR

NEW750XSP

Heavy Duty Gun For Pro Poxy 400
Side by Side Epoxy Applicator. 750ml x 75ml. 26:1 Thrust Ratio. Extra Durable Heated Treated Piston Rod.



EPOXY APPLICATOR



KRGG469 Twin Tube Epoxy Gun

300mL X 300mL. Easy to pull and release trigger. Dispensing rods are hardened for long wear and strength.

BULK/SAUSAGE CAULKING GUN



20 oz. Bulk / Sausage Caulk Gun


18:1 Thrust Ratio. Lightweight Aluminum. Multi-Chemical Resistant Twin Hytrel Cup. Bulk/Sausage Conical Ejector. 3 PC-620 Cones Included. Zinc Alloy Handle. 24 oz. Bulk, 10 oz. & 20 oz. Sausage Packs, 10 oz. Cartridge.

NEW620AL
NEW620AL-CAMO
NEWFCS-620AL
NEWLH-35A

20 oz. Bulk / Sausage Caulk Gun
CAMO - 20 oz. Bulk / Sausage Caulk Gun
Nylon Front Cap For Model 620-AL
Aluminum Ladder Hook For Model 620-AL

 *Includes Cones!*

NOZZELS



Disposable flexible nozzle extender

Cones to be used with Caulking Bulk Guns

NEW2N1037
NEWPC-58
NEWPC-620
NEW-PKFLEXNOZZLE

Orange Plastic Tip (Mad.)
Green Plastic Nozzle
Yellow Plastic Nozzle
Package Of 3 Flex Nozzles & 1 Washer

TUCK POINT GUN



NEW532 32 oz. Tuck Point Grout Gun

Taking on grouting tasks with ease when you've got the 32 oz. Tuck Point Grout Gun (532) from Newborn. It has a 12:1 thrust ratio along with a 1 quart capacity container.

Anchors, Blades, Bits, Caulks, & Adhesives

CAULK SPATULAS



NEW-ASLICK-TEF

Set Of Teflon Coated - Stainless Steel Spatula

Comes with a 3" tapered and 3", 4", 5", 6", and 8" straight spatulas. Equipped with rubber grip and key ring that opens & closes for easy access & storage.

CAULK SPATULAS

Classic hardwood handle with well known to the professional stainless steel blade, ground for optimal flex for perfectly finished joints, polished to smooth finish for minimum drag.



- AL258-003TPS Spatula - 3" Tapered
- AL258-03S Spatula - 3"
- AL258-04S Spatula - 4"
- AL258-05S Spatula - 5"
- AL258-06S Spatula - 6"
- AL258-08S Spatula - 8"
- AL258-10S Spatula - 10"

PIPE KNIFE



The Original PipeKnife®

The ideal tool to remove caulking and sealants before a new application. The length gives you leverage for those tough removal jobs.

- NEWPK14 14" Pipe Knife
- NEWPK18 18" Pipe Knife

NITRILE DISPOSABLE GLOVES

Powder Free Nitrile Gloves

Breakthrough 5.5 pH Technology! Made to match healthy skin's natural 5.5 pH levels to ensure the MOST comfortable fit yet! 100 Pc. Box.



- NEWA-GLV-L Nitrile Gloves - Large
- NEWA-GLV-XL Nitrile Gloves - X-Large
- MJ3276AK-LG 100 Pc. Box Black Grip Nitrile 6 Mil Glove - Large
- MJ3276AK-XL 100 Pc. Box Black Grip Nitrile 6 Mil Glove - X-Large

BACKER ROD INSERTION TOOL



NEWSK-BR1 Backer Rod Roller

- No Changing Wheels
- No adjustments
- Lightweight Aluminum Handle
- Simple 3 Piece Assembly
- Non-Marking Plastic Wheel

FOLLOW PLATE



NEWFPT-02 2 Gal. Follow Plate

Neoprene Seal Can Be Used with Straight & Tapered Pail. For 2" Diameter Barrel Bulk Gun. No Threaded Barrel Docking (air tight o-ring).




DENVER FOAM®



Denver Foam® is a backer rod serving as a backing for elastomeric and other applied caulking sealants. Denver Foam® controls the depth and amount of sealant required.

Denver Foam® also forms the correct hourglass shape of the sealant.

- ED1000 5/8" x 500 ft. length
- ED2000 7/8" x 350 ft. length
- ED3000 1-1/8" x 300 ft. length
- ED4000 1-1/2" x 350 ft. length
- ED5000 2" x 200 ft. length



Expansion Joints

BACKER ROD HANDY-PACK



Compressible polyethylene foam rope. Use as a backing material for elastomeric sealants. Used on metal panels, pre-cast panels, expansion joints, window and door frame perimeters, coping joints, glazing joints, floor and deck joints.



NOMACO

Handy-Pack solves the problem of storing backer-rod. No more tangled mess in the back of your truck!

- NOM-359-91-0375-0 3/8" Backer Rod- 1400 Footage Handy-Pack
- NOM-359-91-0625-0 5/8" Backer Rod- 550 Footage Handy-Pack
- NOM-359-91-0875-0 7/8" Backer Rod- 330 Footage Handy-Pack
- NOM-359-91-1125-0 1-1/8" Backer Rod- 120 Footage Handy-Pack
- NOM322-91-1125-0 500 Foot 1-1/8" Closed Cell Sof Rod Box
- NOM322-91-1500-1 6 Foot Length 1-1/2" Closed Cell Sof Rod
- NOM322-91-2000-1 6 Foot Length 2" Closed Cell Sof Rod
- NOM322-91-2500-1 6 Foot Length 2-1/2" Closed Sof Rod
- NOM322-91-3000-1 6 Foot Length 3" Closed Cell Sof Rod

Anchors, Blades, Bits, Caulks, & Adhesives

VOLUME OF TREMCO SEALANT REQUIRED* FOR YOUR JOB

If Joint Size is	Lineal Feet Per Gal.	If Joint Size is	Lineal Feet Per Gal.
1/8 x 1/8	1232	3/8 x 3/4	68
1/8 x 1/4	616	3/8 x 7/8	58
1/8 x 3/8	410	3/8 x 1	51
1/8 x 1/2	308	1/2 x 1/2	77
1/8 x 5/8	246	1/2 x 5/8	61
1/8 x 3/4	205	1/2 x 3/4	51
1/8 x 7/8	176	1/2 x 7/8	44
1/8 x 1	154	1/2 x 1	38
1/4 x 1/4	308	5/8 x 5/8	49
1/4 x 3/8	205	5/8 x 3/4	41
1/4 x 1/2	154	5/8 x 7/8	35
1/4 x 5/8	123	5/8 x 1	30
1/4 x 3/4	102	3/4 x 3/4	34
1/4 x 7/8	88	3/4 x 7/8	29
1/4 x 1	77	3/4 x 1	25
3/8 x 3/8	136	7/8 x 1	22
3/8 x 1/2	102	1 x 1	19
3/8 x 5/8	82		

* WASTE NOT FACTORED INTO COVERAGE RATES

TREMCO WET FILM COVERAGE CHART* (not for Tremproof 150)

NOTE: 1 Gallon = 231 cu. Inches

Wet Mil Thickness	(Square Feet/Gallon)
100	16
95	17
90	18
85	19
80	20
75	21.5
70	23
65	24.5
60	27
55	29
50	32
45	35.5
40	40
35	46
30	53
25	64
20	80
15	107
10	160
8	200
6	267
4	400
2	800
1	1600

* WASTE NOT FACTORED INTO COVERAGE RATES

SPECTREM 2



Spectrem 2 Silicone A one part, high performance, neutral cure silicone sealant which reacts with atmospheric moisture to produce a flexible silicone rubber, ideal for caulking and glazing applications. Resistant to ultraviolet, acid rain, ozone, moisture and extremes in temperature. Easy to gun over a wide temperature range. Service Temperature -65° to 350° F. Tools easily to a smooth attractive finish. Cures quickly. Standards: ASTM C-920 Type S, Grade NS Class 25, use NT, M, G, A and O, TT-S-00230C.

Colors Available: White, Off White, Graystone, Gray, Bronze & Black.

Packaging:



PROGLAZE



Proglaze Silicone A one part, moisture curing sealant, easily gunned under all types of weather conditions. It rapidly cures to produce a durable, flexible seal. One part sealant. All temperature gunnability. Excellent resistance to UV, ozone and temperature extremes. Excellent weatherability. ±25% movement.

Standards: ASTM C-920 CGSB, TT-S00230C (COM-NBS), TT-S-001543A (COM-NBS)

Colors Available: Translucent, White, Dark Bronze, Aluminum & Black.

Packaging:



TREMSIL 200



Tremsil 200 Silicone A one-part, acetoxysilicone sealant. Tremsil 200 cures to a flexible rubber when exposed to moisture present in the air. Tremsil 200 produces a weathertight seal to glass, metal, porcelain, ceramic and most painted surfaces. White and Clear colors contain a fungicide making the sealant suitable for use in bathrooms, spas and similar applications where joints need protection against fungi and bacteria.

Meets U.S. Federal Specification TTS-00227E, Class A, Type II; Canadian Standard CAN/CGSB-19.24-M90, Type II, Class B; and ASTM C920, Type M, Grade NS, Class 50, Use T, I, M, A and O.

Standard Colors: Anodized Aluminum, Black, Clear, Dark Bronze, Gray, Ivory, and White.

Packaging:



Anchors, Blades, Bits, Caulks, & Adhesives

DYMONIC FC (FAST CURE)

High performance, low modulus, one-component, moisture curing modified polyurethane joint sealant. Specifically developed for sealing dynamically moving joints such as expansion and control joints, precast concrete panel joints, tiltup panel joints, curtainwall joints, perimeter caulking (windows, doors, panels, radon mitigation, bedding of mullions, panels and frames, etc.).


DyMonic exhibits tenacious adhesion which does not diminish over product life. The unique weather resistant formulation possesses a balanced adhesive strength, low modulus, and high recovery, making it ideal to withstand the adverse conditions common to many installations: moisture, shear and deflection.

Meets U.S. Federal Specification TTS 00227E, Class A, Type II; Canadian Standard CAN/CGSB-19.24-M90, Type II, Class B; and ASTM C920, Type M, Grade NS, Class 50, Use T, I, M, A and O.



TREMCO.

Packaging:



Due to shade variations associated with printing limitations, we suggest that you review samples for actual color.

VULKEM 45 SSL

TREMCO.



A one-part moisture curing, pour grade polyurethane joint sealant. Vulkem 45 does not require a primer on most construction materials. It has been formulated for sealing horizontal expansion joints and control joints in parking garages, plazas, terraces, highways, bridges, swimming pool decks, reservoirs, sewage treatment plants, floor and sidewalk joints. Extraordinary adhesion, cohesion, abrasion and tear resistance are inherent in the base polymer. Vulkem 45 is suitable for continuous water immersion.

Applicable Standards: Conforms to U.S. Federal Specification TT-S-00230C, Type II, Class A and ASTM C920, Type S, Grade NS, Class 25, Use NT, M, T, A, I, O, and CAN/CGSD-19.13, MCG-2-25-B-N. Conforms to USDA approval standards.

Colors Available:

White, Limestone, Gray, Black and Buff.

Packaging:



VULKEM 116

TREMCO.



A one-part moisture curing, gun grade polyurethane sealant. Vulkem 116 does not require a primer on most construction materials. It is an excellent general purpose sealant designed for use in precast, masonry, window frame perimeters and similar types of construction joints. Vulkem 116 is designed for exterior and interior use. Also suitable for varied manufacturing uses such as production of travel trailers and mobile homes and in assembly of galvanized air conditioning duct work.

Colors Available:

Aluminum, Dark Bronze, Gray, Redwood Tan and White.

Packaging:



CAULKING PRIMERS

TREMCO.

Primers promote the adhesion of Silicone Sealants and Polyurethane Sealants, Membranes and Coatings to porous and non-porous substrates.



TR9002 Qt. Can Vulkem 171 Primer - Pourous

TR9003 Qt. Can Tremgard 181 Primer - Non-Pourous

TREMFLEX 834

TREMCO.



A pure acrylic latex sealant formulated to provide a fast setting pliable seal with minimal shrinkage. Tremflex 834 can be used for general purpose interior and exterior caulking and as a back bedding glazing compound. It is also highly recommended as an acoustical seal in the construction of interior walls, ceilings and floors to reduce sound transmission. It is ideal for interior joints that will be painted. Tremflex 834 is also suitable for use on vinyl, aluminum and wood siding as well as on bathroom and kitchen fixtures. Mildew resistant.

Color: White.

Packaging:



Anchors, Blades, Bits, Caulks, & Adhesives

DYMERIC 240 & 240FC

Dymeric 240 & 240FC (Fast Cure) is a three component, chemically curing, epoxidized polyurethane sealants specially formulated for dynamically moving building joints. Dymeric 240 & 240FC is a non-sag general purpose sealant providing flexible, long life, durable, weathertight seals for both new construction and renovation projects in many types of buildings. Uses will include: pre-cast, masonry, metal curtainwall and perimeter joints of doors and window frames.

Meets U.S. Federal Specification TTS-00227E, Class A, Type II; Canadian Standard CAN/CGSB-19.24-M90, Type II, Class B; and ASTM C920, Type M, Grade NS, Class 50, Use T, I, M, A and O. Call Farrell for a Tremco color chart.



TREMCO.

Packaging:



THC-900 & 901

A multi-component, chemically curing, self-leveling polyurethane joint sealant. THC-900 should be limited to horizontal expansion and control joints with a 5% slope or less. THC-901 is recommended for joints with a greater slope. Possesses adhesive strength, low modulus and high recovery. Ideal to resist the adverse conditions common to horizontal joint installations: moisture, abrasion, movement, shear and deflection at expansion joints. Meets U.S. Federal Specification TTS-00227E, Class A, Type II; Canadian Standard CAN/CGSB-19.24-M90, Type II, Class B; and ASTM C920, Type M, Grade NS, Class 50, Use T, I, M, A and O. **Colors Available:** 50 Standard Colors- Call Farrell for a Tremco color chart.

TREMCO.



Packaging:



GLAZING TAPE

TREMCO.

440 Glazing Tape is a 100% solid, cross linked butyl, preformed sealant used for noncompression glazing of vision lites and spandrel panels in metal and wood frames, in low rise building construction. 440 Tape is also used for lap sealing between panels such as steel, aluminum and porcelain as well as a variety of other joints in shear between similar and dissimilar materials. Temperature Range: Service: -40° F to 160° F, Application: 20° F to 120° F. Weathering: Unaffected by UV through glass. Remains elastic even at low temperatures. Standards: AAMA 804.3/807.3. Available colors: aluminum and black.



TR6200 Box of 1/8" X 3/8" 440 II Tape Black/Bronze
TR6500 Box of 1/16" x 1/2" 440 II Tape Black Bronze
TR6600 Box of 1/8" x 1/2" 440 II Tape Black Bronze

SEAM TAPE

TREMCO.

TR6903

75 Ft. Roll Permanent Seam Tape™

Multi-purpose rubberized Asphaltic tape. Consists of a 4" wide x 60 mil thick rubberized asphalt membrane laminated to a polyethylene reinforcing film. A removable release paper protects the adhesive membrane face until removed during installation.



SOLAR SEAL

SINCE 1959
NPC
 Colored Sealants



#900 SOLAR SEAL is based on terpolymer technology which offers an alternative to silicone & urethane sealants. High performance terpolymer elastomers impart exceptional weather resistance, adhesion, elongation and color fade resistance. **Colors:** Clear, White, Black and over **200 NPC standard colors**. Custom colors available in low minimum quantities.

WARMING BAG

REA-WB60908 Caulk Warmer Bag

Velcro closure on flap Handy Cord Storage Pocket Color: Forest Green Size: 18" High x 15" Wide x 3". 120 VAC - 50 Watts. Holds: 12 standard caulk tubes 7 quart size caulk tubes 7 sausage size caulk tubes 12 grease cartridges 8 cans foam 12 rolls sealing tape. Maintains caulk at 80° even when the outside temperature drops to -13°.



WARMING WRAP

REA-0609-PLWC 5 Gallon Cylinder Warming Wrap

Plugs into 120v ac. Heavy duty industrial cord. Convenient cord storage pouch on front. Velcro closure with adjustable cinch straps. Internal temperature controlled to maintain constant temperature. Requires only 50 watts of power at 124 degrees F.



FARRELL IS YOUR SOURCE FOR COLD WEATHER JOBSITE PRODUCTS



Barrel Heaters



Cylinder Heaters



powerblanket
 BRING THE HEAT™

Electric Heated Blankets

Anchors, Blades, Bits, Caulks, & Adhesives

CONSTRUCTION ADHESIVE



QB 300 Pro Series® Multi Purpose Construction Adhesive

Versatile dual purpose adhesive for bonding all types of paneling to structurally sound surfaces.

- Installs vinyl covered gypsum panels and all types of foam panel boards.
- Bonds foam to block or concrete walls and ceilings.
- Adheres cork, marble, polystyrene bath panels.
- Waterproof, fast grab, sets up quickly.



CONSTRUCTION ADHESIVE



PL200® Construction Adhesive

Provides a permanent water and weatherproof bond on most construction materials. Use inside or outdoors on concrete, masonry, wood, metal, gypsum board, cement board, and composition board. It is excellent for bonding gypsum wallboard or paneling to studs or furring strips. PL 200 is a fast, easy, economical adhesive.

- When cured, it resists moisture, dryness, and temperature fluctuation, and will last as long as the surfaces it joins together.
- Its all season formulation is gunnable even at temperatures below zero.
- Exceeds ASTM C 557-73.



DRYWALL ADHESIVE



Pro-Series Formula #38™ Drywall & Metal Framing Adhesive

Formula #38™ is best suited for bonding gypsum board to wood or metal studs, laminating gypsum board to gypsum board and bonding gypsum board to concrete or block walls. It is widely used in new construction of single-family and multi-family homes, manufactured housing, commercial construction, and all remodeling, remedial and renovation projects where drywall or gypsum products are installed.



CORROSION PROTECTION

Fluid Film Provides corrosion control, penetration, metal wetting and water displacement. Heavily corroded and/or frozen parts can be salvaged.



- FLU00107** 2.25 oz. Spray Can Of Fluid Film
- FLU00207** 11.75 oz. Spray Can Of Fluid Film
- FLU12207** 1 Gal. Can Of Fluid Film
- FLU12208** 5 Gal. Pail Of Fluid Film



SPRAY ADHESIVE



3M03-21210

3M™ Super 77™ Spray Adhesive, 24 oz. Fast, aggressive tack for bonding many lightweight materials. Choice of round or fan-patterned nozzles.



SPRAY ADHESIVE



3M03-30023

3M™ Hi-Strength 90 Spray Adhesive Clear, 24 fl oz Aerosol, High strength, fast contact-type adhesive. Fast contact strength buildup for many decorative laminates. Only needs one minute of drying time.



CYLINDER SPRAY ADHESIVES



Clear Cylinder Spray Adhesive, Net Weight 27.3 lbs. 3M™ Scotch-Weld™ HoldFast™ 70 Clear Cyl. Spray Adhesive

An industrial grade spray adhesive for MSV & Construction Applications. Very fast tacking without halogenated solvents. Heavy body spray pattern with low soak-in makes it ideal for irregular/porous substrates.



3M™ Scotch-Weld™ Hi-Strength Laminating 92 Clear Cylinder Spray Adhesive is a high performance, very high temperature resistant industrial grade spray adhesive. Fast tacking, designed for high pressure laminations, especially decorative laminate to particle board.

Accessories

3M™ Scotch-Weld™ Cylinder Adhesive Applicator - Standard Output - includes Cylinder Adhesive 9501 Spray Tip, Cylinder Adhesive Applicator - Standard Output - includes Cylinder Adhesive 9501 Spray Tip.



3M™ Scotch-Weld™ Cylinder Adhesive 12 Foot Hose



3M™ Scotch-Weld™ Cylinder Adhesive QSS Spray Tip



- 3M03-61690** General Purpose Spray Adhesive - #70
- 3M03-61697** Hi-Strength Laminating Spray Adhesive - #92
- 3M03-61706** Applicator Gun For Spray Adhesive
- 3M03-61988** 12' Hose For Spray Adhesive
- 3M03-61993** QSS Spray Tip For #70 Spray Adhesive

Anchors, Blades, Bits, Caulks, & Adhesives

EXPANDING FOAM SEALANT



PowerFoam

A single component, moisture curing expanding polyurethane foam. The adhesive strength of PowerFoam allows it to be set on various types of building elements including concrete, brick, wood, metal, aluminum and steel. The structure of the hardened foam provides excellent insulation against heat and noise. The foam has a R-5 equivalent value when used in place of traditional installation methods.



- RA08130N** 12 oz. Can Power-Foam w/ Straw Applicator
- RA08132N** 29 oz. Can Power-Foam w/ Straw Applicator

*If you don't see what you need...
Give us a call. We'll find it for you!*

EXPANDING FOAM SEALANT



TriggerFoam Pro™ Standard Formula

A professional grade, gun applied, normal expansion, polyurethane foam sealant. Adheres to wood, metal, masonry and concrete.



TriggerFoam Pro™ Window & Door

Low pressure, gun applied, polyurethane foam sealant. This foam does not distort window and door frames when expanded. Adheres to wood, metal, masonry and concrete.



TriggerFoam Pro™ Fire Block

A professional grade, gun applied, polyurethane foam sealant designed to effectively block the spread of smoke and flame in Type V residential construction. NOT A FIRESTOP. Adheres to wood, metal, masonry and concrete.



**TriggerFoam Pro
Deluxe Metal Gun**

- RA08134P** 29 Oz. Can Trigger-Foam Pro Window & Door
- RA08136N** 29 Oz. Can Trigger-Foam Pro Standard Formula
- RA08133P** 29 oz. Can Trigger-Foam Pro Fireblock
- RA08128** Deluxe Metal Gun For Trigger Foam

SPRAY FOAM SEALANT KITS

Handi-Foam® Two-Component Foam

A chemically cured polyurethane foam system. Two-component foam systems consist of an "A" component and a "B" component. These two components mix in the nozzle of the patented Handi-Gun, and the resulting foam cures much more quickly than one-component foams.



- HANP10600** II-12 Handi-Foam Spray Foam- Net Weight 1.76 lbs.
- HANP10700** II-105 Handi-Foam Spray Foam- Net Weight 15.3 lbs.
- HANP10720** II-205 Handi-Foam Spray Foam- Net Weight 29.9 lbs.

SOLVENT CLEANER



RA08147 TriggerFoam Pro™ Cleaner

Removes uncured polyurethane foam sealant from inside and outside of application tools. May also be used to remove uncured foam from hands, clothing and unintended surfaces. 17 Oz. Can

ADHESIVE



AC100+GOLD Quick-Shot Adhesive

Vinylester Injection Adhesive Anchoring System. It is a two-component adhesive anchoring system. Designed for bonding threaded rod and reinforcing bar hardware into drilled holes in concrete base materials.

- RA8478SD** 10 oz. Tube AC100+GOLD Quick-Shot Adhesive
- RA8490SD** 28 oz. Tube AC100+GOLD Quick-Shot Adhesive

ASK ABOUT OUR OTHER CATALOGS!



Anchors, Blades, Bits, Caulks, & Adhesives



FIRE BARRIER CAULK



**3M02-11638 10.1 oz. Tube
Fire Barrier CP 25WB+ Caulk**

Our premium, intumescent latex/water-based caulk. Water based - easy cleanup and routine disposal with no special handling. One-part system - no mixing or measuring required. Intumescent and endothermic.

No-sag, non-halogen formula; fast-drying tack-free in approximately 10-15 minutes, paintable. Up to 4 hours Fire Protection.

FIRE BARRIER PILLOWS



3M™ Fire Barrier Pillows

A self-contained, highly intumescent product designed to firestop a wide variety of tough-penetrations including cable trays (up to two per opening), conduit and blank openings that penetrate fire-rated construction.



FIRE BARRIER CAULK



**3M02-16557 10.1 oz. Tube
Fire Barrier IC 15WB+ Caulk**

A water based latex, intumescent smoke and firestopping sealant for wall and floor penetrations. Easy-to-handle formulation that bonds to gypsum wallboard, concrete, metals, wood, plastic and cable jacketing. Dries to a firm, rubber-like solid. Provides up to 2 hours of fire protection.

DUCT TAPE



**SURDEG48S Nashua
2" x 180' Duct Tape**

Excellent for general repair, bundling, patching and mending, conformable, excellent adhesion to variety of surfaces, no curl.

FIRE BARRIER SEALANTS



**3M™ Fire Barrier 2000+
and 2000 Silicone Sealants**

A premium nonslump sealant bonds to most common construction materials to form a flexible seal. Superior Adhesion. Remains elastomeric and is weather resistant.

DUCT TAPE



**3M01-24883
2" Silver Utility Duct
Tape #2929**

Resists moisture to prolong its bond. Ideal for temporary repairs, sealing, holding and marking. Polyethylene with rubber adhesive. Performs in temperatures up to 200°F.



FIRE BARRIER PUTTIES



**3M02-16508
4" x 8" Fire Barrier
Moldable Putty+
Pads and Sticks**

3M Fire Barrier Moldable Putty+ is a one-part, halogen-free product designed to firestop electrical outlet boxes and a wide variety of through-penetrations including cable, conduit, insulated pipe and metal pipe, which penetrate fire-rated construction.



DUCT TAPE



**3M01-56468 #8979
Clean Removal Duct
Tape**

8979 provides clean removal with little or no sticky adhesive residue for up to 6 months from most opaque surfaces. Sunlight/UV and Water Resistant. Lasts 1 year without degrading.

VAPOR BARRIER TAPE



**STGTAPE04180 4" x 180' STEGO®
Tape** A low permeance tape designed for protective sealing, hanging, seaming, splicing, and patching. Ideal for sealing Stego Wrap seams and penetrations.

SPRAY ADHESIVE



**3M03-07861
13.8 oz Can Heavy Duty #20 Spray Adhesive**

3M™ Heavy Duty 20 Spray Adhesive forms a powerful, permanent bond to wood, laminate, metal, plastic and more. Simply spray the adhesive on one or both surfaces, wait 15 seconds to 30 minutes, and press surfaces together to form a tight bond. Our self-contained, highly portable dispenser allows for a variable width lace spray pattern to help ensure precise placement.



Anchors, Blades, Bits, Caulks, & Adhesives

SPRAY ADHESIVE



13.5 oz Multipurpose #27 Spray Adhesive

3M™ Multi-Purpose 27 Spray Adhesive bonds paper, cardboard, fabrics, soft foams, plastic films, fiberglass insulation and other lightweight materials. Simply spray the adhesive on one or both surfaces, wait 15 seconds to 10 minutes, and press surfaces together to form a tight bond. Our self-contained, highly portable dispenser provides a mist spray pattern to help ensure better coverage.



FIRE BARRIER SEALANT



10.1 oz Cartridge Fire Barrier Sealant

Ready-to-use, gun-grade latex-based elastomeric sealant that cures upon exposure to the atmosphere to form a monolithic flexible firestop seal. When properly installed, this product provides up to 4-hour fire protection in tested and listed systems. Firestops construction joints and through penetrations. 12 per case.



ROOF SEALANT



10.1 oz Tube Metal Roof Sealant

Provides a weather-tight seal against water, wind, dust and dirt. Ideal for use on a wide variety of roofing applications, metal roof, trim, architectural metal siding, aluminum, galvanized steel, galvanized gutters, flashing and downspouts. It also provides unbeatable adhesion to wood, masonry, PVC and most common building materials.



- FRK01-61001** 10.1 oz. Tube Metal Roof Sealant - White
- FRK01-61111** 10.1 oz. Tube Metal Roof Sealant - Translucent
- FRK01-61121** 10.1 oz. Tube Metal Roof Sealant - Black
- FRK01-61331** 10.1 oz. Tube Metal Roof Sealant - Bronze
- FRK01-61341** 10.1 oz. Tube Metal Roof Sealant - Bronze
- FRK01-62051** 10.1 oz. Tube Metal Roof Sealant - Clay
- FRK01-62401** 10.1 oz. Tube Metal Roof Sealant - Gray

MELAMINE GLUE



FRK02-4016

1 Gal Jug Titebond Melamine Glue

Titebond Melamine Glue is designed for bonding wood, particleboard, MDF and other porous substrates to synthetic materials such as melamine, vinyl and HPL as well as metals. It offers a fast initial tack, yet has a longer open time that allows for the accurate alignment of working materials. Titebond Melamine Glue is a water-based adhesive that is nonflammable, has low odor, dries clear and cleans up with water.



WOOD GLUE

Titebond II Premium Wood Glue

Titebond II is ideal for exterior woodworking projects, including outdoor furniture, birdhouses, mailboxes, planters and picnic tables. Titebond II Premium provides a strong initial tack, fast speed of set, superior strength and excellent sandability. It is FDA approved for indirect food contact (cutting boards) and is ideal for radio frequency (R-F) gluing systems.



- FRK02-5005** 32 oz. Bottle Titebond II Premium Wood Glue
- FRK02-5006** 1 Gallon Jug Titebond II Premium Wood Glue

WOOD GLUE

Titebond III Ultimate Wood Glue

Titebond III is non-toxic, solvent free and cleans up with water - safer to use than traditional waterproof wood glues. It provides strong initial tack, sands easily without softening and is FDA approved for indirect food contact (cutting boards). The ultimate in wood glues - ideal for both interior and exterior applications.



- FRK02-1415** 32 oz. Bottle Titebond III Ultimate Wood Glue
- FRK02-1416** 1 Gallon Jug Titebond III Ultimate Wood Glue

WOOD GLUE

Titebond Original Wood Glue

Provides a strong initial tack and fast speed of set to reduce clamp time. It also develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes. Ideal for wood, hardboard, particleboard, leather, cloth and most other porous materials. Titebond Original is easy to use, non-toxic and cleans up with water.



- FRK02-5065** 32 oz. Bottle Titebond Original Wood Glue
- FRK02-5066** 1 Gallon Jug Titebond Original Wood Glue

SHOP TOWELS



Box of Shop Towels

200 Count. White shop towels in centerpull dispensing box.

- FA1002** Box of 200 ea. "WHITE" Shop Towels
- FA1003** Box of 200 ea. "BLUE" Shop Towels
- FA1004** New Blue Rinsed Huck Towels

Anchors, Blades, Bits, Caulks, & Adhesives

MASKING TAPE

3M01-58036 1" General Purpose Masking Tape

General purpose masking tape for light duty bundling, attaching, and labeling.



FILAMENT TAPE



3M01-86520 1" x 60 Yd. Roll of Tartan™ Filament Tape

General purpose strapping tape designed for light-duty strapping applications such as reinforcing boxes and bundling light items.



PAINTERS TAPE

Scotch-Blue™ Painters Tape 2090 for Multi-Surfaces

Removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. Ideal for painted walls and trim, woodwork, glass and metal.



3M01-03681 1" x 60 yd. Blue Painters Tape
3M01-03683 2" x 60 yd. Blue Painters Tape

BOX TAPE



3M01-13679 2" x 60 yd. Scotch® Clear Box Sealing Tape

Pressure-sensitive rubber resin adhesive to instantly seals cartons. Resists abrasion, moisture, chemicals, and scuffing. Conforms around edges and over rough surfaces for a tight seal.



PRE-TAPED DROP CLOTH



3M01-12071 Roll Pre-Taped Film & Dispenser

24-inch-by-30-yard scotch pre-taped plastic drop cloth is a convenient, pre-taped plastic film that unfolds to cover and protect a variety of surfaces. This specially treated film clings to surfaces and is easy to clean-up. This drop cloth is preloaded into an included dispenser along with 3M long-mask masking tape 2090, which is sunlight stable and gives you up to a 7-day clean removal.



POLY REPAIR TAPE

UT82702 All Weather, UV Resistant. Great for seaming Plastic Film.

Excellent Cold, Wind & Moisture Barrier. Excellent for splicing polyethylene sheeting and weather stripping windows and doors. 2" x 36 yards.



CARPET PROTECTION FILM

FILFTC36X200S 36" x 200' Clear Carpet Protection Film

Non-slip surface is highly resistant to tears or punctures. Ideal during remodeling, painting and moving, it minimizes clean-up time and damage claims.



ADHESIVE FLOOR MATS

FILFTM24X36BLUE 24" x 36" Adhesive Floor Mat- 30 Sheets/Mat

A polyethylene film mat with a tacky surface to remove dust and dirt from footwear. This unique product features a sturdy, reusable platform constructed of rigid polystyrene.



ELECTRICAL TAPE



3M01-69764 3/4" x 60' #1700 Black Electrical Tape

3M™ Temflex™ General Use Vinyl Electrical Tape 1700 is used for protective jacketing and harnessing. Flame Retardant, abrasive- and cold-resistant. UL Listed and CSA Certified for 176°F.

COLORED ELECTRICAL TAPE

A 7 mil colored vinyl tape. U.L. approved. Used primarily for color coding electrical wiring. 3/4" x 66'.



Assured Equipment Grounding Color Coding Scheme

	January, February & March		July, August & September
	April, May, June		October, November & December



UT34-W 66 White Tape
UT34-GR 66 Green Tape

UT34-R 66 Red Tape
UT34-OR 66 Orange Tape

Anchors, Blades, Bits, Caulks, & Adhesives

TIE DOWN

RACK-STRAP

RSR-51CS

The most advanced patented tie-down system available!

Tie down: lumber, pipe, ladders and most materials.



RATCHET STRAP ASSEMBLIES



LA60106 Load Hugger 1" x 10' with wire hooks. 3000 lbs.

RATCHET STYLE LOAD HUGGERS



2" x 27'. 10,000 lb. capacity

DRBRS-2-27-LW-FH with Flat End
DRBRS-2-27-W-WH with Wire Hook

Your choice of flat or wire hook ends

TARP STRAPS

The finest tie-down available. Features tear drop ends with 2-1/2" S-Hooks pre-inserted. They will meet the requirements of even the most demanding tie-down user.



MU14979-15 15" Tarp Straps
MU14979-21 21" Tarp Straps

MU14979-31 31" Tarp Straps
MU14979-41 41" Tarp Straps

CABLE TIES

Multi-Purpose.
Made of nylon.



AM804MS0050 8" length - 100 count
AM804MS0070 11" length - 100 count
AM804MS0108 15" length - 100 count

STRAPPING KIT



EZ Strapping Starter Kit

Ideal for contractors, foremen, yard workers, truck drivers or just about anyone who needs to bundle heavy items. The kit contains 250 feet of 3/4 inch 2900 lb break strength strap, a bag heavy duty buckles, a ratchet tool and instructions all contained in a heavy duty case making a convenient travel bundling system.



KUBEZKIT

KUBDW-1
KUB19MM-06-DRK
KUB2040-34
KUB270034250

EZ Safety Strapping Kit
Orange Strapping Cart
100 Pc. Box Phosphate Coated Buckles
3/4" x 1650' Coil 2,950 Lb. Strapping
3/4" x 250' Coil 2,950 Lb. Strapping

STEEL BANDING TOOLS & SUPPLIES



CARSTRAPDO-5

Portable Strapping Cart (MIP5200)

CARSTRAPMIP1100-12

1/2" Steel Crimper

CARSTRAPMIP1100-34

3/4" Steel Crimper

CARSTRAPMIP1300

3/8" to 3/4" Steel Tensioner

CARSTRAP12X020-SD

1/2" x .020 Roll Steel Banding (110 lb Roll)

CARSTRAP34X020-CC

3/4" x .020 Roll Steel Banding (Approx 1960 LF)

CARSTRAPSC3-34

3/4" x 300' Box Steel Banding

CARSTRAPOP-12-1M

1,000 Pc Box 1/2" Band Clamps

CARSTRAPOP-34-5M

5,000 Pc. Box 3/4" Band Clamps

FARRELL

Equipment & Supply Co., Inc.

Farrell Equipment & Supply Co., Inc. - Trade Customs

The compilation and checking of a general catalog of supplies and machinery is complicated, involving many thousands of product numbers, dimensions, etc. and absolute perfection is not a commercial possibility. Every endeavor has been made to have the latest lists, dimensions, descriptions and designs throughout this catalog, but we do not guarantee accuracy. If any errors or misprints have escaped our checkers and printers, we are not responsible for them, and they are subject to our correction. All information contained in this catalog, pertaining to strengths and proper working loads of material, tools or machines is derived from



information compiled by the manufacturers for the convenience of the buyer. We assume no responsibility for the accuracy of this information.

Manufacturers are constantly changing designs, specifications and accessories on many items and these are subject to change without notice. Illustrations are subject to modification.

All references in this catalog are for description only and are not representations or warranties of any kind or nature.

Copyright © 2016 by Farrell Equipment & Supply, Inc. Printed in U.S.A. 3000-102116

STRAP CADDY

Complete:
Ready-To-Use!

A complete portable steel strap system. Ready-to-use with steel strap, tools, seals and carry-all dispenser.


Includes: Strap caddy, tensioner, sealer, cutter, 2-300' coils of 3/4" steel strap and a box of 100 seals.




CARSTRAPSCF34WT CARSTRAPC334 CARSTRAPOP34-100

Strap Caddy Complete Kit
Additional 3/4" x 300' Box Steel Banding
Additional 100 Pc. Box 3/4" Seals


Other Available Farrell Catalogs:




Decorative Concrete Book




Concrete Book




Erosion Control Book




Masonry Book




Measure & Marking Book




Road & Highway Book




Safety Book



Woodworking Book



Rental Book



Decorative Stamp Rentals



FARRELL

Equipment & Supply Co., Inc.

Visit us at any of our
6 Locations!

All our catalogs are available online!



ROCHESTER
507-252-0234
888-533-8909
Fax: 507-252-0222
1635 3rd Avenue S.E.
Rochester, MN 55904

LA CROSSE
608-796-9300
888-533-0909
Fax: 608-796-9435
508 Monitor Street
La Crosse, WI 54603

EAU CLAIRE
715-835-4334
800-533-0909
Fax: 715-835-4356
1510 N. Hastings Way
Eau Claire, WI 54703

WAUSAU
715-355-8300
800-933-5939
Fax: 715-298-1662
7405 Commerce Drive
Weston, WI 54476

APPLETON
920-903-1985
Fax: 920-903-8278
1002 Truman Street
Kimberly, WI 54136

MADISON
608-222-5372
888-533-7909
Fax: 608-222-5405
6809 Mangrove Lane
Monona, WI 53713



www.FarrellEquipment.com

For Your Convenience We Accept: