

FARRELL

Equipment & Supply Co., Inc.

MEASURING & MARKING BOOK

**Lasers, Levels,
Measuring Wheels,
Tape Measures, Marking
Paint & Much More!**



www.FarrellEquipment.com

***Serving the Construction
Industry Since 1968!***

Marking, Measuring & Lasers

ROTARY LASER KIT

SL100-2

LL100N Laser Kit

A complete system is contained in a single hard-shelled, portable carrying case - the laser, receiver, clamp, tripod, and grade rod - for easy transportation, storage, and use.

Automatic, self-leveling ensures fast, accurate setups. Easy, one-button operation requires minimal training. The LL100 laser is capable of handling a wide variety of elevation control applications.



ROTARY LASER KIT

SLHV101GC2

HV101 Horizontal/Vertical Laser Package

The automatic, self-leveling Spectra Precision Laser HV101 Laser is a professional tool with an economical price tag. The HV101 laser is capable of handling a wide variety of horizontal, vertical and plumb applications. It is rugged enough for the toughest jobsite and designed to survive a 3 foot drop onto concrete. Backed by the industry's only 3-year instant over the counter exchange.



Includes HV101 laser, GR151 Grade Rod, HR320 Receiver, C59 Rod Clamp, RC601 remote control, wall mount, ceiling target and glasses.



ROTARY LASER

SL300

LL300N Self-Leveling Laser with Detector & Bracket

Our most rugged laser level. The Spectra Precision® Laser LL300N is rugged enough to survive drops of up to 3 feet onto concrete and can be tipped on a tripod up to 5 feet and keep working. Includes HR350 detector and bracket.



ROTARY LASER KIT

SL300-2

LL300N Laser Kit with HL450 Receiver, Tripod & Grade Rod

The Spectra Precision Laser LL300N Level delivers automatic self-leveling performance to help you get work done quickly, accurately, and efficiently.

Bundled with a 10 Foot Grade Rod (inches) and Tripod, the LL300N is a perfect choice for tackling elevation-control applications and handling concrete and other construction jobs. Includes HL450 Receiver.



ROTARY LASER

SLGL422 Grade Lasers

Cost-effective, automatic self-leveling lasers that do three jobs—level, grade and vertical alignment with plumb. Both lasers feature a 2-way, full-function remote control so you can make grade changes from anywhere on the jobsite for reduced setup time and faster operation.



ROTARY LASER

GREEN BEAM LASER INCLUDES WALL MOUNT!

SLHV301G Green Beam Laser with Wall Mount

The automatic, self-leveling horizontal and vertical laser offers exceptional versatility and superior green beam visibility for increased productivity in a wide variety of horizontal, vertical and plumb applications.



LASER LEVELING SYSTEM

SL500C

Laserplane Leveling System

The world's best selling laser level: the Spectra Precision laser LL500 is a one-person leveling system designed for the most rugged environment. Accurate, stable and reliable, the LL500 is ideal

for longer range measurements across your entire site. It comes complete with a hand held or rod-mounted receiver and is also compatible with machine control receivers.

- 1600 ft. Operating Diameter.
- Battery Operated - uses Alkaline or NiCad batteries.
- Includes HR500 Laser Receiver.



UNIVERSAL LASER

SLUL633 Universal Pipe/Grade Laser

The first construction laser allowing total automatic control of all three axes (X/Y/Z). Can provide precise automatic axes alignments to two desired points without positioning the receivers 90 degrees perpendicular. This allows contractors to perform easily dual axis alignments for applications such as grade work on sports fields, parking lots, tennis courts and driveways.



Marking, Measuring & Lasers

ROTARY LASER KIT

SLGL622 Grade Laser

Spectra Precision® GL622 Grade Laser; Easy-To-Use, Full Featured Automatic Grade Laser. The GL622 Dual Grade Laser is a rugged, automatic self-leveling laser with grade capability from -25% to + 25% and can be used for a wide variety of grade, excavating and alignment applications by general and speciality contractors. Includes HL750 Receiver and RC602 remote controller.



PIPE LASER

SLDG711 Pipe Laser with RC502 Remote

Completely waterproof and designed to ensure easy cleanup. Featuring a very rugged design and a variety of unique technological capabilities. Applications: Installation of gravity flow sanitary and storm sewer pipelines, pipe jacking and tunnel boring.



The rugged Spectra Precision DG711 Pipe Laser is built for long lasting performance and reliability for laying pipes. The DG711 is fully waterproof and can be washed down after working in the muddiest trenches. The nickel alloy housing provides anti-corrosion protection.



DUAL GRADE LASER

TOP313990752

RLSV25 Dual Grade Laser

Suitable for any job requiring a laser for horizontal, vertical, single or dual slope applications. With fast self-leveling motors to ensure you are working accurately, $\pm 15\%$ dual slope capability and a fully remote radio controller featuring the same interface as the laser.

- Horizontal, single and dual slope.
- Vertical function.
- Full function radio remote.
- Long-range operation. (800m)
- Tough IP66 construction rating.
- Extra-long battery life. (120 hours)



ALL-IN-ONE LASER

TOP57177

RL-H4C Laser with Detector and Bracket

- High horizontal accuracy.
- Simple, intuitive manual slope capability.
- Automatic cross axis self-leveling.
- Long range (800m)
- Extra-long battery life (100 hours)
- Tough IP66 weatherproof rating.



LASER LINE TOOL

PLS-60574 PLS 4 Tool

A hybrid point and line laser that combines all the features of the PLS180 and adds point to point plumb. Ideal for any contractor in the commercial and remodeling trades looking for maximum versatility. Brighter, less bulky, and cheaper than most rotary lasers.



LASER LINE TOOL

PLS-60534

PLS 90 System with SLD Detector

Designed specifically to make it simple for you to lay out perfect 90-degree angles without the use of time-consuming calculations or sagging, error-prone string lines. Relies on easy-to-see laser lines and advanced feature: to deliver consistent, effort- and money-saving layout performance.



LASER LINE TOOL



PLS-60521

PLS180 Hand held Laser Line Tool

This plumb, level, and square laser line tool will be such a time saver, your bubble vial level or rotary laser will become obsolete. Weighs less than 10 ounces, and has a self-leveling range of 6 degrees. Comes complete with carrying case, wall bracket, PLS180 pouch, batteries, operating manual and a SLD laser detector.



LASER LINE TOOL

PLS3 and PLS5

Provides Point-To-Point Alignment Information. Lay out reference points faster than traditional, labor intensive methods. Plumb instantly from floor to ceiling or from 50 feet off the ground!

- PLS-60523 PLS3** 3-Point Laser (1/4-Inch at 100-Feet)
- PLS-60541 PLS5** 5-Point Laser (1/8-Inch at 100-Feet)



LASER LINE TOOL

PLS480

PLS 480 Line Laser

Fully self leveling square, level and plumb reference designed for concrete, foundations, walls, square on slope and horizontal-level benchmarks.



Marking, Measuring & Lasers

AUTO LEVELS



Optical Auto Levels

Featuring metal housings and high-quality optics, the Spectra Precision Optical Auto Levels are built to last. These optical levels are the ideal tools for daily leveling work.

- Air dampened compensator provides superior accuracy and stability.
- Plastic/rubber controls allows easier control in wet or cold conditions.
- Built-in angle circle enables basic short-range alignments.
- Metal housing increases durability.
- Built-in bubble mirror makes the level easy to see regardless of auto-level position.
- Rugged optical levels withstand the most challenging jobsite conditions for many years of reliable performance.

SLAL224	24 Power Auto Level (AL24A)
SLAL228	28 Power Auto Level (AL28AM)

SIGHTING LEVELS **CST/berger™**



17-630 5x Magnifying Hand Level

5x magnification of objective and 2x magnification of level bubble. Solid brass construction with durable yellow finish.

Also Available:

17-621	Locke Hand Level with Fixed Eye Piece
17-622	Square 6" Hand Level with Fixed Eye Piece
17-623	6" Hand Level with Fixed Eye Piece
17-624	6" Round Hand Level with Fixed Eye Piece
17-631	6" Hand Level with 2x Magnification
17-632	K & E Type Hand Level with 2x Magnification

SIGHTING LEVEL **David White®**

5502 Hand Level

2-1/2 power magnification for more precise checking and greater range of applications. Vial is magnified six times. Sturdy brass construction. Includes case.



DIGITAL THEODOLITE



SLHRA73100

Nikon NE-101 Digital Theodolite

Gives you accurate measurements in an affordable, easy-to-use platform. Nikon NE-101 theodolites can run 48 hours under normal operating conditions on a set of six AA alkaline batteries. Ergonomic keypad with one-touch keys for all functions and a large, backlit LCD display help you work productively in the field.

- 7-Inch (2.0 mgon) DIN Accuracy.
- 5-Inch/10-Inch unit display. Water and Dust resistant.
- Backlight and scope illumination and single-sided display.



LAYOUT NAVIGATOR **TOPCON**

Topcon LN-100 Layout Navigator

Innovative, compact design is a user-friendly solution for layout and navigation on any project site. Robotic self leveling laser. Simply position and turn on the layout navigator to self-level and connect, automatically.



- Single-operator solution for precise 3D layout
- Easy one-button self-leveling setup
- Wireless license free communication
- Out of the box usage with no-cost MAGNET Construct application on any Android device


DIGITAL THEODOLITE



SLDET-2

DET-2 Spectra Precision Theodolite

Full featured digital theodolite for general construction applications. A rugged, cost-effective theodolite designed to give accurate angle measurements in general construction applications. The affordable, versatile, easy to use instrument and accessories will increase your productivity when turning angles and setting elevations and lines. Fully customizable for your preferred operating style or job, with programmable settings for the horizontal angle resolution, 90 degree angle beep, vertical degrees or %, and more.



- Small and light; easy to carry!
- Water proof and dust proof design
- Built in wireless connectivity
- On the ground or decking
- Mounts on tripod or column clamp
- Automatic self-leveling
- Alerts User if disturbed
- 100 m working Range



Marking, Measuring & Lasers

LASER RECEIVER

SLHR320 HR320 Receiver with Clamp

A durable laser receiver for exterior leveling applications. LCDs on the front and back display a 5 segment grade arrow that indicates grade position. A loud beeper is designed to be heard on noisy job sites. Fine and medium accuracies are selectable to meet various applications and conditions.



TRIPOD

CS60-ALQR120 Quick Clamp Aluminum Tripods

Lightweight, heavy gauge aluminum and the added stability of double banded legs. Outstanding features include positive locking clamps, powder coated wear-resistant metal parts and shoulder strap. 65" open, 42" closed, 5/8" x 11 thread, flat head.



LASER RECEIVER

SLHL450 Laserometer with Clamp

Features a digital readout of elevation that provides a numeric display of ± 40 mm or ± 1.5 inches. The readout is displayed on the large front and rear LCD's and shows exactly how far the elevation is from on-grade. Accurate measurements can be made without moving the rod clamp, saving time and increasing productivity.



GRADE RODS

Telescoping Fiberglass and Aluminum Rods

CST/berger™



- CE903001 / SVR-16** 16' Oval Fiberglass Rod in 10ths & Inches
- CE903002 / SVR-25** 25' Oval Fiberglass Rod 10ths & Inches
- CE920041 / CR-16** 16' Rectangle Fiberglass Rod in 10ths
- CE920042 / CR-16** 16' Rectangle Fiberglass Rod in Inches

LASER RECEIVER

SLHR550 HL700 Receiver with Clamp


Highly versatile receiver for basic and advanced leveling and aligning applications. It is an easy-to-use tool that accurately measures elevations across the site, and is ideal for use with any rotating transmitter. The 15-channel linear display allows fast, accurate reading and easy fixed offsets.



GRADE ROD

SLGR151 15' Grade Rod - Tenths SLGR152 15' Grade Rod - Inches

- The rod is 15 ft in length and the graduations are available in inches and tenths.
- Weighs 3.50 lb (1.60 kg)
- This 5-section aluminum leveling rod is made of a light and durable alloy.
- The telescopic sections are anodized and silk-screened with moisture-resistant ink.



Comes with free carrying bag!

ROD CLAMPS



- SLC45** Rod Clamp For #HL450
- SLC50** Rod Fast Clamp for LL500
- SLC57** Rod Clamp for HR550
- SLC59** Rod Clamp for HR350

LASER TARGET

SL1176 Magnetic Visiline Target

Optically enhanced, patented – increases beam visibility by 2.5 times. Half translucent, half reflective. Mounts magnetically.



LASER DISTANCE METER

BOS01-GLR225 Laser Distance Measurer

Compact unit with increased distance. Fast, easy, accurate measuring. Accuracy: $\pm 1/16"$. For distances up to 230 feet.



LASER DISTANCE METER

SH06300 LD300 Laser Distance Measuring Kit

Range up to 100 ft. Fast and accurate measuring. Compact as a cell phone. Bright backlit screen. Length, area, volume & Pythagorean. Continuous measure function. Belt pouch included.



Farrell Equipment & Supply Is Your Laser Repair Shop!

We can repair, clean and calibrate ALL brands of lasers and transits.

Marking, Measuring & Lasers

LEVELS



Type 196 Level

Crystal clear vials readable in any direction with no change in accuracy tolerance. Spring steel hairline indicators in vials. Best frame strength-to-weight ratio. Removable rubber end caps for scribing in corners and for reading tight header and sill openings. Vials are guaranteed for life.

Also Available to Order in 22", 36", 59", and 78" Lengths.

SH37416	16" Model 196 Level	SH37448	48" Model 196 Level
SH37424	24" Model 196 Level	SH37472	72" Model 196 Level

SH37532 Jamber Set: 78" Model 196 Level w/ Free 32" Level

TORPEDO LEVEL



The Stabila Rare Earth Magnetic Torpedo Level is built with a heavy-duty, 10-inch die-cast metal frame and two acrylic vials (one horizontal, one vertical) that are crystal-clear, non-fogging, unbreakable, and monoblock for durability and ease of use.

SH25100M-WC 10" Die-Cast Torpedo Level w/ Mag


MAGNETIC LEVELS



Type 96M Magnetic Level

Spring steel hairline indicators inside the vials. Certified Level Accuracy in top read position: 1/32" over 72". Removable rubber end caps for flush measuring in corners. Level accuracy guaranteed for life; vials will never fog, leak or require adjustment. Readable in every direction with no change in accuracy tolerance.

SH38624	24" Model 96M Magnetic Level
SH38648	48" Model 96M Magnetic Level
SH38672	72" Model 96M Magnetic Level




Strongest Magnets, flush mounted - Work Hands-Free.

Also Available to Order in 16", 32", 36", 59", and 78" Lengths.

SH38532 Jamber Set: 78" Magnetic Level w/ Free 32" Level

MASON LEVELS



Stabila 34570 48-Inch Trowel-Proof Masons Level

The 48-inch Mason's Level is designed to be hit with a trowel. One third lighter than laminated wood levels. Centered hand holes optimize balance. Top reading horizontal vial - no more bending over. Stands up to thousands of drops, will not warp or twist. Vials guaranteed for life never to fog, leak, or require adjustment. Water and brush clean-up.



Stabila 36448 - 48-Inch Mason Level with Dead-Blow Shield

Has strike zone shields that are meant to be hit with a trowel. This level is ideal for long wall work and is the ultimate level for the professional brick and block layer. Solid acrylic vials features the ultimate durability and precision. Easy to read on any course, one vertical vial located on one end and the other vertical vial located near the center of the level, also a center horizontal vial.

DIGITAL LEVEL



360° Digital Measuring.

Display always reads upright. Select from degrees, % slope, or audio (beep) alert. Certified Vial Accuracy; in top read position: (.029") 1/32" over 72". Digital accuracy tolerance: at 0°, 90° = ±.1°, Between 1° & 89° = ±.2° Audible tone signals plumb and level condition for eye-free installations. Level accuracy guaranteed for life; vials will never fog, leak or require adjustment.

Also Available to Order in 14", 59", and 78" Lengths.

SH26940	24" Electronic Level (36524)
SH26960	48" Electronic Level (36548)

BOX LEVELS



#2000 Series Box Beam Level

- Continuous Edge increases level durability ensuring accuracy over time, protects center vial, and allows for continuous scribing.

#2500 Series Heavy Duty Box Beam Level

- Thick-walled high-grade aluminum frame provides extreme durability and resists job site wear and tear.

Standard

IRW-1794075	24"
IRW-1794077	48"
IRW-1794079	72"

Heavy Duty


IRW-1794063	24"
IRW-1794067	48"

Marking, Measuring & Lasers

LEVELS

The Crick Level

A premium grade level made in the United States. The quality is unmatched. Precision-built for accuracy and durability. Over 50 different machines are used in production to ensure precision and dependability. The materials used have been selected for their individual reliability and are assembled by craftsmen dedicated to quality.



CRK24010	24" Level with Green Vial
CRK36010	36" Level with Green Vial
CRK42010	42" Level with Green Vial
CRK48010	48" Level with Green Vial
CRK10002	Hanging Hook for Crick Levels
CRK10004	Spring Clip for Crick Levels
CRK10006	Replacement Lens for Crick Levels

PLATE LEVEL



Plate Level - Type 106T

Designed for the residential stick framer that needs fast and accurate wall installations (Plumb Plate to Plate). Fully sealed solid rail (six sided) extension eliminates deflection, and delivers the smoothest extension movement available.

- Top plumb vial is permanently positioned at eye level.
- Frame side opposite the stand-offs is a level measuring surface and straight edge.
- Vials are guaranteed for life never to fog, leak or require adjustment.

SH33610	6' - 10' Plate Level (35610)
SH33712	7' - 12' Plate Level (35712)



I-BEAM LEVEL



#1500 Series I-Beam Level

- Dual Chamber Design increases level durability, ensuring accuracy over time, and resists twisting 2X more than traditional I-Beams.

IRW-1794105	24"
IRW-1794107	48"

#1000 Series I-Beam Level

- Rigid aluminum I-Beam construction.
- Rotating angle vial.

IRW-1800990	24"
IRW-1801094	48"



LEVELS

Sola BIG RED High Profile Aluminum Box Levels

Rugged 6063 aluminum alloy for the highest accuracy for perfect measuring results. Shockproof acrylic block-vials. Vials will neither crack nor break when used at the jobsite. Easy to read vials: 30% larger vial bubbles reduce reading errors.



SOABR24	24" Sola Level #BR24
SOABR48	48" Sola Level #BR48

MEASURING TAPES



NR - Nylon-Reinforced Steel Blade

Tough, double nylon-coated steel. Break-resistant under severe use in the field. 3/8-inch wide blade reduces wind drift and tape weight. Metal-reinforced crank handle for durability.



Model	length	units.	zero pt.	attachment
KSNR18100	100 ft.	ft., in., 1/8	hook end	hook
NR10100	100 ft.	ft., 1/10, 1/100	tape end + 1 ft.	ring
NR10100E	100 ft.	ft., 1/10, 1/100	tape end	ring
KSNR10100H	100 ft.	ft., 1/10, 1/100	hook end	hook
KSNR10200H	200 ft.	ft., 1/10, 1/100	hook end	hook
KSNR18200	200 ft.	ft., in., 1/8	hook end	hook

MEASURING TAPES



SNR - Steel Housing, Nylon-Reinforced Steel Blade

The world's best steel long tape in a housing that's built to last! The strongest housing (stainless steel!) on the market. Tough, double nylon-coated steel blade assures long life under field abuse. Rubber-grip shovel handle for comfortable, rapid reeling. Metal-reinforced crank handle for durability.



Model	Length	Units.	Zero Pt.	Attachment
SNR10200	200 ft.	ft., 1/10, 1/100	tape end + 1 ft	ring
SNR10200H	200 ft.	ft., 1/10, 1/100	hook end	hook
KSSNR18300	300 ft.	ft., in., 1/8	hook end	hook
SNR10300	300 ft.	ft., 1/10, 1/100	tape end + 1 ft	ring
SNR10300E	300 ft.	ft., 1/10, 1/100	tape end	ring
SNR10300H	300 ft.	ft., 1/10, 1/100	hook end	hook

MEASURING TAPE



KSNRS18300 300' Steel Tape with Nylon Coating - Inches

Nylon-Reinforced Steel Blade, Speed Rewind. 3 x 1 rewind, high-visibility housing! Metal, planetary gearing for super-fast rewind.



Marking, Measuring & Lasers

MEASURING TAPE



KSST181003X

100' Steel Tape Measure - Inches

3 to 1 gearing for quick rewinding. High-impact-resistant case with a full rubber, non-slip grip. Folding steel hook for a great hold on measuring surfaces.



MEASURING TAPE

KSPG25FAR

25' Tape Measure

Features sturdy construction and rubber grip.



MEASURING TAPES



25' Tape Measure

Extra wide blade. Magnetic hook. True zero hook. Positive locking button. Chrome plated case.

- KSPG1825AL** 25 ft. Tape Measure w/ Automatic Lock (Feet & Inches)
- KSPG1825WIDE** 25 ft. "WIDE" Tape Measure (Feet & Inches)
- KSPG1825UB** 25 Ft. Feet & Inches w/ Ultra Bright Tape
- KSPG181025UB** 25 Ft. Inches & 10ths w/ Ultra Bright Blade
- KSPG1835WIDEV** 35 Ft. Feet & Inches w/ Ultra Bright Blade

MEASURING RULES



KRBL167 Wood Spacing Rule (#636)

Lists ten course spacing on one side; inches, eighths and sixteenths on the other. Made of thick hardwood.

KRBL512 Wood Modular Rule (#646L)

Lists modular spacing on one side; feet, inches, eighths and sixteenths on the other. Made of thick hardwood.

KRBL169 Brick Mason's Rule (#656)

This spacing rule is for oversized brick. Spacings at 2-7/8" and go to 3-1/2" in 1/16" increments. Made of thick hardwood.

GG-318 Extension Folding Rule

Graduated brass slide on first section extends 6". Brass plated, riveted lock joints eliminate end play. Markings embedded in wood to 16ths with red stud markings on 16" centers.

GG-320 Engineer Folding Rule

Red end folding rule is the finest engineer rule made. Graduations: inside markings in feet, 10ths and 100ths. Finest hardwood selected hard rock maple.

SQUARE

KSKS80

7" Swanson Speed® Square

Heavy-duty aluminum alloy, stronger than standard aluminum squares.



CALCULATOR

CAL4065-BB

Construction Master Pro 4065

Advanced Feet-Inch-Fraction Construction-Math Calculator

The Construction Master Pro sets the industry standard for advanced construction-math calculators. It provides powerful built-in solutions and expanded preference settings. It's easy to use in the field or office and perfect for completing plans, layouts, bids and estimates – saves time, money, materials and frustration. Work smarter, build better and improve your bottom line with the Construction Master Pro!

- Work in and convert between building dimensions, including Metric.
- Built-in Right-Angle solutions.
- Areas, Volumes, Square-ups.
- Complete Stair Layouts.



CALCULATOR

CAL4220

ConcreteCalc Pro 4225

Advanced Yard, Feet-Inch-Fraction Concrete Construction-Math Calculator.

The easy-to-use ConcreteCalc Pro helps reduce material waste, improve design accuracy and cut estimating time. Increase efficiency in the field or in the office with fast, accurate solutions for Square-ups, Loads, Area, Volume, Rebar, Drop, Stairs and much more.

It helps you:

- Work in Yards, Feet-Inch-Fractions.
- Calculate Area, Volume and Weight per Volume.
- Automatic Square-ups and Drops.
- Rebar solutions for total Linear Feet and Weight per size.
- Complete Stair Layouts; set Riser Height and Tread Width.



FLOOR SIGNS



- Plain
- Caution, Wet Floor
- Wet Floor, Walk Right/Left
- Wet Floor, Cuidada Piso Mojado
- No Entry, Rest Room Closed
- Caution, Watch Your Step
- Caution
- Out Of Service

2' x 4' Safety Floor Signs

Bright yellow plastic signs stand up when needed, fold up when not in use. Message displayed clearly on all four sides provides clear warning from every angle.



See our Safety Book for Our Full Line of Safety Equipment & Supplies!

Marking, Measuring & Lasers

MEASURING WHEELS



Both Models are Collapsible for Easy Storage!



MP401

Our best selling metal wheel. The 4-foot circumference wheel levels out uneven ground by spanning divets that smaller wheels would dip into.

MP301

Not far behind the MP401 in popularity, this slightly more compact wheel (11-1/2" is a little lower in price without compromising any durability.

- KSMP401** 15-1/2" Metal Professional Measuring Wheel - Feet
- KSMP301** 11-1/2" Metal Professional Measuring Wheel - Feet

MEASURING WHEELS



RRT6/RRT12 Top Reading, Center-Line

Enhanced grip pistol-type handle increases control and comfort. Re-set on the handle AND on the unit housing. Brake on pistol grip — stops counting instantly. Stop adding lengths accidentally by putting the brake on exactly when you need it. Center-line handle design with counter on top of wheel — center of gravity aligned for perfect balance.



- KSRRT12** 12" Measuring Wheel - Feet / Inches
- KSRRT6** 6" Measuring Wheel - Feet / Inches

MEASURING WHEEL



RLRT104

4" Single Measuring Wheel Feet / Inches

Lightweight materials and quality construction makes the RT104 the perfect choice for interior design, home remodeling, crime scenes, construction, and real estate appraisals. Gives accurate measurements on any smooth, hard surface from counter tops to sidewalks.



Features
Collapsible
Handle



MAGNETIC LOCATOR



CS19-558 Magna-Trak® - 102 Magnetic Locator

Provides excellent field performance at a value price. It detects ferrous metals from 6in. to 15ft. in depth, depending on signal strength.

SAFETY GLASSES



Nemesis Safety Glasses

Sleek, sporty style. Soft touch temples. Lightweight construction. Single lens wrap-around protection. Includes free neck cord. 99.9% UV Protection. Meets ANSI Z87.1+ Impact Standard. Many frame and lens options available!



MEASURING WHEELS



400 Series

When a tough, all-purpose measuring wheel is needed, nothing fills the order like the Rolatape 400 Series. Its 4-foot circumference handles the toughest measuring needs for heavy construction, large commercial operations, utility companies, land surveying and other critical measuring applications. When measuring demands are tough, the 400 Series gets the job done.



- RL400** Feet / Inches
- 400E** Extended Handle
- 400D** Dual Counters, Feet
- 400M** Meters
- 400MD** Dual Counters, Meters

SAFETY LABELS

Meets OSHA Requirements.



- LS1000** Gasoline Label (UN 1203)
- LS2000** Gasoline Mixture Label (UN 1203)
- LS3000** Diesel Fuel Label (UN 1993)
- LSCL51L** Danger Gasoline Label
- LSCL86L** Danger Diesel Fuel Label



SAFETY SIGNS



OSHA and ANSI Industrial 14" x 20" Safety Signs

We provide quality products that keep you in compliance with OSHA & ANSI standards.

- LSD151B** Danger Hard Hat Area Sign
- LSD1873B** Danger Construction Site- Authorized Personnel Only Sign
- LSD200RC** Do Not Enter - Authorized Personnel Only Sign
- LSD59RC** Keep Out Sign

Marking, Measuring & Lasers

STRIPING MACHINES

Engineered and designed for easy operation and durability. 18-gauge all-steel construction. 12-can storage. Stripes widths of 2" to 4".

SP7080-A
K08350 Athletic Field Striping Machine
 10" wheels elevate the carriage to provide an even ride over rough or uneven surfaces. Ideal for grass, dirt, gravel or any uneven surface.



K08340 Pavement Striping Machine
 7" wheels provide a smooth ride on hard surfaces, such as concrete, blacktop and metal. Excellent for use in parking lots, warehouses, plants, factories, etc.

MARKING WAND



SPLW40
Long Wand Spray Can Holder
 Constructed of durable, rugged plastic and lightweight steel. Comfortable pistol grip for easy handling and marking. Apply a uniform, 1" to 1-1/2" width of paint.



STRIPING PAINTS



Solvent-Based Pavement Striping Paints

Fast drying. Long-lasting durability on outdoor pavement and indoor surfaces. Non-clogging spray tip. VOC compliant, free-of-lead hazards. Uses: Warehouse aisles, parking lots, school grounds, construction and excavation sites, road surfaces, nurseries, apartment complexes, fairgrounds. 18-oz. cans. Case Pack: 12.



K08300 Highway White	K08303 Firelane Red
K08301 Highway Yellow	K08304 Cover-Up Black
K08302 Handicap Blue	

Water-Based Athletic Field Striping Paints

Fast drying. Ideal for grass and fields or short-term striping. Non-clogging spray tip. VOC compliant, free-of-lead hazards. Uses: Athletic fields, golf courses, football, soccer and baseball fields. 18-oz. cans. Case Pack: 12.



K08305 Athletic White	K08307 Athletic Orange
K08306 Athletic Yellow	

INVERTED MARKING PAINTS



Krylon® Industrial Quik-Mark™ Inverted Marking Paints

High solids formulation for bold, bright, visible markings. Fast-drying, high-solids formula penetrates and adheres to hot surfaces. Convenient Spray-Thru™ cap and non-clogging spray tip. VOC compliant, free-of-lead hazards.



APWA Solvent-Based Marking Paints - 17 oz.

S03611 Red	S03731 Bright Orange
S03621 Blue	S03821 High Visibility Yellow
S03631 Green	S03823 Safety Yellow
S03712 Light Blue	S03900 Utility White

FLUORESCENT Solvent-Based Marking Paints - 17 oz.

S03613 Fluor. Safety Red	AT3701 Fluor. Red/Orange
S03614 Fluor. Neon Green	S03702 Fluor. Orange
S03615 Fluor. Purple	S03722 Fluor. Blue
S03622 Fluor. Hot Pink	

GENERAL PURPOSE Solvent-Based Marking Paints

S03550 Asphalt Black	S03640 Silver (16-oz. net wt.)
S03600 Clear (15-oz. net wt.)	

APWA Water-Based Marking Paints - 17 oz.

S03500 Clear (extends wear and impedes fading)	S03903 Blue
S03801 Utility Yellow	S03904 Green
S03901 Brilliant White	S03905 Orange
	S03911 Brilliant Red

FLUORESCENT Water-Based Marking Paints - 17 oz.

S03610 Fluor. Safety Red	S03650 Fluor. Red/Orange
S03612 Fluor. Pink	S03700 Fluor. Orange
S03620 Fluor. Caution Blue	S03715 Fluor. Purple
S03630 Fluor. Safety Green	

APWA Water-Based Marking Paints - 12 oz.

S03401 Brilliant White	S03406 Brilliant Blue
S03402 Brilliant Yellow	S03407 Brilliant Green
S03403 Brilliant Orange	S03411 Light Blue
S03404 Brilliant Red	

FLUORESCENT Water-Based Marking Paints - 12 oz.

S03405 Fluor. Pink	S03409 Fluor. Red
S03408 Fluor. Orange	S03410 Fluor. Red/Orange

PRIMERS



Sandable Primers

Use Industrial Sandable Primer to build up repaired metal areas to smooth, even surface. Dries to the touch in 5 minutes and may be recoated in one hour.



SP0342 12 oz. Can Red Primer
SP1314 12 oz. Can Platinum Primer

Marking, Measuring & Lasers

REBAR GREEN EPOXY

Tough Coat® Rebar Green Epoxy

Features a high-solids formula that resists rust stains in concrete. Adheres to most substrates.

SP1732 12 oz. Can Rebar Green Paint



UTILI-COAT PAINT

Rust Tough® Utili-Coat™

A rust-preventative acrylic alkyd enamel that offers state-of-the-art corrosion protection. Provides excellent gloss and color retention, superior durability and one-coat coverage.

K20879 15 oz. Can Utility Meter Gray



GALVANIZING COMPOUND

Sprayon® Silver Galv

A sacrificial coating that inhibits rust and corrosion to ferrous metals. An excellent fast drying touch-up for repair of galvanized substrates. Has the bright finish of hot-dip galvanized coating.

SP739 14 oz. Can Metallic Silver Galv. Compound



GALVANIZING COMPOUND

Zinc-Rich Cold Galvanizing Compound

A fast-drying, high-solids coating that provides maximum protection to steel exposed to severe corrosive environment. This high performance epoxy-based coating fuses zinc to the metal substrate to protect against corrosion.

SP740 14 oz. Aerosol Can
74000 1 Quart Container
74001 1 Gallon Container
74005 3-1/2 Gallon Container



ACRYLIC ENAMEL PAINTS

Tough Coat® Acrylic Enamel

Features a high-solids formula that ensures maximum coverage and performance. Delivers the ultimate in protection, durability, high gloss and color retention. Specially formulated for a variety of industrial applications.

SP1760 12 oz. Can Aluminum Spray Paint
SP3727 12 oz. Can Flat Black Spray Paint
SP1770 12 oz. Can Gloss Black Spray Paint - OSHA
SP1800 12 oz. Can Gloss White Spray Paint - OSHA
SP1310 12 oz. Can Gloss Yellow Spray Paint - OSHA



MARKING PENS



PM-16 Mighty Marker® Paint Marker

Indoor & Outdoors use. Marks on Metal. Works on most surfaces. Permanent. Quick drying. Water proof. Highly visible. Oil based opaque paint.

AG84002 Black Mark & Code Pen
AG84003 White Mark & Code Pen
AG84004 Yellow Mark & Code Pen
AG84005 Orange Mark & Code Pen
AG84006 Red Mark & Code Pen



MARKERS



Sharpie® Permanent Markers

Industrial strength for tough marking jobs! Marks on wet and oily surfaces.

QL80153000 Fine Point Magic Marker
QL972-15001 King Size Black Magic Marker

CARPENTER PENCILS

Industrial Grade Pencils with Flat Lead

Environmentally friendly pencils, made from natural base wood. 3/16" wide lead resists breakage and lasts longer. Also sold in 72 count box.



KSLP72 72 count box - Black
KSLP72R 72 count box - Red

LUMBER CRAYONS

Fade and Weather Resistant Lumber Crayons

These unique marking crayons can be used on cardboard, ceramics, concrete, lumber, metal, paper... practically anywhere! Special lead-free formulation provides permanent water-proof marking. Also sold in boxes of 12 or 108 count.



KSLCR Red Lumber Crayons
KSLCW White Lumber Crayons
KSLCBL Blue Lumber Crayons
KSLCB Black Lumber Crayons
KSLCY Yellow Lumber Crayons



Lumber Crayon Holders

KSPS100 Walnut Wood
LCHolder Aluminum Crayon Holder
LCH100 Carded Aluminum Crayon Holder with Crayon
PS100C Carded Wooden Holder

Uniquely designed lumber crayon holder permits advancement of crayon to any desired length, and then retracts to prevent breakage.

Marking, Measuring & Lasers

MARKING CHALK

ProChalk & Glo Marking Chalks

Ultra-Fine chalk is formulated to achieve a perfect line every time. Brilliant color tones provide strong, sharp lines. From the brightest pigments in the industry, we produce standard colors plus our unique, fluorescent "Glo-Orange" for improved visibility. There's no way to miss a line like this.



KS8B	8 oz. Blue	KS105R	5 lb. Red
KS8GO	8 oz. Glo-Orange	KS105W	5 lb. White
KS8R	8 oz. Red	KS105Y	5 lb. Yellow
KS105B	5 lb. Blue	KSPM105	5 lb. Black
KS105GO	5 lb. Glo-Orange		Permanent Chalk

SNAP LINE

Tajima
Since 1909

TJMCR201R-0

Chalk-Rite™ GearDrive Extra Bold

Contractor-grade chalk snap-line with 100 ft. (30M) of extra bold premium-grade braided line. Smooth gear-drive winding, up to 3 times faster than standard snap-lines.



SNAP LINE

Tajima
Since 1909

TJMCR202B-0

Chalk-Rite™ GearDrive Ultra Thin

Contractor-grade chalk snap-line with 100 ft. (30M) of ultra thin premium-grade braided line. Smooth gear-drive winding, up to 3 times faster than standard snap-lines.



SNAP LINE

Tajima
Since 1909

TJMIR101S-1 Ink-Rite™

Auto-Rewind Ink Snap-Line

Unique ink-based snap-line tool that makes a thin, bold easy-to-follow marking line that won't smudge or wash away. Auto rewind up to 25 feet.



SNAP LINE INK

Tajima
Since 1909

TJMPSB3-180 Ink-Rite™ Ink Wet Weather

High-grade snap-line inks that produce a bold, easy-to-follow marking line that won't smudge or wash away. 6oz. bottle. (Black)



SNAP LINE DYE

Tajima
Since 1909

TJMPLC3-BK300 Black Snap Line Dye

Semi-Permanent Snap-Line Chalk. Wind resistant, water repellent, extra-strong chalk for long lasting marking lines. Fade resistant, makes a sharp and extremely bold marking line Easy-pour, moisture-proof bottles. 10.5 oz.



SNAP LINE

Tajima
Since 1909

TJMPLC2-B300

10.5 oz CHALK-RITE Ultra-Fine Blue Chalk

Wind resistant, water repellent, extra strong chalk made to leave long lasting marking lines. It is fade resistant and makes a sharp and extremely bold marking line.



SNAP LINE DYE

Tajima
Since 1909

TJMPLC3-DR300

10.5 oz. Bottle Dark Red Snap Line Dye

Wind resistant, water-repellent, extra strong chalk for long lasting marking lines. Fade resistant, makes a sharp and extremely bold marking line. Easy-pour, moisture-proof bottles with screw cap nozzles. Made to prevent caking and clumping.



SNAP LINE

Tajima
Since 1909

TJMCR201R-0

Chalk-Rite™ GearDrive Extra Bold

Contractor-grade chalk snap-line with 100 ft. (30M) of extra bold premium-grade braided line. Smooth gear-drive winding, up to 3 times faster than standard snap-lines.



LITTLE GIANT CHALK LINE REEL

BEST SELLER!

KSG100 Little Giant Chalk Line

Long 100 ft heavy duty cord and pull ring. Hooks easily to a utility belt and holds almost 1 lb. of chalk. One-piece steel crank for extra long life. 15 oz. capacity.

KESON
MAKE YOUR MARK



SNAP LINE

Tajima
Since 1909

TJMCR202B-0

Chalk-Rite™ GearDrive Ultra Thin

Contractor-grade chalk snap-line with 100 ft. (30M) of ultra thin premium-grade braided line. Smooth gear-drive winding, up to 3 times faster than standard snap-lines.



GIANT CHALK LINE REEL

KESON
MAKE YOUR MARK

KSG130 Proline® Giant Chalk Line Reel

Extra long 130 ft. heavy duty cord and pull ring. Holds 1 lb. of chalk for less refills.

KESON
MAKE YOUR MARK



HIGH SPEED CHALK LINE REEL

KESON
MAKE YOUR MARK

KSGB1 Proline®

100' polyester line rewinds 3-1/2 times faster. Quick fill rubber grommet. Free wheeling disengage gear for ease of use. ABS case.



MASON'S NYLON LINE

KESON
MAKE YOUR MARK



Bonded Braided Nylon Line. This ultra strong bonded line is longer wearing. The extra elasticity helps eliminate sagging. The nylon has a black flecked braid.

KRBC353	500' Tube Orange & Black
BC354	500' Tube Green & Black
KRBC352	500' Tube White & Black
BC351	250' Winder White & Black

Marking, Measuring & Lasers

REPLACEMENT LINE



Replacement Reel Line

Spun cotton poly line on card or reel.

RL100	100 ft. Replacement Line
RL100R	100 ft. Replacement Line (with Reel)
RL130RH	130 ft. Giant Replacement Line (with Reel and Handle)
RLG100RH	G100 Replacement Line (with Reel and Handle)

STRING REELS

Stringliner® Company

Stringliner® Pro Reloadable Reels

This reloadable nylon line reel is extremely easy to reload and has a handy rewind crank and auto-rewind with power driver capability.



WP25459	Reloadable Reel w/ 500' Neon Orange Mason Line
WP25462	Reloadable Reel w/ 500' Neon Pink Mason Line
WP25465	Reloadable Reel w/ 500' Neon Yellow Mason Line
WP35790	1000 Ft. Black & White Braided Mason Line
WP480NG	500 Ft. Neon Green Braided Mason Line
WP480NO	500 Ft. Neon Orange Braided Mason Line
WP480NP	500 Ft. Neon Pink Braided Mason Line
WP480NY	500 Ft. Neon Yellow Braided Mason Line
WP960NG	1000 Ft. Neon Green Braided Mason Line
WP960NO	1000 Ft. Neon Orange Braided Mason Line
WP960NP	1000 Ft. Neon Pink Braided Mason Line
WP960NY	1000 Ft. Neon Yellow Braided Mason Line


GAUGE BLOCKS



Holds with just one nail.



Aline-set offers multiple offsets for different applications.



Notch to aid in setting a tight line.



Easy to remove with the claw of your hammer.



SMIAL106 6-Pack Aline-Set

The most effective gauge block on the market today. Perfect for straightening, plumbing, & leveling walls, floors, beams, and concrete forms. Residential, Multi-Family, Commercial, Industrial, Road Construction, Pole Buildings, Ag Buildings, Decks, Fences, and more.

CO DETECTORS



UEICO71A CO Detector

- Extended sensor life
- Detects CO levels from 0 to 999 ppm
- Tri-color LED warning indicates
- 3 concentration levels
- LED blinks GREEN when CO is 2-9 ppm
- LED blinks AMBER when CO is 10-35 ppm
- LED blinks RED with an Audible Alert at 34 ppm indicating dangerous CO levels
- MAX/CAPTURE continually updates highest CO reading
- Auto Zero activates upon turn on
- Backlit display

PLUMB BOB SETTER



TJMPZB-400 PLUMB-RITE™ Plumb Bob Setter

Universal plumb bob setter with commercial-grade 14 oz. bob. Setting pin for wood and drywall surfaces, strong magnet for steel frames. Adjustable hook ratchets to cinch onto beams or hook onto nails or studs. Braided nylon line extends and holds at lengths up to 14 1/2 ft., retracts into case automatically.



HIGHWAY WARNING KIT

COR-95-03-009 Triangle Safety Kit



Acrylic plastic strip reflectors, hermetically sealed and impervious to dust and moisture, unfolds to a triangular shape and are held firmly in place with a sturdy locking device.



BEACONS AND WORK LIGHTS



Amber Beacons



Amber Mini-Bar Beacons



LED Flood Beam Work Lamps

ECO7965A	360 Degree Amber LED Beacon 12-24V
ECO7965A-VM	360 Degree Amber LED Beacon w/Vacuum 12-24V
ECOE92006	LED Worklamp
ECOE92007-MG	Magnetic LED Worklamp
ECO5585A	LED Mini-Bar Amber Light 12-24VDC
ECO5585A-VM	LED Mini-Bar Amber Light w/Vacuum 12-24VDC

Marking, Measuring & Lasers

MESH FLAGS



18" x 18" Mesh Flag

are made of fluorescent knitted vinyl mesh material. Recommended to be used on fast moving vehicles. These flags will overcome the problems from "whipping", such as cracking, peeling, or fraying. Available with or without staff.

SASFKV18 Flag Only
SASFKV18+27 With Staff


AIRPORT FLAG



SAAPF Airport Flag

A heavy nylon 36" x 36" flag made of alternating 12" x 12" orange and white squares. Heavy-duty stitching and reinforced pocket make for easy mounting. Required by FAA and OSHA for all construction equipment and contractor vehicles in airports and on cranes.

PERIMETER MARKER



MU1000 OSHA Perimeter Marker

This marker is required by OSHA for perimeter marking of any above ground construction area, flat roof jobs, and open upper-level construction. 60 ft in length. Available in Red or Yellow.

LOAD BANNERS



COR-03-11-000 Load Combo Banner

Measures 18" x 7' and have heavy-duty grommets sewn in. Made of a super-tough, 12 oz yellow vinyl-coated nylon material and have bold black letters which say either "Wide Load", or "Oversized Load".

PADDLE SIGNS



IN15SS24 "Stop/Slow" with Staff

24" Aluminum sign with wood handle. Durable ABS Stop/Slow paddles have an 81" high staff for easy handling and are highly visible to motorists on the road.

PADDLE SIGNS



INSTSL "Stop/Slow" Paddle

18" diameter traffic control paddles are available lettered with "STOP" on one side and "SLOW" on the other side, or "STOP" on both sides. Made of lightweight non-corrosive and weather-proof material with no sharp edges, They are available with 10" handles.

DANGER FLAGS



PYFLAG Danger Flags

Convenient disposable danger flags come 1000 to a roll. These heavy, 4-mil, polyethylene flags are 18" x 18". They easily tear off at the perforations and are suited for use in lumberyards.

at the perforations and are suited for use in lumberyards.

FLAGGING TAPES



Ribbon Marker Flagging Tape

Highly visible flagging tape made from extruded P.V.C., which is preferred by professional tradesmen, surveyors and sportsmen. In fluorescent and standard colors. Available box packed, bulk packed, and economy size.

standard colors. Available box packed, bulk packed, and economy size.

Fluorescent (150 ft. x 1-3/16")
KSFTGO Glo-Orange
KSFTGR Glo-Red
KSFTGL Glo-Lime
KSFTGP Glo-Pink

Standard (300 ft. x 1-3/16")
FTR Red
FTO Orange
KSFTY Yellow
KSFTB Blue
KSFTW White
FTG Green
FTP Pink

MARKING FLAGS



These marking flags will stand up to sun, wind and inclement weather. The plastic will stay on the staffs and the colors won't fade. 4" x 5" Flag with 30" Wire Staff.

BB0500 Red Flag -100/Bundle
BB1000 Orange Flag -100/Bundle
BB3000 Yellow Flag -100/Bundle
BB4000 Pink Flag -100/Bundle
BB5000 Lime Flag -100/Bundle
BB6000 White Flag -100/Bundle

STAKE CHASER WHISKERS



Easily attach to wooden stakes or 16-penny nails. Each whisker is 6". Ideal for Road Construction and Grading. Additional Uses include reference points, forestry markers, exploration, and more.

MU15900-025 Blue - 500 pc. Box
MU15900-079 Red - 500 pc. Box
MU15900-145 Glo Orange - 500 pc. Box
MU15900-75 Glo Pink - 500 pc. Box

Marking, Measuring & Lasers

TRAFFIC CONES

Offers outstanding visibility. "Slim line" construction which decreases wind lift, teamed with rubber base (for underslung center of gravity) adds up to the most stable cone on the road.



INTC18	18" Safety Cones
INTC28	28" Safety Cones
INT2825-5-MM	28" Safety Cone w/ 6" & 4" Reflective Stripes
INTC36	36" Safety Cones

SAFETY DIVERTERS

INTC4294-LP-16

Divertor, 16 Lb. Base & H.I. Stripes
42" High. Meets MUTCD and NCHRP-350 requirements with or without barricade lights. Large grip on the handle allows workers to easily pick up the channelizer and base.



BARRICADE TAPE

More Styles Available!



Non-pressure sensitive vinyl barricade ribbon. High visibility 3" wide. Variety of stock and special order legends available. Rolls are 3" x 1000' Available in Heavy Duty 4 Mil or Standard Grade (2 mil).

RI1000	"Caution" Tape 4 mil.
RI1002	"Caution" Tape Standard Grade
RI2000	"Keep Out" Tape 4 mil.
RI3000	"Danger" Tape 4 mil.
RI4000	"Caution Wet Concrete" Tape 4 mil.

Harris Industries

WOOD STAKES

Special Order Sizes Available!



Available in bundles of 50 or by the Pallet.



WS1318	1" x 3" x 18" Wood Stakes 50 Pc. Bundle
WS1324	1" x 3" x 24" Wood Stakes 50 Pc. Bundle
WS1336	1" x 3" x 36" Batter Board Stakes 30 Pc. Bundle

WOOD LATHE



WS2025 Wood Lathe 50 Pc. Bundle

CHAMFER STRIPS



WS3000	3/4" X 3/4" X 8' Chamfer Strip - 1000 L.F. Bundle
WS3100	8' Piece 3/4" x 3/4" Chamfer Strip

BARRICADE

Plastic A-Frame Barricade

Cordone off hazardous areas with a highly visible barrier system consisting of two A-Frame Legs and one or two I-Beams. Injection-molded, structural foam A-Frame Leg is extremely durable. Standard size mounting holes accommodate a wide variety of boards. ADA compliant to MUTCD standards.



COR-97-01-004-02	Plastic A-Frame Barricade Leg (One End Only)
COR-97-01-029-02	Plastic Barricade 2" X 8' Top Rail with Reflective Stickers

BARRICADE



COR-97-01-001-05 24" Plastic Barricade Type 1 with Reflective Stickers

Type 1 Plastic Barricade 8" Length x 24" Width x 8" Height. Closed-hinge feature prevents pinched fingers during placement and retrieval.



COR-03-10-WAYDC

L.E.D. Barricade Light

Operates with 4 D-cell batteries; 3-Way (flashing, steady burn, off); L.E.D lights located in the strongest area of the case for protection; Made in the U.S.A.; Sold by box of 10

COLORED ELECTRICAL TAPE



A 7 mil colored vinyl tape. U.L. approved. Used primarily for color coding electrical wiring. 3/4" x 66'.

Assured Equipment Grounding Color Coding Scheme

White	January, February & March
Green	April, May, June
Red	July, August & September
Orange	October, November & December

UT34-W 66	White Tape
UT34-GR 66	Green Tape

UT34-R 66	Red Tape
UT34-OR 66	Orange Tape

ELECTRICAL TAPE



3M01-69764

3/4" x 60' #1700 Black Electrical Tape

3M™ Temflex™ General Use Vinyl Electrical Tape 1700 is used for protective jacketing and harnessing.



Farrell Equipment & Supply Co., Inc. - Trade Customs

The compilation and checking of a general catalog of supplies and machinery is complicated, involving many thousands of product numbers, dimensions, etc. and absolute perfection is not a commercial possibility. Every endeavor has been made to have the latest lists, dimensions, descriptions and designs throughout this catalog, but we do not guarantee accuracy. If any errors or misprints have escaped our checkers and printers, we are not responsible for them, and they are subject to our correction. All information contained in this catalog, pertaining to strengths and proper working loads of material, tools or machines is derived from information compiled by the manufacturers for the convenience of the buyer. We assume no responsibility for the accuracy of this information.

Manufacturers are constantly changing designs, specifications and accessories on many items and these are subject to change without notice. Illustrations are subject to modification.


All references in this catalog are for description only and are not representations or warranties of any kind or nature.

Copyright © 2016 by Farrell Equipment & Supply, Inc.




Printed in U.S.A. 3000-102816


Other Available Farrell Catalogs:




Blade & Fastener Book




Decorative Concrete Book




Concrete Book




Erosion Control Book




Masonry Book




Road & Highway Book




Safety Book



Woodworking Book



Rental Book



Rental Concrete Stamps



FARRELL

Equipment & Supply Co., Inc.

Visit us at any of our **6** Locations!

All our catalogs are available online!



ROCHESTER
507-252-0234
888-533-8909
Fax: 507-252-0222
1635 3rd Avenue S.E.
Rochester, MN 55904

LA CROSSE
608-796-9300
888-533-0909
Fax: 608-796-9435
508 Monitor Street
La Crosse, WI 54603

EAU CLAIRE
715-835-4334
800-533-0909
Fax: 715-835-4356
1510 N. Hastings Way
Eau Claire, WI 54703

WAUSAU
715-355-8300
800-933-5939
Fax: 715-298-1662
7405 Commerce Drive
Weston, WI 54476

APPLETON
920-903-1985
Fax: 920-903-8278
1002 Truman Street
Kimberly, WI 54136

MADISON
608-222-5372
888-533-7909
Fax: 608-222-5405
6809 Mangrove Lane
Monona, WI 53713



For Your Convenience We Accept:

Printed in U.S.A. on recyclable paper with soy based ink.

Find us online: www.FarrellEquipment.com