

FARRELL

Equipment & Supply Co., Inc.

ROAD & HIGHWAY BOOK



- **Safety Gear**
- **Power Equipment**
- **Forming Supplies**
- **Sealers & Chemicals**
- **Concrete Repair**



www.FarrellEquipment.com

Serving the Construction Industry Since 1968!

ROAD & HIGHWAY BOOK

CUT-OFF SAW

K760 Cut-off

14" 5 HP Cut-off Saw. A powerful all around power cutter with features that make it one of the best power cutters on the market. Equipped with the new generation Active Air Filtration™ that delivers up to one year's operation without a filter change and SmartCarb™, a built-in automatic filter compensation and a highly efficient vibration dampening system.



Blade sold separately

CUT-OFF SAW

K2500 16" Hydraulic Saw

Hydraulic pressure is an excellent option, a smooth, efficient source of power. Not surprisingly, our hydraulic-powered cutters are remarkably light and easy to handle, robust and powerful. Equipped with a 16" blade.



Blade sold separately

CUT-OFF SAW

K970

The new Husqvarna K 970 is our latest and most powerful handheld power cutter, featuring the revolutionary X-Torq® engine technology. It is a unique machine, in a class of its own when it comes to emission levels, efficiency and maneuverability.



Blade sold separately

CUT-OFF SAW

K3000 Electric Saw

One of the world's most powerful and versatile electric saws. With it's powerful motor (2.5 hp), ergonomic design and deep cutting capacity, it's the best in its class. Cutting depth for 14" blade is 5".



Blade sold separately

PARE968385400 K3000 12" Electric Cut-Off Saw
PARE968386400 K3000 14" Electric Cut-Off Saw

CUT-OFF SAW

Husqvarna K 3000 Vac

An electric power cutter that enables clean dry cutting without dust or water. The vacuum unit provides superior dust collection, making this machine a market leader. Unlike other electric cutters, the blade rotates forward, cutting into the material efficiently and with minimal strain on the user.



Blade sold separately

CUTTING CART

Designed for convenient and efficient long cuts in asphalt and concrete floors. All our petrol-powered cutters (except the K 960 and the K 750) the K 30 / K 40 air-powered cutters and the K 2500 hydraulic cutter can be installed quickly and easily. Supplied with hose connector (Gardena system), hose for wet cutting, depth limiter and counterbalance.



HYDRAULIC POWER PACK



PP 518 Hydraulic Power Pack

Our gas-powered pack for hydraulic products like the Husqvarna WS 325 wall saw, DM 406 H drill motor, K 3600 MK II and K 2500 power cutters. The PP 518 creates optimum power with precise flow control allowing you to get the most performance out of your hydraulic equipment.



Farrell is Proud to be Your Construction Equipment & Supply Resource!



Farrell Equipment & Supply Co., Inc. - Trade Customs

The compilation and checking of a general catalog of supplies and machinery is complicated, involving many thousands of product numbers, dimensions, etc. and absolute perfection is not a commercial possibility. Every endeavor has been made to have the latest lists, dimensions, descriptions and designs throughout this catalog, but we do not guarantee accuracy. If any errors or misprints have escaped our checkers and printers, we are not responsible for them, and they are subject to our correction. All information contained in this catalog, pertaining to strengths and proper working loads of material, tools or machines is derived from information compiled by the manufacturers for the convenience of the buyer. We

assume no responsibility for the accuracy of this information.

Manufacturers are constantly changing designs, specifications and accessories on many items and these are subject to change without notice. Illustrations are subject to modification.

All references in this catalog are for description only and are not representations or warranties of any kind or nature.

Copyright © 2016 by Farrell Equipment & Supply, Inc.



Printed in U.S.A. 1500-010516

CUT-OFF SAW



STLTS410-12 TS 410 STIHL Cutquik®

Cut-off machine with a 12" cutting wheel. Featuring the X2 air filtration system and an anti-vibration system, this cut-off machine is comfortable to use and easy to maintain. Displacement: 4.07 cu. in. Engine Power: 4.4 bhp Weight: 20.7 lbs.



Water Hookup Kit & Abrasive Wheel included. Diamond wheel (shown) sold separately.

CUT-OFF SAW



TS 500i STIHL Cutquik®

the world's first cut-off machine with an electronically controlled fuel-injection system. And no carburetor means no choke – just purge it and pull it. Just look at all the ways the TS 500i utilizes the latest in smart technology:



Water Hookup Kit & Abrasive Wheel included. Diamond wheel (shown) sold separately.

- Provides 17% more power with only 6% more weight (compared to the STIHL TS 420)
- Low-emission Engine Provides Optimal Torque
- Fuel Injection Means a Simplified Starting Procedure
- Lightweight & Balanced Design for Easy Handling on the Toughest Jobs

CUT-OFF SAW



STLTS420-14 TS 420 STIHL Cutquik®

Cut-off machine — one of the best we've ever built. Helping you work longer and more comfortably, this cut-off machine comes with a 14" wheel, delivering a unique blend of performance and efficiency so you get the job done right. Displacement: 4.07 cu. in. Engine Power: 4.4 bhp. Weight 21.2 lbs.



Water Hookup Kit & Abrasive Wheel included. Diamond wheel (shown) sold separately.

CUT-OFF SAW

Water Hookup Kit & Abrasive Wheel included. Diamond wheel (shown) sold separately.



STLTS700-14 14" STIHL Cutquik®

Lightweight, well balanced and features a brand new 5 point, dual element vibration control system for exceptional operator comfort. Loaded with innovative features like the semi-automatic belt tensioner, the TS 700 is the right choice for demanding professionals. Displacement: 6.0 cu. in., Engine Power: 6.7 bhp. Weight: 25.6 lbs.



CUT-OFF SAW

Water Hookup Kit & Abrasive Wheel included. Diamond wheel (shown) sold separately.



STLTS800-16 16" STIHL Cutquik®

The most advanced STIHL Cutquik® ever produced. The TS 800 is well balanced and features a brand new 5 point, dual element vibration control system for exceptional operator comfort. The TS 800 is the right choice for professionals that need to make cuts up to 6" deep. Displacement: 6.0 cu. in., Engine Power: 6.7 bhp. Weight: 28.7 lbs.



STIHL ACCESSORIES



4201-007-1041 Depth Wheel

Attaches to STIHL Cutquik® cut-off machine cart and permits variable adjustment consistent depth of cut. Particularly helpful when using diamond cutting wheel.

STIHL Cutquik® Cart

Particularly useful where long, straight cuts have to be made, such as cutting expansion joints in road surfaces or squaring off edges in asphalt. Cart attachment kits available for Cutquik® models TS 400, TS 460, TS 510 and TS 760 only.



STLC400CART

Cart for 400 Saw w/ Depth Wheel & Mounting Kit

STLC460CART

Cart for 460 Saw w/ Depth Wheel & Mounting Kit

STLC760CART

Cart for 760 Saw w./ Depth Wheel & Mounting Kit

STLC4224-710-1401

STIHL Cutquik Cart for TS 700 & TS 800

Specially designed for matched cutting performance with the TS 700 and new TS 800. This cart offers improved handling and cutting performance with a forward weight orientation. This cart comes fully assembled and has a toolless quick connect system.



CUT-OFF SAW



DIA5801528 #FC7314 14" Hand Held Gas Saw with Diamond Blade & Oil

Light weight and balanced for less operator fatigue. Best power-to-weight ratio in the industry. Smooth start decompression valve reduces start up force by 70%. 5-stage filtration system. Fully adjustable blade guard. Water kit included with standard garden hose quick disconnect. Powerful 73cc engine.

ENGINE OIL



High Performance 2-Cycle Engine Oil

Contains fuel stabilizers for long fuel life.

STL0781-319-8008

6 Pak 2.6 oz. Oil - Mix 1 to 1 gal. Gas

STL0781-319-8009

6 Pak 6.4 oz. Oil - Mix 1 to 2-1/2 gal. Gas

STL0781-319-8010

6 Pak 12.8 oz. Oil - Mix 1 to 5 gal. Gas



ROAD & HIGHWAY BOOK

WALK-BEHIND CONCRETE SAW



FS 309

A lightweight and compact floor saw. It is ideal for small repair jobs and is very easy to handle. It can be transported in any small vehicle. 9 hp Honda engine. Maximum blade capacity: 13.8".



Blade not included

WALK-BEHIND CONCRETE SAW



FS 500 Series

New series of floor saws, with engine options from 13 to 24 hp. The floor saws are developed with a clear focus on ergonomics and user friendliness, featuring many innovative solutions that make your job easier. Their unique transmission makes them ideal for more demanding jobs, despite their compact size. Maximum blade capacity: 20" - 24".



Blade not included

WALK-BEHIND CONCRETE SAW



FS 413

The new FS 413 floor saw is a true multi-purpose concrete saw. It is compact and developed with a clear focus on ergonomics, making it ideal for small to mid-sized jobs. 13 hp Honda engine. Maximum blade capacity: 18".



Blade not included

WALK-BEHIND CONCRETE SAW



DIA37650 18" Concrete Saw w/ 9 hp. Lifan #CC1209L-18

Electric powered modular Saw. Suitable for both basements and commercial high rise jobs where portability is key. Maximum blade capacity: 20"."



Blade not included

WALK-BEHIND CONCRETE SAW



FS 5000 D Floor Saw

Our modern FS 5000 D is a powerful diesel walk-behind flat saw with low emissions, developed to be compliant with Tier 4 / Stage IIIB regulations. Ideal for asphalt and concrete cutting up to 14-3/4 inches deep. Suitable for mid-sized road work, service work and smaller jobs that require high production rates. It is highly versatile thanks to its high output, compact size and good maneuverability. It is equipped with an intuitive and ergonomic digital control panel with all important functions and is easy to monitor. Maximum blade capacity: 36".



Blade not included

WALK-BEHIND CONCRETE SAW



FS 7000 D Floor Saw

The modern FS 7000 D is our most powerful diesel walk-behind flat saw with low emissions, developed to be compliant with Tier 4 / Stage IIIB regulations. Ideal for asphalt and concrete cutting up to 17-1/4 inches deep. Suitable for mid-sized road work, service work and smaller jobs that require high production rates. It is highly versatile thanks to its high output, compact size and good maneuverability. It is equipped with an intuitive and ergonomic digital control panel with all important functions and is easy to monitor. Maximum blade capacity: 42".



Blade not included

ROAD & HIGHWAY BOOK

DRILL MOTOR

Husqvarna DM 230

New, handheld drill motor with attractive design and functional ergonomics. Soft rear section and a larger contact area mean that it sits better against your body. The machine is modular, and therefore easy to maintain and repair.



CORE DRILLING RIG



DMS 240

An electric drill motor and stand system for a wide variety of core drilling applications. An ideal system for medium core drilling in walls, floors and roofs up to 10 in. diameter. The stand is easy to tilt, and the back support provides reliable and stable angle drilling, saving you setup time and body stress.



Bit not included

CORE DRILLING RIG



DS 800

This heavy-duty drill system is the contractor's choice for the more demanding applications. The precise ground column provides strength and rigidity for high horsepower drill motors. The carriage and base are made of high-strength aluminum. 1" to 14" bit capacity standard. Spacers available for larger bit sizes. Several motor options available.



WET DIAMOND CORE BITS



Wet Cutting



Millennium® B5300 Series Professional

Good balance of speed and life for drilling medium to hard concrete with medium to heavy steel reinforcing. Total segment height: .300" (.250" diamond depth; .050" segment base).



HUS03-780164 1-1/2" Wet Core
HUS03-780167 2" Wet Core
HUS03-780169 2-1/2" Wet Core
HUS03-780171 3" Wet Core
HUS03-780173 3-1/2" Wet Core
HUS03-780174 4" Wet Core
HUS03-780176 4-1/2" Wet Core

HUS03-780177 5" Wet Core
HUS03-780179 6" Wet Core
HUS03-780181 7" Wet Core
HUS03-780182 8" Wet Core
HUS03-780184 10" Wet Core
HUS03-780186 12" Wet Core

Millennium® B5400 Series Prestressed

For drilling prestressed concrete and concrete with loose rebar.

HUS03-542786613 2" Wet Precast Core
HUS03-542786615 2-1/2" Wet Precast Core
HUS03-542786617 3" Wet Precast Core
HUS03-542786619 3-1/2" Wet Precast Core
HUS03-542786620 4" Wet Precast Core
HUS03-542786622 4-1/2" Wet Precast Core
HUS03-542786623 5" Wet Precast Core
HUS03-542786625 6" Wet Precast Core

CORE DRILL ACCESSORIES



HUS03-504544201
541400078



Vacuum Pump Fitting

DS 800 2" Spacer Block w/ Key and Bolts
 Vacuum Pump Fitting

WATER TANK



HUS06-506326302

4 Gallon Plastic Water Tank

Pump the handle a few times to give the required pressure. The tank hold 4 gallon and comes complete with a 10ft hose which is connected to the wet cutting kit on the machine.



CORE RIG



CB500-HH Hand Held Core Drill with Case

9 amp, 115 volt, 1300 watt, 2-speed (1100/2200 RPM). Water hose connection. Works with the M-4 stand and hand-held mount. Shoulder brace for increased stability. 5/8"-11 spindle and 1.250"-7 adapter. Includes carry case adapter and wrench.

CORE RIG



M1AA-15 Portable Anchor Rig with 15 Amp Motor

6 inch bit capacity (anchor), 3" bit capacity (with APV base). Weighs only 45 lbs.. 120V - 15 amp, 3.5 HP Core Bore motor. Single speed - 800 RPM. Spring loaded slide handle for easy coring. Convenient carrying handle on carriage. Built-in LED light amp meter. Includes water trap ring



Bit not included

CORE RIGS



M-1 Anchor Core Rig

2-1/2" square column (mast) with black oxidized finish. 6" wheels for easy mobility. Dual switch/outlet control panel with amp meter (except for CB700 models with LED amp meter). 4 leveling screws on the base. Up to 14" bit capacity with one spacer block.



DIA01794 M-1 Complete Core Rig w/ Vacuum & 20 Amp Milwaukee Motor
DIA4245073 M-1 Core Rig w/ 20 Amp Milwaukee Motor
DIA30070 M1A-20-CB700 Core Rig w/ 20 Amp CB700 Motor

ROAD & HIGHWAY BOOK

FARRELL PREMIUM GREEN & GOLD BLADE

High Speed Segmented Premium General Purpose Diamond Blade For extra long life when cutting cured concrete, masonry, stone, concrete pilings with steel, culvert pipe with steel and brick pavers.



- HUS01-590531** 12" x .110 x 1" 20mm Premium
- HUS01-590524** 14" x .110 x 1" 20mm Premium
- HUS01-590618** 16" x .125 x 1" 20mm Premium

GENERAL PURPOSE BLADES



VH-5 Series

For general purpose cutting of cured concrete and brick. The total segment height is .400" diamond depth.

- HUS01-542774462** 12" VH-5 Dry Blade for Cured Concrete
- HUS01-542774463** 14" VH-5 Dry Blade For Cured Concrete
- HUS01-542774540** 12" HI-5 Dry Blade for Cured Concrete / Brick
- HUS01-542774541** 14" HI-5 Dry Blade for Cured Concrete / Brick

FARRELL GREEN & GOLD TURBO BLADE



Green & Gold "Turbo" Dry Diamond Blade Fast cutting, extra long life when cutting cured concrete, masonry, stone, and brick pavers.

- HUS01-542791914** 14" Green & Gold "Turbo" Dry Diamond Blade
- HUS01-542793832** 12" Green & Gold "Turbo" Dry Diamond Blade

GENERAL PURPOSE DIAMOND BLADE



Vari-Cut General Purpose / Abrasive Material Blade

Broad range of applications makes it a perfect combination blade. Designed to cut hard and abrasive materials. Faster cutting due to alternating turbo blade segments. Total segment high is .400"

- HUS01-542751358** 12" Vari-Cut Diamond Blade
- HUS01-542751359** 14" Vari-Cut Diamond Blade
- HUS01-542751360** 16" Vari-Cut Diamond Blade

FARRELL GREEN & GOLD "NEXT GENERATION" BLADE



High Speed Segmented Premium General Purpose Diamond Blade

For extra long life when cutting cured concrete, masonry, stone, concrete pilings with steel, culvert pipe with steel and brick pavers.

- DIA53742** 14" Farrell Green & Gold Diamond Blade



GENERAL PURPOSE BLADE



Husqvarna EH Series. Wet or Dry Cutting
General Purpose, Abrasive Materials, Asphalt Blades
EH5 is a general purpose blade used for cutting concrete, masonry and stone. The total segment height for the EH series is .450"

- HUS01-542778735** 14" EH-5 Cured Concrete Blade

GENERAL PURPOSE BLADE



Badger Diamond Blade

Used for fast cutting of a wide variety of materials on the first pass, such as cured concrete and brick. This all-purpose diamond blade has aggressive notched segments that grab and grind material for a rapid first cut.

- HUS01-579862001** 12" "Badger" Dry Diamond Blade
- HUS01-579860101** 14" "Badger" Dry Diamond Blade
- HUS01-579860102** 16" "Badger" Dry Diamond Blade

GENERAL PURPOSE DIAMOND BLADE



HG5 Diagrip™ A revolutionary new technology. The diamonds have a special treatment that ensures an optimal distribution and holds them in the segment longer, ensuring blades with superior cutting capacity, longer life and a smooth, rapid cut. The total segment height is .400".

- HUS01-542756483** 14" HG5 Diagrip Diamond Blade

ROAD & HIGHWAY BOOK

GENERAL PURPOSE BLADES



The **BB5 Brickbreaker** is a general purpose blade to cut medium and hard bricks on the first pass. It works best for cutting concrete pavers. Total segment height is .400" (.300" diamond depth; .100" segment base).



The **BB8 Blockbreaker** is a general purpose blade that cuts abrasive block, soft brick and some concrete pavers. Total segment height is .400" (.300" diamond depth; .100" segment base).

- HUS01-542751371** 14" BB5 Brickbreaker Diamond Blade
- HUS01-542751372** 20" BB5 Brickbreaker Diamond Blade
- HUS01-542751719** 14" BB8 Blockbreaker Diamond Blade
- HUS01-542751720** 20" BB8 Blockbreaker Diamond Blade

ASPHALT/GREEN CONCRETE BLADE



Husqvarna EH Series. General Purpose, Abrasive Materials, Asphalt Blades

EH10 blade has a slightly harder bond for a longer life when cutting a wide range of abrasive materials such as soft brick, abrasive block, green concrete and asphalt. The total segment height for the EH series is .450".



- HUS01-542775599** 12" EH-10 Asphalt/Green Concrete Blade
- HUS01-542775600** 14" EH-10 Asphalt/Green Concrete Blade

ASPHALT/GREEN CONCRETE BLADE



Farrell Premium Asphalt/Green Concrete Diamond Blade

For extra long life cutting asphalt, asphalt over concrete, and some abrasive green concrete.



- HUS01-790235** 12" x 1" Dry Dia. Blade for Green Concrete/Asphalt
- HUS01-790236** 14" x 1" Dry Dia. Blade for Green Concrete/Asphalt

ASPHALT/GREEN CONCRETE BLADE



Husqvarna Millenium® ASPHALT BLADES, 30 - 120 HP
The F780A blade is for general purpose asphalt cutting. Total segment height is .390".

- HUS01-542759357** 18" Millenium For Green Concrete & Asphalt

ASPHALT/GREEN CONCRETE BLADE



Banner Line® Black 500B-R
The Black 500B-R blade has an extra long life when cutting abrasive asphalt. Undercut protection is standard on this blade. For green concrete / asphalt.

- HUS01-542751078** 18" Black 500B Wet Diamond Blade

WALK BEHIND BLADES



Banner Line® Hard Concrete, General Purpose, Green Concrete, Asphalt Blades, 5-65 HP

The Blue 200B blade is a general purpose blade used to cut soft to medium-hard aggregate with light steel reinforcing.



- HUS01-542751031** 14" Wet Cured Concrete Blade - Blue 200B
- HUS01-542751036** 18" Wet Cured Concrete Blade - Blue 200B
- HUS01-542751078** 24" Wet Cured Concrete Blade - Blue 200B
- HUS01-542751040** 26" Wet Cured Concrete Blade - Blue 200B

WALK BEHIND BLADES



Husqvarna High-Pro Wet Cured Concrete Diamond Blades.

- HUS01-542755561** 24" High-Pro Wet Cured Blade
- HUS01-542755562** 26" High-Pro Wet Cured Blade

WALK BEHIND BLADES



Millenium® .315" SERIES CURED CONCRETE BLADES, 35-120 HP

The F720C blade can cut concrete with a medium steel reinforcement and river gravel. Total segment height is .390".

- HUS01-542758655** 18" Millenium Blade For Cured Concrete
- HUS01-542758669** 24" Millenium Blade For Cured Concrete
- HUS01-542758673** 26" Millenium Blade For Cured Concrete

ROAD & HIGHWAY BOOK

DIAMOND GRINDING DISCS



Single Row for fast removal on concrete, masonry, stone and similar materials.




Double Row for long life and smooth finish on concrete, masonry, stone and similar materials.



Turbo for faster and smoother finish (segmented turbo) on concrete, masonry, stone and similar materials. For faster grinding with extended life.

- HUS04-FA04GDDDX1** 4" x 5/8-11 Double Row Diamond Disc
- HUS04-FA04HDDGDX2** 4" x 5/8-11 Turbo Diamond Disc
- HUS04-FA04HDDSX1** 4" x 5/8-11 Single Row Diamond Disc
- HUS04-FA07HDDDX1** 7" x 5/8-11 Double Row Diamond Disc
- HUS04-FA07HDDGDX2** 7" x 5/8-11 Turbo Diamond Disc
- HUS04-FA07GDDSX1** 7" x 5/8-11 Single Row Diamond Disc

DIAMOND BLADE




Small Diameter Diamond Blade

Our most affordable segmented blade for fast cutting a wide variety of materials including concrete, masonry, brick and stone. Total segment height of this blade is .275" diamond depth.

HUS01-FA4508CDUX22 4-1/2" x .080 Dry Diamond Blade

CRACK CHASER BLADE



Bevel Diamond Tuckpoint (Crack Chaser) Blade

The 45° Bevel Tuckpoint blade is used for crack chasing and mortar removal between brick and block. A great multi-purpose blade for the restoration market. A total segment height of .525".

HUS01-FASHM0401 4" Crack Chaser Diamond Blade

Think Farrell For All Your Construction Equipment, Supplies & Tool Needs!

DIAMOND BLADES



TSD-S Dri Disc Wet and Dry Cutting Diamond Blade

Our most affordable segmented blade for fast cutting a wide variety of materials including concrete, masonry, brick and stone. Total segment height of this blade is .275" diamond depth.

- HUS01-542761409** 4-1/2" TSD-S Dry Diamond Blade
- HUS01-542761412** 7" TSD-S Dry Diamond Blade

RESCUE BLADE

NXS Metal Cutting/Fire Rescue Blades

Cuts metal, concrete, asphalt, rebar and brick/block This blade incorporates a thicker core with cooling holes and an extremely fast segment. Total segment height of this blade is .200" diamond depth.



HUS01-542776454 14" NXS Metal Demolition Diamond Blade

DEMO / RESCUE BLADE



Demo-Cut Carbide Specialty Diamond Blade

14" X .250" X 1". Carbide-tipped blade for metals, roofing and building materials, wood, tar, fire doors, plastic and rubber. Made with .250 inch thick carbide chunks that allow extremely fast cutting that will not bid or load, which is an important factor in rescue cutting.



DIA96302 14" X .250 Demo-Cut 911 Blade #HDC14250

ENGINE OIL



Husqvarna 504067201 2 Cycle Oil

50:1 Ratio. A synthetic blend designed for power cutters and any other 2-cycle equipment used in tough dirty conditions. Lowers engine operating temperatures. Reduces smoke includes fuel stabilizer.



- HUS07-504067201** 6 Pack 2.6 oz. 2 Cycle Oil - Mix 1 to 1 gal. Gas
- HUS07-504067301** 6 Pack 6.4 oz. 2 Cycle Oil - Mix 1 to 2 1/2 Gas

BLADE ADAPTORS



Steel bushing for high-speed diamond and abrasive blades.

- HUS01-049019** 1" to 20mm Adaptor
- HUS01-160022** 1" to 7/8" Adaptor

ROAD & HIGHWAY BOOK

JOBBER LENGTH DRILL BITS



Type 190

Heavy Duty - Surface Treated

This 135° split point drill is self centering and requires less thrust in drilling harder metal than a general purpose drill. It is recommended for medium hardness metal drilling applications.



Type 190-AG

Magnum™ Super Premium

Special Hi-Molybdenum tool steel. 135° split point for fast penetration and accurate starting without a center punch.

Type 190 Part No.	Type 190-AG Part No.	Diameter Inches	Overall Length Inches
-	-	1/64	3/4
-	-	1/32	1-3/8
-	-	3/64	1-3/4
04490	05580	1/16	1-7/8
04500	05590	5/64	2
04510	05600	3/32	2-1/4
04520	05610	7/64	2-5/8
04530	05620	1/8	2-3/4
04540	05630	9/64	2-7/8
04550	05640	5/32	3-1/8
04560	05650	11/64	3-1/4
04570	05660	3/16	3-1/2
04580	05670	13/64	3-5/8
04590	05680	7/32	3-3/4
04600	05690	15/64	3-7/8
04610	05700	1/4	4
04620	05710	17/64	4-1/8
04630	05720	9/32	4-1/4
04640	05730	19/64	4-3/8
04650	05740	5/16	4-1/2
04660	05750	21/64	4-5/8
04670	05760	11/32	4-3/4
04680	05770	23/64	4-7/8
04690	05780	3/8	5
04700	05790	25/64	5-1/8
04710	05800	13/32	5-1/4
04720	05810	27/64	5-3/8
04730	05820	7/16	5-1/2
04740	05830	29/64	5-5/8
04750	05840	15/32	5-3/4
04760	05850	31/64	5-7/8
04770	05860	1/2	6

DOUBLE END DRILL BITS



Type 140

Twin End - Heavy-Duty - 135° Split Point. This twin end drill has wide applications in drilling any thin sheetmetal or wood.

NM28140 #30 Double End Drill Bit

STUB LENGTH DRILL BITS



Type 135 Heavy Duty - 135° Split Point Black Finish

A sturdy drill for use in portable power drilling. Accurate centering, fast penetration. Ideal for sheet metal work.

Type 135 Part No.	Diameter Inches	Overall Length Inches
25560	1/16	1-5/8
25570	5/64	1-11/16
25580	3/32	1-3/4
25590	7/64	1-13/16
25600	1/8	1-7/8
25610	9/64	1-15/16
25620	5/32	2-1/16
25630	11/64	2-1/8
25640	3/16	2-3/16
25650	13/64	2-1/4
25660	7/32	2-3/8
25670	15/64	2-7/16
25680	1/4	2-1/2
25690	17/64	2-5/8
25700	9/32	2-11/16
25710	19/64	2-3/4
25720	5/16	2-13/16
25730	21/64	2-15/16
25740	11/32	3
25750	23/64	3-1/16
25760	3/8	3-1/8
25770	25/64	3-1/4
25780	13/32	3-5/16
25790	27/64	3-3/8
25800	7/16	3-7/16
25810	29/64	3-9/16
25820	15/32	3-5/8
25830	31/64	3-11/16
25840	1/2	3-3/4

TAPS



Type 740 & 741 Hi-Carbon Steel

Made of super tough carbon steel, these taps are ideal for hand tapping applications. All taps have the size drill to use permanently marked on the tap. Packaged 3 per pack.

NM55270	Tap 1/4 x 20 NC - Type 740
NM55930	Tap 6 x 32 NC - Type 741
NM55960	Tap 8 x 32 NC - Type 741
NM55990	Tap 10 x 24 NC - Type 741
NM56000	Tap 10 x 32 NF - Type 741
NM56010	Tap 12 x 24 NC - Type 741

SILVER & DEMING DRILL BITS



Type 130 This general purpose 118° point H.S.S. drill is recommended for use in portable air and electric drilling equipment with 1/2" chucks. Type 130 drills may be used in power applications such as drill presses where a short rigid drill is required.

Part No.	Diameter	Part No.	Diameter
29130	33/64"	29320	13/16"
29140	17/32"	29330	53/64"
29150	35/64"	29340	27/32"
29160	9/16"	29350	55/64"
29170	37/64"	29360	7/8"
29180	19/32"	29370	57/64"
29190	39/64"	29380	29/32"
29200	5/8"	29390	59/64"
29210	41/64"	29400	15/16"
29220	21/32"	29410	61/64"
29230	43/64"	29420	31/32"
29240	11/16"	29430	63/64"
29250	45/64"	29440	1 inch
29260	23/32"	29450	1-1/16"
29270	47/64"	29460	1-1/8"
29280	3/4"	29470	1-5/32"
29290	49/64"	29480	1-3/16"
29300	25/32"	29490	1-1/4"
29310	51/64"		

Individually packaged in plastic tubes. 6 inch overall length, all sizes.



DRILL BIT SETS



NM44150

29 Piece Drill Bit Set

Type 190 Jobber Length 135° Split Point. (1/16" through 1/2" by 64ths)



BLACK & GOLD

NM44190 29 Pc. Drill Bit Set

Black/Gold Type 190-AG Blaze Orange Rd. Case

NM44170 29 Piece Drill Bit Set

Type 190AG drill bits with Handy carrying case.



BLACK & GOLD



BLACK & GOLD

NM66820 29 Pc. Drill Bit Set Black

Gold Type 175-AG (3 Flats On Shank) Rd. Case

ROAD & HIGHWAY BOOK

VIBRATORY PLATE COMPACTOR



WEB100212

CF 2 PRO Compactor with Wheel Kit & Honda #GX160 (3,375 Lbs. Force)

Premium operating comfort, compact dimensions and optimum running characteristics. The special low-vibration guide bar reduces the hand/arm vibrations. Compact dimensions, a folding guide bar and useful lift handles at the front and sides.



VIBRATORY PLATE COMPACTOR



GP2000H 19" x 21" Plate Compactor

Lightweight yet highly productive in sand and gravel compaction. Frequency, amplitude, centrifugal force and mass are adjusted to provide optimal productivity in the compaction of sands and gravel. The GP2000 is capable of achieving excellent densities on lifts of granular soils up to 14"*. 5.5HP Honda. 3250 lb. Force. Operating weight: 165 lb.



* Clean sand, optimum moisture. MBW recommends that lifts not exceed 12".

VIBRATORY PLATE COMPACTOR



BOMBVP18/45 BVP 18/45 Plate Compactor with Honda GX160 Motor

4.8hp. Honda Weight: 198 - 201 lbs. Compaction of a wide variety of sand, gravel and granular base materials. Hot and cold asphalt patching.



RAMMER COMPACTOR



MBWR440 Rammer Compactor

Ideally suited for the compaction of granular, mixed and cohesive soils in confined areas. A mainstay in contractor and municipal fleets, the R440 offers highly productive percussion rammers at less than 147 lbs. The contoured fuel tank provides the largest fuel capacity in its class and effectively baffles engine noise. Power is supplied by a Honda GX100 engine. 4-cycle engine.



REVERSIBLE PLATE COMPACTOR



BOMBPR35/60 BPR 35/60 Reversible Plate Compactor

Working width 23.6" 4.8hp. Honda GX160 Motor. 423-430lbs. Compaction of granular, cohesive and mixed soils. Compaction of backfill around footings and foundations. Backfilling trenches. Setting of patio block and pavers Asphalt compaction in confined areas.



RAMMER COMPACTOR



Vibratory Rammer

Exclusive WM 80 engine features a unique patented oil-injection system. Designed for maximum production, performance and durability. Ideally suited for compaction of backfill around foundations and forms, subgrades underneath footings and base preparation for concrete work such as slabs, curbs and gutters.



WAC9384 BS50-2 Rammer 10" Shoe
WAC9339 BS60-2i Rammer 11" Shoe

RAMMER COMPACTOR



BOMBT60/4 BT60/4 Rammer with Honda GX100 Honda Motor & 11" Shoe

Engine Protection System. Vibration insulated steering bow. Infinitely variable frequency.



CONCRETE WASHOUTS



On the job site, the last thing you want to worry about is setting up a complicated washout for equipment and tools. Its patent pending folding design allows it to be stored flat and stored in the cab of a mixer truck or strapped to the outside for quick deployment. Portable, easy to setup, and cost effective. It is made from heavy-duty, 350# water-treated Kraft fiberboard so that it is light and durable yet folds flat for easy storage.

OUT-945-123030 30" X 30" X 14"h
OUT-945-123404 4 ft. X 4 ft. X 14"h

ROAD & HIGHWAY BOOK

POWER TROWELS



These time-tested workhorses tackle a wide range of applications and are perfect for accurate troweling of small- to-medium areas. Rugged parts, solid engineering and a variety of options make Whiteman standard walk-behind trowels a very popular choice with concrete contractors.



- MQZKIT305QP** 30" Power Trowel - 5.5HP Honda & Quick Pitch Handle
- MQZKIT305SH** 30" Power Trowel - 5.5HP Honda & Standard Handle
- MQZKIT365QP** 36" Power Trowel - 5.5HP Honda & Quick Pitch Handle
- MQZKIT365SH** 36" Power Trowel - 5.5HP Honda & Standard Handle
- MQZKIT368QP** 36" Power Trowel - 8HP Honda & Quick Pitch Handle
- MQZKIT368SH** 36" Power Trowel - 8HP Honda & Standard Handle
- MQZKIT4608QP** 46" Power Trowel - 8HP Honda & Quick Pitch Handle
- MQZKIT4608SH** 46" Power Trowel - 8HP Honda & Standard Handle
- MQZKIT4611QP** 46" Power Trowel - 11HP Honda & Quick Handle

RIDE-ON POWER TROWELS



actual model may differ slightly from product shown



The HHN Series

Equipped with the coolest running gearbox in the industry. Power is supplied by either a 34-HP diesel or 31-HP gasoline engine that spins twin five-blade rotors to a top speed of 160 RPM.



Many More Models Available!

Ride-On Hydrostatic Trowels

MQ/Whiteman's Hydrostatic Series 8- and 10-foot hydraulic trowels are the industry leaders and are unmatched in producing maximum floor flatness. These reliable models are easy to operate and smooth running.

EDGER POWER TROWELS



MQCA4HC Compact Trowel

This compact design is ideal for finishing edges and around risers, has a powerful 4-HP Honda engine, centrifugal clutch and gives professional finishers the choice of a standard or Quick-Pitch handle. Only 24 inches in diameter make it great for working in tight spaces and around obstructions.

REPLACEMENT BLADES

MQ/Whiteman blades are made of heat-treated trowel steel, formulated to our specifications for maximum wear resistance and long life.



- MQRC818** 8" x 18" Heavy Duty Reversible Combo Trowel Blade

REPLACEMENT BLADES



WX Series Blades

Wagman power trowel replacement blades. Call for other available sizes and models!

- WGWB47590** 24" Combination Blade for 4 Blade MBW
- WGWW8110** 30" Combination Blade for Whiteman
- WGWX1014FO** 36" Clip-on Float Blade for Whiteman/MBW
- WGWX1018HD** 46" Clip-on Float Blade for Whiteman/MBW
- WGWX614F** 36" Finish Blade for Whiteman / MBW
- WGWX618F** 46" Finish Blade for Whiteman / MBW
- WGWX618PRO** 46" Pro Finish Blade for Whiteman / MBW
- WGWX8140** 36" Combination Blade for Whiteman /MBW
- WGWX8180** 46" Combination Blade for Whiteman /MBW
- WGWX818PRO** 46" Pro Finish Blade for Whiteman/MBW
- WGWX8230** 60" Combination Blade for Whiteman Rider

FLOAT PANS

Stay with the leader by using Genuine Multiquip pans.



- MQ12093W** Super Flat Float Pan for 8' (5 Blade Riding Trowel)

POWER TROWEL FLOATS



- WGWF36** 36" Float Pan (for 36" Power Trowel)
- WGWF44** 46" Float Pan (for 46" Power Trowel or Riding Trowel)

FLOAT PANS



- MBW11766** 24" Float Pan
- MBW19384** 30" Float Pan

ROAD & HIGHWAY BOOK

EDGER TROWEL

Vp Series Value-Premium Walk-Behind Trowels

The new value-premium leader in walk-behind trowels is our VP Series walkers. Don't let the value pricing fool you, these are feature-rich walkers ready for performance and dependable service.



ALN056521 #VP424 24" Edger Trowel w/ Honda #GX120 Motor

RIDING TROWELS

ALN053300 #MSP445 5-Bladed Riding Trowel

The MSP 445 uses a 40-horsepower Kohler gas engine (air-cooled) and a refined torque-converter clutch system to drive two 46-inch-diameter, five-blade rotors to a maximum speed of 165 rpm.

Designed for an optimum weight-to-horsepower ratio. Features manual steering and pitch controls, an electrically powered spray system for retardant application and a flip-up seat and removable screens for easy access to the power train.



POWER TROWELS

Vp Series Value-Premium Walk-Behind Trowels

- 1) Throttle Control
- 2) Handle Adjustment
- 3) Safety Switch
- 4) Lifting Bar
- 5) Standard Duty Gearbox
- 6) Cast Iron Spiders, Pressure Plates and Lift Levers



ALN056522 #VP436 36" Power Trowel w/ Honda #GX160 Motor

ALN056523 #VP436 36" Power Trowel w/ Vanguard 6.5 HP Motor

ALN056524 #VP446 46" Power Trowel w/ Honda #GX270 Motor

POST DRIVERS



RHIGPD-30 #GPD-30 Gas Powered Post Driver with Honda Engine

This driver is powerful and can drive posts in seconds. It is easy to transport and operate. Weighing only 35 pounds when fully fueled, a single person can quickly handle post driving tasks. Rhino has ergonomically designed the handles for weight distribution and incorporated internal vibration dampening for the operator's comfort. Rhino® GPD-30 Ranch Pro™ components are engineered to the highest quality and for durability.



POWER TROWELS

ALN049785 #Pro 446 46" Power Trowel with Honda #GX270

Pro-Series Walkers feature precision engineered Allen Gearboxes for long, trouble-free life. We use cast iron spiders, pressure plates and lift levers for long wear and continuous service. We precision machine our trowel arms and spiders to such close tolerances that our trowels don't need bushings. And, our high strength steel handle provides maximum comfort and control.



CONCRETE DOWEL DRILL



210B

E-Z DRILL
THE YELLOW DRILL WITH

EZZD210B
E-Z Drill On-Grade Concrete Dowel Drill

Drill 5/8- to 2-1/2-inch holes 18 inches deep in a 4-foot patch with the only on-grade drill on the market with these capabilities – the 210B. It requires just 100 cfm to operate, and the dual-purpose guide wheels transition simply from on-grade positioning to easy transportation around the jobsite. With its adjustable drill height you can drill into the center of slabs that are 6 to 24 inches thick.



Ask About our
Complete Concrete
Catalog!



EDGER POWER TROWELS



MBWF24/4-4ER 24" Trowel with 4HP Honda, Straight Handle

Ideal for jobs that require a lightweight, highly maneuverable, professional finishing tool. These specialty finishing power trowels allow professional results even when confined areas or weight restrictions leave other machines standing idle. Perfect for edging in the tightest spaces.

Includes Edger Ring!

- Float pan standard on all models.
- Fold down handle for easy transport.
- Positive engagement handle assures operator safety.

POWER TROWELS



Includes Edger Ring!

MBW's Walk-Behind Power Trowels are the lowest maintenance and longest-lived trowels on the market. With an over-built gearbox, ground journal bearings, the strongest spider assembly available, teflon-lined bore inserts, and safety rings for operator protection, you won't find a more durable machine. Features the industry's heaviest bearings, output shafts, gears, spiders and blade arms.


MBWF36/4-5.5ER	36" Trowel w/ 5.5 hp. Honda (Std. Handle)
MBWF36/4-5.5ERQP	36" Trowel w/ 5.5 hp. Honda (Quick Pitch Handle)
MBWF36/4-8ER	36" Trowel w/ 8 hp. Honda (Std. Handle)
MBWF36/4-8ERQP	36" Trowel w/ 8 hp. Honda (Quick Pitch Handle)
MBWF46/4-8ER	46" Trowel w/ 8 hp. Honda (Std. Handle)
MBWF46/4-8ERQP	46" Trowel w/ 8 hp. Honda (Quick Pitch Handle)

CONCRETE SCREED



MBW's Blitzscreed offers lightweight, all bolted construction for speed of assembly and true alignment. The exclusive quick coupling system makes section assembly fast and

easy. The unique cast aluminum A-frame design provides maximum structural strength. A double-jointed turnbuckle allows surfaces to be finished flat, crowned either parabolic rooftop, or inverted. Vibration is provided through an offset yet rigidly fixed bearing system that insures vibration along the full screed length and eliminates hammering action.



Blitzscreed sections come in 8' 4", 4' 4" and 2' 4" lengths and can be combined to produce screeds up to 75 feet (screeds in 25 to 40 foot range most common).

MBWMVS2	Blitzscreed 2'-4" Section
MBWMVS4	Blitzscreed 4'-4" Section
MBWMVS8	Blitzscreed 8'-4" Section
MBWMVS8-W/MOTOR	Blitzscreed 8'-4" Section w/ 8hp. Honda Drive Kit
MBW15566	Blitzscreed Hydraulic Winch Kit Pair

FLOAT VIBRATOR



MAG-MV100
Mag Vibe Package with 18 Volt Battery & Charger
Mag Vibe is a battery-operated vibrator that attaches to any magnesium float, turning it into a vibrating concrete float. Easy to Remove with No Tools. Light Weight - Only 10 lbs. Battery Operated up to 4 hours.

CURB ROLLER



CUR1000 Curb Roller with #2 Drum

A totally new concept in concrete. It is the only roller screed built solely for curbs. With the Curb Roller, the need for skilled laborers is greatly reduced while uniformity of the finished product is enhanced. Ideal for small areas and places where a tight radius is required. There are currently 5 drum designs to meet the needs of any curb project.

POWER SCREED

ScreeDemon

Concrete Power Wet Screed

This wet screed creates a uniformly vibrated slab along the full length of the bar. Features a clamp on design which makes transporting and changing blades easy. The ScreeDemon is powered by a reliable 1.5hp Honda engine.



More Screenshot Board sizes available!

- MBW500H** ScreeDemon Power Unit
- MBW17810** 10' Screenshot Board
- MBW17812** 12' Screenshot Board

POWER SCREED

Vibra Strike I

The Original Horizontal Vibrating Power Screed. Whether it's wet or form to form, the Vibra Strike I can handle it. Plus it's the only power screed with the patented Vibra Strike Horizontal Vibration to give you a honeycomb-free, first-bull float finish as fast as you can pour. Weight: 29 lbs. Engine: Robin, 30.5cc, 2 cycle, 1.5 horsepower.



POWER SCREED

Vibra Strike II

The Top-of-the-Line in Power Screeding. The Vibra Strike II is just as quick and versatile as the original, and with the 4 stroke engine this is a power screed that delivers performance. Weight: 36 lbs. Engine: Honda/GX31, 31cc, 1.5 horsepower.



VIBRA STRIKE FLOAT BARS

F-4 Float



F-1 Float
(Channel Float Style)

F1 Floats

Item #	Size	Length	Width	Height	Weight
VSF104	4'	48"	6"	4"	10 lbs
VSF105	5'	60"	6"	4"	12 lbs
VSF106	6'	72"	6"	4"	14 lbs
VSF108	8'	96"	6"	4"	17 lbs
VSF110	10'	120"	6"	4"	20 lbs
VSF112	12'	144"	6"	4"	22 lbs
VSF114	14'	168"	6"	4"	25 lbs
VSF116	16'	192"	6"	4"	34 lbs

F4 Floats

VSF404	4'	48"	6"	4"	10 lbs
VSF405	5'	60"	6"	4"	12 lbs
VSF406	6'	72"	6"	4"	14 lbs
VSF408	8'	96"	6"	4"	18 lbs
VSF410	10'	120"	6"	4"	22 lbs
VSF412	12'	144"	6"	4"	26 lbs
VSF414	14'	168"	6"	4"	30 lbs
VSF416	16'	192"	6"	4"	36 lbs

The 2-in-1 EZ Clean Floater

Our lightweight, and extremely versatile magnesium float bar is available in a variety of sizes, giving you unmatched maneuverability.

ROLLER SCREED

WILDCAT ROLLER SCREEDS

MULTI VIBE



Honda Gas Powered Model

Wildcat Roller Screenshot

Use on conventional and pervious concrete. Grade control on inclines. Honda gas and electric powered models available. Carbon steel tube. Screenshot up to 30 ft. with extensions. Pull handles with kick stands. Variable speed control.



Electric Model

Complete Pervious Package

Rollers have extra long tapered ends that don't leave ridge marks. Sealed bearings for long life and smoother finish.



Grooving Roller



Cross Compaction Roller



Interchangeable Water Tight Tube Plugs



4.5 OD x .120 Wall Carbon Steel Tube Roller Tubes



Optional lift handle weight kit

POWER SCREED

MULTI VIBE



ALL MULTIVIBE BLADES HAVE NO TOOL CONNECTION

The Multivibe PR100H Two Handled Screenshot Features a No-Maintenance Viverator Head that is sealed in Case hardened Steel. The Unit is Powered by a Honda GX35. Takes screenshot boards up to 24 Ft.(2) Machines on 20 Ft -24Ft/ Boards Adjustable Friction Kickstand. Requires no tools for assembly.

- MULMVP100H** Multivibe Screenshot Power Unit - 2 Handle
- MULLB108** 8' Multiscreenshot Board
- MULLB110** 10' Multiscreenshot Board
- MULLB112** 12' Multiscreenshot Board
- MULLB114** 14' Multiscreenshot Board

ROAD & HIGHWAY BOOK

CONCRETE VIBRATOR



DEWDC530KA 18-Volt Cordless Pencil Vibrator

1-1/8-inch diameter vibrator delivers maximum consolidation power. 4 foot long flexible shaft for easy use and long reach. 14,000 VPM (under load) delivers maximum consolidation efficiency. Weighs 9.3 pounds; comfortable grip for improved handling.

CONCRETE VIBRATOR



VSRL5009H 9' Rattler Wall Vibrator w/ Honda Engine


The Rattler is a self-contained, gas powered, concrete vibrator that is simple to operate, even for the single worker. The Rattler eliminates the need for bulky backpacks, restrictive straps, and dedicated power sources. The result is an efficient and affordable vibrator that can strike when and where you need it.

ELECTRIC CONCRETE VIBRATORS

The NEW 994 electric motor vibrator builds on the legacy of the rugged and reliable 992A and 993.

With all the features you expect on the job site, the 994 is ready to tackle your toughest consolidation jobs. The 994 meets the highest safety standards in the industry – UL60745-2-12 Electrical Certification, cUL, CE Listed, CSA Certified to ensure job site safety as well as OSHA 29 CFR 1910.95 compliance for noise levels. Drives any head and shaft combination – one motor for all your consolidation needs.



Motor	Shaft (Core & Casing) <small>Available in 2', 5', 7', 10, 14' & 20' sections</small>	Head
 W994-Series	 13/10"	 W877-520
		 W877-526
	 W994-Series	 W878-533
		 W878-540
		 W878-503
		 W878-568
	 W877-512	

■ Available in polyurethanes coated

- WY1005** #994 Electric Motor w/ 5' Core & Casing & 1" Head
- WY1007** #994 Electric Motor w/ 7' Core & Casing & 1" Head
- WY1010** #994 Electric Motor w/ 10' Core & Casing & 1" Head
- WY2007** #994 Electric Motor w/ 7' Core & Casing & 1 3/8" Head
- WY2010** #994 Electric Motor w/ 10' Core & Casing & 1 3/8" Head

POWER BUGGIES



Their massive two-inch thick solid steel tank-tough frames provide unparalleled strength and durability along with a lower center of gravity and ideal weight distribution. These buggies give excellent traction in real-world job site conditions. The standard high-strength, high-density polyethylene bucket is the industry's thickest and most durable. And standard features like heavy-duty hydraulic wheel motors, steel raceways for hydraulic hose protection and optional foam-filled tires ensure the AR16 and AR21 Power Buggies will operate for the duration under tough conditions.

- ALN058801** #AR16 16 Cu. Ft. Power Buggy w/ Foam Filled Tires
- ALN058803** #AR21 21 Cu. Ft. Power Buggy w/ Foam Filled Tires

SCARIFIER

CPM-8 - 8" Scarifier

The perfect machine for sidewalk repair, coatings and traffic line removal, creating non-slip surfaces and much more!

- Up to 8" working width.
- Up to 1/8" working depth per pass.
- Water misting system standard.

Ideal for:

- Sidewalk repair.
- Coating removal.
- Floor preparation or cleaning.
- Creating nonslip surfaces.
- Traffic line removal.



- EDC79300** CPM8-9H 8" Honda Walk Behind Scarifier w/out Cage
- EDC65050C** 8" Carbide Drum

DUST COLLECTOR

EDCED333125K 200 CFM Vacuum

EDCO Vacuum Systems can be used for dust control with EDCO Grinders, Scarifiers, Scabblers & Masonry Saws.



FARRELL

Equipment & Supply Co., Inc.

ASK ABOUT OUR OTHER CATALOGS!



ROAD & HIGHWAY BOOK

BREAKER



The **CP 4130** hammer is designed to tackle punishing jobs with the hard hitting power that you expect from CP. It is used for medium-duty to heavy-duty chipping, cutting and trimming operations. The four bolt handle provides higher air flow and durability.

CHICP4130 Chipper w/ Whip Hose, Fittings and "D" Handle

SLEDGE HAMMERS

WILTON® Unbreakable Handle Sledge Hammers

Unbreakable handle is made with tempered steel, and surrounded by heavy-duty molded rubber. Ergonomic handle absorbs shock and has a slip-resistant grip. High-visibility head adds instant identification under any job site conditions.



- JET02-20416** 4 Lb. BASH Sledge Hammer w/ 16" Unbreakable Handle
- JET02-20624** 6 Lb. BASH Sledge Hammer w/ 24" Unbreakable Handle
- JET02-20636** 6 Lb. BASH Sledge Hammer w/ 36" Unbreakable Hammer
- JET02-20824** 8 Lb. BASH Sledge Hammer w/ 24" Unbreakable Handle
- JET02-20836** 8 Lb. BASH Sledge Hammer w/ 36" Unbreakable Hammer
- JET02-21036** 10 Lb. BASH Sledge Hammer w/ 36" Unbreakable Hammer
- JET02-21236** 12 Lb. BASH Sledge Hammer w/ 36" Unbreakable Hammer

BREAKERS



These demolition tools are designed to deliver the power and durability necessary for a variety of construction and plant maintenance applications such as breaking heavy concrete, reinforced concrete, frozen ground, macadam, boulders and pavement. Alloy steel forgings for excellent durability.



- CHICP1230** 60 LB Breaker
- CHICP1240** 90 LB Breaker

SLEDGE HAMMERS



Drop forged high carbon steel heads, heat treated with hardwood hickory or fiberglass handles.



- AS11063** 3# Fiberglass 16" Sledge Hammer
- AS11070** 4# Wood 16" Sledge Hammer
- AS11072** 4# Fiberglass 16" Sledge Hammer
- AS11082** 6# Wood Handle Sledge Hammer
- AS11085** 6# Fiberglass Handle Sledge Hammer
- AS11099** 8# Sledge Hammer w/ Wood Handle
- AS11101** 8# Sledge Hammer w/ Fiberglass Handle
- AS11203** 10# Sledge Hammer w/ Wood Handle
- AS11204** 10# Fiberglass Handle Sledge Hammer
- AS11219** 12# Sledge Hammer w/ Wood Handle
- AS11220** 12# Fiberglass Handle Sledge Hammer
- AS11234** 16# Wood Handle Sledge Hammer
- AS11244** 20# Wood Handle Sledge Hammer

Replacement Handles

American Hickory (supplied with wood & metal wedges where applicable)



- 11401** 36" Hickory Handle For 6-16 lb. Sledges
- 11407** 36" Hickory Handle For 20 lb. Sledges
- 62-314** 14" Hickory Handle For 16 oz. Nail Hammer
- 11436** 36" Hardwood Handle For Picks

HEAVY-DUTY AIR HOSE



HS4003 3/4" x 50' Air Hose with Universal Couplings. Nitrile blend tube reinforced with 2 and 4 spiral polyester yarn with neoprene cover

BRUTE™ BREAKER HAMMER



BH2760VCB
1-1/8" Hex Breaker Hammer with Cart & Bits

Unmatched Power-to-Weight Ratio - With 60% more impact energy than the original Brute and weighing in at just 65 lbs, the NEW Brute has the

BEST concrete removal rate in its class. Total portability operates on 115/120v AC./DC, 15 Amp outlet or 6 kWh portable generator.



BOSCH



WE CARRY A FULL LINE OF POWER TOOLS!!!!

CORROSION PROTECTION



Fluid Film Provides corrosion control, penetration, metal wetting and water displacement. Heavily corroded and/or frozen parts can be salvaged.



- FLU00107** 2.25oz Spray Can of Fluid Film
- FLU00207** 11.75 oz. Spray Can Of Fluid Film
- FLU12207** 1 Gal. Can of Fluid Film

ROAD & HIGHWAY BOOK

EXTENSION HANDLES



1-3/4" or 1-1/4" Diameter Magnesium or Aluminum Handles
Lightweight, extra strong. Fits bull float/fresno threaded brackets and can be combined with 1-3/4" float handles made by other manufacturers. Molded thread plugs in each end join handles together.

1-3/4" Magnesium		1-3/4" Aluminum	
CC-244	4' Length	CC-236	6' Length
CC-225	5' Length	CC-238	8' Length
CC-226	6' Length	CC-239	10' Length
CC-227	8' Length	1-1/4" Aluminum	
CC-228	10' Length	CC-668	4' Length
CC-229	12' Length	CC-670	6' Length

BUTTON EXTENSION HANDLES

1-3/4" Diameter.
Lightweight aluminum button handles for use with Kraft Bronco™ Tilt brackets and EZY-Tilt® brackets.



CC-289	6' Handle with insert
CC-291	10' Handle with insert
CC-292	12' Handle with insert
CC-289-01	Double button clip (only)
CC-289-02	Insert with button clip (only)

BUTTON EXTENSION HANDLES



1-3/4" x 6' Swaged Handle.
Constructed of anodized aluminum.

CC289SG	Gold Aluminum Handles
CC293SB	Blue Aluminum Handles

SCREEDS

Lightweight Magnesium Screeds

Made of the finest magnesium alloy available. These screeds are built for strength and rigidity but lightweight enough for those big jobs. Ends are capped to prevent concrete from building up inside.



1" x 4"	1-1/2" x 3-1/2"	2" x 5"	2" x 4"
CC-506 6'	CC-610 10'	CC-419 16'	CC-406 6'
CC-508 8'	CC-612 12'	CC-420 20'	CC-408 8'
CC-512 10'	CC-614 14'	CC-424 24'	CC-410 10'
CC-514 12'	CC-616 16'		CC-412 12'
CC-516 16'	CC-620 20'		CC-414 14'
			CC-416 16'
			CC-417 20'

ROCK-IT™ BULL FLOAT BRACKET



- Allows multi-angle floating.
- Enables use with extension handles for extremely long ranges.
- Full pitch controlled by half turn of handles.
- Fits magnesium bull floats and fresnos without adapter plates.
- Fits all push button handles 1-3/8" and 1-3/4" without any additional adapters.

DOUBLE ACTION FLOAT BRACKETS

CC-290 EZY-Tilt®

Made of rugged lightweight aluminum. Pitch of blade is controlled just by turning handle... eliminates bending and lifting. Designed to fit only (2) hole metal bull floats.



CC-287 Converter Plate

Converter must be used with EZY-Tilt® (CC-290) when mounting to a (4) hole metal bull float.



CC-294 EZY-Tilt® II

Made of rugged lightweight aluminum. Pitch of blade is controlled just by turning handle... eliminates bending and lifting. Designed to fit all (2) or (4) hole metal bull floats. No adapter needed.



KNUCKLEHEAD™ BULL FLOAT BRACKET



CC-296

Made of rugged lightweight aluminum. Pitch of blade is controlled just by turning handle... eliminates bending and lifting. Designed to fit only (2) hole metal bull floats.



FLOAT BRACKETS

Threaded Handle Float Brackets

Handle socket fits all 1-1/4", 1-1/2" or 1-3/4" threaded extension handles.



CC-676	Complete 2-hole bracket
CC-678	Handle Socket only
CC-681	Bracket Base only
CC-800	Complete 4-hole bracket
CC-678	Handle Socket only
CC-679	Bracket Base only



ROAD & HIGHWAY BOOK

LIGHTWEIGHT CONCRETE SPREADER

This 60 Degree Right Angle Concrete Placer has a 19-1/2" x 4" blade with a hook. The placer is made from one piece welded aluminum for strength and durability.



KRCC965 Aluminum Concrete Spreader w/ Hook

LIGHTWEIGHT CONCRETE SPREADER

Aluminum concrete spreader is 19-1/2" long. It has two braces for more strength and is very lightweight. Makes spreading concrete much easier. Comes with 54" wood jam handle.



- CC-904** 19-1/2" x 4" Without hook
- CC-905** 19-1/2" x 4" With hook
- CC-107** Replacement handle (only)

CONCRETE SPREADER

Smooths, spreads and grades concrete. Strong reinforced rib construction. 14 gauge steel; 19-1/2" x 4"; weighs 3-1/2 lbs. Comes with 54" wood jam handle.



- CC-009** 19-1/2" x 4" Without hook
- CC-019** 19-1/2" x 4" With hook
- CC-107** Replacement handle (only)



CONCRETE SPREADER

CC945 Gold
19-1/2" x 4" Aluminum Concrete Kumalong w/ Hook



MORTAR HOE



BC228 Heavy-Duty Mortar Hoe
Has two holes for better mortar mixing. 66" shovel type wood handle. 6" x 10" Blade. Preferred by the pros.

BULL FLOAT KITS



GatorGlide Bull Float Kit

Complete bull float kit with Gatorglide leveling head. Lightweight bull float blade. Four 6' snap button handles. Heavy duty carrying case.



- FALGF10304** 42" Round End Bull Float Kit
- FALGF10305** 48" Round End Bull Float Kit
- FALGF11200** 60" Round End Bull Float Kit
- FALGF10310** 6' Channel Float Kit
- FALGF10315** 8' Channel Float Kit
- FALGF10320** 10' Channel Float Kit
- FALGF10325** Float Carrying Case



BULL FLOAT KIT



MT17398 #BFKIT9 48" Round End Bull Float Kit

Open ended with bracket window to fit any length pole, bull float or fresno. Made of double layer durable water resistant nylon with a rigid reinforced base and stiffened side panels. Specially designed reinforced nylon pole retainers will accept any 1-3/8" or 1-3/4" bullfloat handles. Includes: Finisher's Tote with Round End QLT bull float, Rock-It 2.0™ bracket and (4) 1-3/4" QLT handles.

FRESNO TROWEL WITH ADJUSTABLE TOOTH BRACKET



Made of tempered carbon steel for long lasting use. Available in both round and square end. Unique design bracket has teeth to keep handle at set angle without slippage. Use with molded end handles.

Round End	Square End	Size
CC-820	CC-825	24" x 5"
CC-821	CC-826	30" x 5"
CC-822	CC-827	36" x 5"
CC-823	CC-828	42" x 5"
CC-824	CC-829	48" x 5"

Add "B" after part number for blue steel fresnos.

ROAD & HIGHWAY BOOK

BULL FLOATS



These lightweight and long wearing magnesium floats are made from the finest extruded magnesium. Multi-ribbed top provides extra strength. The blades are properly curved and balanced to prevent digging. Complete with (4) hole bracket assembly. Bull float can be adapted to Kraft EZY-tilt™ and Bronco adjustable brackets.

Square End	Round End
CC-735 36" x 8"	CC-803 48" x 8"
CC-801 36" x 8"	CC-804 60" x 8"
CC-745 45" x 8"	CC-808 72" x 8"
CC-802 48" x 8"	
CC-754 54" x 8"	
CC-760 60" x 8"	
CC-892NP 48" x 8" (NO PAINT)	

MAGNESIUM CHANNEL FLOATS

Rugged strong magnesium channel design. A great finishing tool for the professional. Unique design and various lengths let float adapt to many types of jobs, flatwork, paving, etc. The float is 6" wide with 2" side walls and allows user to improve flatness of his work. Float has broken-in round edges.



Comes with EZY-Tilt® bracket. 96" and 120" floats include (1) 10' button handle (CC-291) with support braces and bearing collar for easy adjustment of float.

CC-044 48" x 6"
CC-045 60" x 6"
CC-046 72" x 6"
CC-048 96" x 6" Includes (1) 8' button handle and braces
CC-050 120" x 6" Includes (1) 10' button handle and braces

BULL FLOAT



Cast Magnesium Bull Float

Half corrugated half flat face. Corrugations on 3/8" centers. 1/8" penetration. Complete with (4) hole bracket assembly.

CC-338 38" x 7-1/4"
CC-340 40" x 7-1/4"



MINI BULL FLOAT & DARBY



Unique T-slotted reinforced rib adds strength and allows handle bracket to be quickly set off center to work float around obstructions. The two float handles can also be moved for easy hand and curb work. This float is also ideal for floating lightweight concrete on roof decks. No threads to strip.

CC-816 36" Square End
CC-816R 36" Round End

BULL FLOAT GROOVER

Multi-Trac Bull Float Groover

Cuts perfect Grooves every time! Produces uniform sharp groove in various concrete applications where water drainage and traction are critical. Groove depth and width: 1/4" x 1/4".



KRCC791 36" x 8" with 3/4" Groove Spacing
KRCC793 48" x 8" with 2-1/4" Groove Spacing
KRCC794 36" x 8" with 2-1/4" Groove Spacing



SAFETY ROLLER



CC-956

Gives a rough skid resistant finish to concrete ramps. Roller is 5" in diameter and 24" wide.

SPEEDFLOATS



Wagman speedfloats are extruded for lightweight and abrasion resistance. They feature the "T-Slot" center rib for easy bracket movement and handle placement. Easy conversion to a Jumbo Hand Float can be made by mounting any wooden handle with 5/16" hardware. A rounded surface is extruded-in for working ease, while a full radius on edges cuts down on "chatter" marks. The 5" width of the speedfloat is ideal for exposed aggregate or when ad mixtures create a high slump pour. Available with either square or radius ends.

Part #	Size	Ends	Bracket	Weight
SF-5-30	30"	Square	Universal	4 lbs.
SF-5-36	36"	Square	Universal	4 lbs.
SF-5-42	42"	Square	Universal	5 lbs.
SF-5-48	48"	Square	Universal	5 lbs.
SF-4R-5-30	30"	Round	Universal	4 lbs.
SF-4R-5-36	36"	Round	Universal	4 lbs.
SF-4R-5-42	42"	Round	Universal	5 lbs.
SF-4R-5-48	48"	Round	Universal	5 lbs.

ROAD & HIGHWAY BOOK

LONG HANDLE EDGERS

HE4974



HE4103

Stainless steel edgers are made of quality tempered steel with riveted on cast magnesium adjustable handle bracket. Threaded upper bracket is supplied using 1-3/4" float handle thread size. 10" and 12" wide edgers have stiffeners welded across ends to assure flatness. Special sizes available on request.

- HVHE4103** Walking Edger 10" x 10" w/ 1/2" Radius Groove
- HVHE4972** Walking Edger 9" x 7" x 3/8" Radius 5/8" Groove
- HVHE4973** Walking Edger 9" x 7" x 1/2" Radius 5/8" Groove
- HVHE4974** Walking Edger 9" x 7" x 3/4" Radius Groove

LONG HANDLE GROOVERS



Our quality stainless steel groovers are available in several sizes and are extremely durable, with cast magnesium adjustable handle bracket riveted into place. 10" and 12" wide groovers have stiffeners welded across ends to assure flatness. Special sizes available on request.

- HVHG4104** Walking Groover 10" x 10" w/ 7/8" Deep Groove
- HVHG4974** Walking Groover 9" x 7" w/ 7/8" Deep Groove

ALL ANGLE WALKING EDGERS




Made of heavy gauge stainless steel, this tool is reinforced with an electrically welded back plate to which the all angle attachment is fastened. No rivets breakup, completely smooth face. Comes with 5' wood handle.

- KRCC127** 10 x 10-3/8' R Walking Edger w/ Handle

WALKING GROOVERS

Made of heavy gauge stainless steel. Reinforced with an electrically welded back plate to which the handle socket bracket is fastened. Handle can be tightened so you can flip it from one side to the other. Handle socket accepts threaded bull float extension handles. No rivets break up, completely smooth face.




- CC-355** 10" x 3-1/2" (Bit 3/4"W x 1/2"D x 3/8"R)
- CC-356** 8" x 6" (Bit 1/2"W x 3/4"D x 1/4"R)
- CC-357** 8" x 5" (Bit 3/4"W x 1"D x 3/8"R)



WALKING EDGERS WITH HANDLE SOCKET BRACKET

Made of heavy gauge stainless steel. This tool is reinforced with an electrically welded back plate to which the handle attachment is fastened. Handle can be tightened so you can flip it from one side to the other. Handle socket accepts threaded bull float extension handles.



- CC-350** 10" x 6" Size, 3/8" Radius, 1/2" Lip
- CC-351** 8" x 5" Size, 3/8" Radius, 1/2" Lip

WALKING GROOVERS

Bronze Walking Groover

All long handled groovers cut sharp, clean grooves from a standing position. Lets you easily handle professional concrete finish work. Comes with 5' wood handle that will adjust to the right working angle.



- CC-303** 6" x 4-1/2" (Bit 3/8"W x 1/2"D)
- CC-304** 6" x 4-1/2" (Bit 7/8"W x 3/4"D)
- CC-305** 6" x 4-1/2" (Bit 3/8"W x 3/4"D)
- CC-314** 6" x 4-1/2" (Bit 1/2"W x 1"D)
- CC-317** 7-1/2" x 4-1/2" (Bit 3/4"W x 1-1/2"D)
- CC-374** 8" x 4-1/2" (Bit 1/2"W x 1"D)
- CC-276** 8" x 8" (Bit 3/8"W x 3/4"D)
- CC-277** 8" x 8" (Bit 1/4"W x 3/4"D)
- CC-278** 8" x 8" (Bit 3/8"W x 1"D)
- CC-279** 8" x 8" (Bit 5/8"W x 1-1/2"D)



SINGLE ACTION TWO-WAY WALKING EDGERS

Made of heavy gauge stainless steel. This tool is reinforced with an electrically welded back plate to which the handle socket bracket is fastened. Handle can be tightened so you can flip it from one side to the other. Comes with 5' wood handle.



- CC-214** 10" x 6" Size, 3/8" Radius, 1/2" Lip
- CC-242** 10" x 6" Size, 1/2" Radius, 5/8" Lip
- CC-243** 10" x 10" Size, 1/2" Radius, 5/8" Lip
- CC-245** 10" x 10" Size, 1/8" Radius, 1/2" Lip
- CC-244** 8" x 4" Size, 1/2" Radius, 5/8" Lip

CC-275 Deep Bit Walking Groover

Our Bronze deep bit walking groover has a belt polished surface that makes it easy to cut sharp, clean grooves in both directions. Comes with 5' wood handle. Size: 8" x 4-1/2" (Bit 1/2"W x 1"D).

ROAD & HIGHWAY BOOK

AIRPLANE GROOVER

Cast Aluminum Adjustable Groover

Bit size matches hand groovers (CF304 & CF314) in depth and radius. EZY-Tilt® II bracket allows finisher to use tool at just the right angle.



CC-304A	24" x 8"	3/4" Bit Groover
CC-304B	12" x 8"	3/4" Bit Groover
CC-314A	24" x 8"	1" Bit Groover
CC-314B	12" x 8"	1" Bit Groover

BRONZE GROOVER & EDGER SET


Kraft bronze one-piece edger and edger are meticulously crafted with belt polished surfaces that give clean smooth edges. Perfect for matching edge and groove finishes on sidewalks and driveways.



CF-318	Edger, 6" x 3", 3/8" radius
CF-319	Groover, 6" x 6", 5/8" wide bit, 3/4" deep, 3/8" radius
CF-324	Edger/Groover Set

FRESNO TROWEL GROOVER ATTACHMENT


Change your fresno into a long handled groover by simply turning the two thumb screws. Use more than one to make parallel grooves. 3/8" wide at the top on 1/4" radius. Fits 5" wide fresnos.



CC-623	1/2" Bit Depth
CC-625	3/4" Bit Depth
CC-626	1" Bit Depth

BRONZE BULL FLOAT GROOVER ATTACHMENT

Attaches with two thumbscrews. Use bull float as groover. Mount as many groovers as needed. Works on 8" wide.



	Bit Depth	Radius	Width
CC-940	3/4"	1/4"	1/2"
CC-941	1"	1/4"	1/2"
CC-942	1-1/2"	1/4"	1/2"
CC-943	2"	1/4"	1/2"

BRONZE GROOVERS



All Kraft bronze groovers are meticulously crafted with belt polished surfaces that make it easy to cut sharp, clean grooves. They are long wearing and have the features the professional craftsmen demand.



CF-314 Deep Bit 6" x 4-1/2"
1" Deep Bit, 1/2" Wide Bit



CF-304 Big Bit 6" x 4-1/2"
3/4" Deep Bit, 5/8" Wide Bit



CF-315 Canadian Deep Bit 6" x 4-1/2"
1-1/4" Deep Bit, 1/2" Wide Bit

CONCRETE NAME STAMP



Bronze Custom Concrete Name Stamp

The perfect way to mark concrete for permanent identification. Stamp is 5" x 9" oval with flat ends.



Your Name Here!


POWER MIXER

COL-XO1 Professional Hand-Held Power Mixer


Compact 1-speed machine for a wide range of mixing jobs with a capacity of up to 40 liters. Very easy to use, featuring the very latest ergonomic design. Excellent gearbox ratio and electronic speed control. (With HEXAFIX® coupling or M-14); ideal for adhesives, ready-mixed mortar, paint, plaster, filler, coatings, etc. Made in Germany



CONCRETE STEP-SAVER® TOOLS




NOW! Achieve perfect Control Joints and Corners before you remove the forms.



STEP-SAVER® GROOVERS

These Groovers are used to groove Vertical and Horizontal Control Joints into the face of slabs, curbs and steps while the forms and concrete are still in place. Easy to use, just work it between the form and concrete for a perfect joint.



CF-007	12"L x 3/8"W x 3/4"D
CF-008	12"L x 1/2"W x 1"D
CF-009	12"L x 7/8"W x 3/4"D
CF-010	6"L x 1/2"W x 1"D



STEP-SAVER® EDGERS

These Vertical Edgers will make finishing step corners a breeze. Just insert and work this tool between forms and concrete at step corners. When risers are stripped, you'll have a perfect rounded corner.

CF-001	10"L x 3/8"R
CF-002	10"L x 1/2"R
CF-003	10"L x 3/4"R

ROAD & HIGHWAY BOOK

STAINLESS STEEL EDGERS

Rivet Free!



6" Long Sidewalk Edgers

No.	Width	Radius	Lip
CF-161	1-1/2"	1/4"	3/8"
CF-160	2"	3/8"	1/2"
CF-162	2-1/2"	1/4"	3/8"
CF-170	3"	1/8"	1/4"
CF-163	3"	1/4"	3/8"
CF-164	3-1/2"	3/8"	1/2"
CF-171	4"	1/8"	1/4"
CF-172	4"	1/4"	3/8"
CF-173	4"	3/8"	1/2"
CF-165	4"	1/2"	5/8"
CF-174	4"	3/4"	7/8"
CF-136	6"	1/8"	1/4"
CF-137	6"	1/4"	3/8"
CF-138	6"	3/8"	1/2"
CF-175	6"	1/2"	5/8"
CF-139	6"	3/4"	7/8"

8" Long Sidewalk Edgers

No.	Width	Radius	Lip
CF-169	4"	1/8"	1/4"
CF-168	4"	1/4"	3/8"
CF-167	4"	3/8"	1/2"
CF-166	4"	1/2"	5/8"
CF-185	4"	3/4"	7/8"
CF-127	5"	1/4"	3/8"
CF-128	5"	3/8"	1/2"
CF-129	5"	1/2"	5/8"
CF-130	5"	3/4"	7/8"
CF-100	6"	1/8"	1/4"
CF-101	6"	1/4"	3/8"
CF-102	6"	3/8"	1/2"
CF-103	6"	1/2"	5/8"
CF-104	6"	3/4"	7/8"
CF-105	8"	1/8"	1/4"
CF-106	8"	1/4"	3/8"
CF-107	8"	3/8"	1/2"
CF-108	8"	1/2"	5/8"
CF-109	8"	3/4"	7/8"

9" Long Highway Edgers

No.	Width	Radius	Lip
CF-155	2-1/2"	1/2"	5/8"
CF-176	3"	1/2"	5/8"
CF-188	4"	1/2"	5/8"
CF-189	4"	3/4"	3/4"
CF-190	5"	3/8"	1/2"
CF-191	5"	1/2"	5/8"
CF-241	6"	1-1/2"	2"

10" Long Highway Edgers

No.	Width	Radius	Lip
CF-158	3-1/2"	1/4"	3/8"
CF-159	4"	3/8"	1/2"
CF-154	4"	1"	1-1/4"
CF-140	4"	1-1/2"	1-1/2"
CF-320	6"	3/8"	1/2"
CF-321	6"	1/2"	5/8"
CF-322	6"	3/4"	1"
CF-323	6"	1"	1-1/4"
CF-240	6"	1-1/2"	2"
CF-143	5-3/4"	2"	2-5/8"
CF-144	6-1/4"	3"	3-1/4"

STEP & CORNER TOOLS



STAINLESS STEEL



Outside Tool


No.	Length	Width	Radius
CF-123	6"	2-1/2"	1/2"
CF-125	6"	2-1/2"	1/4"
CF-121	6"	2-1/2"	Square

Inside Tool

CF-124	6"	2-1/2"	1/2"
CF-126	6"	2-1/2"	1/4"
CF-122	6"	2-1/2"	Square

CURB & GUTTER TOOLS

STAINLESS STEEL



Curb Tool

Gutter Tool

Outside Tool

No.	Length	Width	Radius
CF-193	6"	5"	2"
CF-195	6"	5"	3"
CF-197	6"	5"	1-1/2"

Inside Tool

CF-198	6"	4-1/2"	1-1/2"
CF-196	6"	4-1/2"	2"
CF-194	6"	4-1/2"	3"

CHAMFER TUBE EDGER



Specially designed for creating chamfered edges on round support piers. The degree of slope on the pier edge can be varied depending upon the wetness of the concrete and the angle and pressure of the edger. Made of long wearing one-piece bronze with 1" lip and turned up ends.

CF-382	12" Diameter	CF-385	24" Diameter	CF-388	48" Diameter
CF-383	16" Diameter	CF-386	30" Diameter		
CF-384	18" Diameter	CF-387	36" Diameter		

BRONZE EDGERS



Kraft one-piece edger has turned up ends and a belt polished service that gives clean, smooth edges. This edger is easy to clean and comfortable to use.

CF312 Jumbo Bronze Edger



No.	Size	Radius	Lip
CF-311	6" x 2-3/4"	1/4"	5/8"
CF-313	6" x 4"	1/4"	5/8"
CF-312	9" x 4"	1/4"	3/4"

ROUND END MAGNESIUM FLOATS




Round End Magnesium Float

This magnesium hand float has both ends rounded and broken in. It makes floating easier and does a much better job than most hand floats

- CF076PF** 16" x 3-1/4" w/ ProForm® Handle
- CF0676** 16" x 3-1/4" w/ wood handle

REPLACEMENT FLOAT HANDLES



- A) **CF-261** 10" Wood Float Handle.
- B) **CF-262** 10" Wood Drilled Countersunk Handle.
- C) **CF-050** 10" Wood High Lift Float Handle.
- D) **CF-263** 7-1/4" Wood Float Handle.



ProForm® Float Handle

- CF-266** ProForm® Float Handle with holes
- CF-267** ProForm® Float Handle without holes

BEVELED REDWOOD FLOAT



Made of selected redwood, the float face is beveled to make it possible to work in the tightest quarters.

- CF-256** 15" x 3-1/2"
- CF-257** 18" x 3-1/2"



MAGNESIUM FLOATS

Magnesium Float with ProForm® Handle

This popular float is made of very hard & durable magnesium. Handle position gives the tool perfect balance. Both ends are beveled and the blade is broken in with rounded corners.



- CF016PF** 16" x 3-1/4"
- CF020PF** 20" x 3-1/4"

Wide Magnesium Float with ProForm® Handle

Broken in shape with rounded corners. Float is 3-1/2" wide. Made of the same hard magnesium used in out other extruded floats.



- CF015PF** 16" x 3-1/2"

Magnesium Floats with Wood Handles

Same as above but with standard wood handles.



- CF012** 12" x 3-1/4"
- CF014** 14" x 3-1/4"
- CF016** 16" x 3-1/4"
- CF016M** 16" x 3-1/4" high lift handle
- CF016NP** 16" x 3-1/4" (no paint)
- CF018** 18" x 3-1/4"
- CF020** 20" x 3-1/4"
- CF024** 24" x 3-1/4"
- CF015** 16" x 3-1/2" wide
- CF015M** 16" x 3-1/2" wide - high lift handle

MAGNESIUM FLOATS



Fine Line Magnesium Float

The ends are beveled down allowing you to work in close. Broken in blade has round corners. Fitted with standard or high lift float handle.

- CF064** 16" x 3-1/4" w/ standard handle
- CF064M** 16" x 3-1/4" w/ high lift handle



Cast Magnesium Float

Long wearing cast magnesium is an old favorite with the finishing pro. Lightweight, straight and durable. Corners rounded and both ends are beveled.

- CF066** 16" x 3-1/4" w/ high lift handle



LAMINATED CANVAS-RESIN FLOAT



Wears like magnesium for extremely long wear. Laminated canvas-resin is 3/8" thick rounded corners and broken-in face.



- CF-503** 12" x 3-1/2"
- CF-504** 14" x 3-1/2"
- CF-505** 16" x 2-1/2"
- CF-506** 18" x 3-1/2"
- CF-507** 20" x 3-1/2"

DRIVEWAY APPROACH TOOL



CF266H Driveway Approach Tool
16" magnesium with wood handle. Designed to provide an 8" bevel in front of overhead doors for drainage.

ROAD & HIGHWAY BOOK

FLOAT HANDLES



MT9112



MT9111



MT9130

Genuine Marshalltown Quality

MT9112 9 x 1-1/4" Wood Handle for Marshalltown #142, 143, 145, & 146 mag floats

MT9111 9 x 1-1/4" Structural Foam Handle

MT9130 9 x 1-1/4" DuroSoft® Handle

MAGNESIUM DARBIES



CF-030 The most popular lightweight 30" darby for precision finish work. 3-1/2" wide at heel, tapered to 2-1/4" at toe. Comes with standard float handle.



Extruded Magnesium Darby
Unique T-Channel design gives the finisher the option of adjusting handle to their preference.

(A) Hand & Curb Darby

CC-041 36" x 3-1/4" (2) handles

CC-042 42" x 3-1/4" (2) handles

CC-043 48" x 3-1/4" (2) handles

CC-031 30" x 3-1/4" (1) handle

CC-036 36" x 3-1/4" (1) handle

(B) Darby with Knob Handle

CF-032 30" x 3-1/4"

CF-033 36" x 3-1/4"

BEVELED END MAGNESIUM FLOATS

- Extruded from very hard, durable, lightweight magnesium.
- Our most popular float design.
- Comfortable handle is positioned for perfect balance.
- Handles are secured with torque pad screws that will not back out.
- Assists the user in preparing the surface for troweling.
- Recommended for use with entrained concrete.
- Magnesium floats produce a smoother finish than wood.

14606 12" x 3-1/8" - Wood Handle

14609 12" x 3-1/8" - DuroSoft® Handle

14604 16" x 3-1/8" - Wood Handle

14610 16" x 3-1/8" - DuroSoft® Handle

14605 16" x 3-1/8" - Structural Foam Handle

14602 20" x 3-1/8" - Wood Handle

14611 20" x 3-1/8" - DuroSoft® Handle



Wood Handle



DuroSoft® Handle



Structural Foam Handle



ROUND END MAGNESIUM FLOATS



- Extruded from very hard, durable, lightweight magnesium.
- Comfortable handle is positioned for perfect balance.
- Handles are secured with torque pad screws that will not back out.
- Assists the user in preparing the surface for troweling.
- Magnesium floats produce a smoother finish than wood.
- Fully rounded ends that help prevent float marks.

14603 16" x 3-1/8" - Wood Handle

14612 16" x 3-1/8" - DuroSoft® Handle



14603



14612

CAST MAGNESIUM FLOATS

- Cast from the finest magnesium.
- Designed with just the right broken-in shape.
- Cast construction allows more knuckle clearance.
- Placement of handle gives the float perfect balance.
- Handles are secured with torque pad screws that will not back out.
- Assists the user in preparing the surface for troweling.

MT4607 16" x 3-1/8" - Plastic Handle

MT4613 16" x 3-1/8" - DuroSoft® Handle



14607




14613



TAPERED MAHOGANY DARBY

Three sizes designed and made of clear seasoned wood. Finished smooth and comes with either a (3) hole grip or (1) hole grip. Darbies are tapered from about 3-1/2" at the heel to 2-1/2" at the front. Very popular with many concrete finishers.



CF-259 45" (3) hole grip

CF-236 36" (1) hole grip

CF-258 28" (1) hole grip

ROAD & HIGHWAY BOOK

XTRALITE® FINISHING TROWELS

Straight Wood Handle



Curved Wood Handle



Straight DuroSoft® Handle



Curved DuroSoft® Handle



- Highest grade high carbon spring steel blade.
- Blade cross-ground to better hold its proper shape.
- Aluminum alloy mounting is fully heat treated for strength, polished, and machine finished to ensure a perfect handle to post fit.
- Exclusive "Diamond Shank" fits perfectly into a square hole of the handle.
- Hardened steel rivets are used to attach the blade to the mounting.
- Each rivet is properly sized and computer fit for added strength.
- Since they are not welded, there is no embrittlement problem causing premature breaking.
- Large toe rivet is 40% larger than other manufacturers use, and gives up to 88% more holding power at this critical point.

13200	10" x 4" -Curved Wood Handle
13201	10" x 4" -Curved DuroSoft® Handle
13204	12" x 3" -Curved Wood Handle
13205	12" x 3" -Curved DuroSoft® Handle
13206	12" x 4" -Straight Wood Handle
13207	12" x 4" -Straight DuroSoft® Handle
13208	12" x 4" -Curved Wood Handle
13209	12" x 4" -Curved DuroSoft® Handle
12132	12" x 5" -Straight Wood Handle
12133	12" x 5" -Curved DuroSoft® Handle
12134	13" x 5" -Curved Wood Handle
12135	13" x 5" -Curved DuroSoft® Handle
13222	14" x 3" -Straight Wood Handle
13223	14" x 3" -Straight DuroSoft® Handle
13224	14" x 3" -Curved Wood Handle
13225	14" x 3" -Curved DuroSoft® Handle
13226	14" x 4" -Straight Wood Handle
13227	14" x 4" -Straight DuroSoft® Handle
13228	14" x 4" -Curved Wood Handle
13229	14" x 4" -Curved DuroSoft® Handle
13232	14" x 4-3/4" -Curved Wood Handle
13233	14" x 4-3/4" -Curved DuroSoft® Handle
13234	14" x 5" -Curved Wood Handle

13235	14" x 5" -Curved DuroSoft® Handle
13244	16" x 3" -Curved Wood Handle
13245	16" x 3" -Curved DuroSoft® Handle
13246	16" x 4" -Straight Wood Handle
13248	16" x 4" -Curved Wood Handle
13249	16" x 4" -Curved DuroSoft® Handle
13282	16" x 4" -Straight DuroSoft® Handle
13250	16" x 5" -Curved Wood Handle
13251	16" x 5" -Curved DuroSoft® Handle
13266	18" x 4" -Straight Wood Handle
13268	18" x 4" -Curved Wood Handle
13269	18" x 4" -Curved DuroSoft® Handle
13267	18" x 4" -Straight DuroSoft® Handle
13262	18" x 4-1/2" -Curved Wood Handle
13263	18" x 4-1/2" -Curved DuroSoft® Handle
13278	18" x 5" -Curved Wood Handle
13279	18" x 5" -Curved DuroSoft® Handle
13270	20" x 4" -Straight Wood Handle
13272	20" x 4" -Curved Wood Handle
13273	20" x 4" -Curved DuroSoft® Handle
13274	20" x 5" -Straight Wood Handle
13276	20" x 5" -Curved Wood Handle
13277	20" x 5" -Curved DuroSoft® Handle

FINISHING TROWELS



Permashape Trowel with 'worn-in' blade ensuring immediate optimum usability. Premium quality construction for professional use. Durasoft® handle securely riveted to blade.

MT3247	4" x 16"
MT3265	4" x 18"
MT3271	4" x 20"

STAINLESS STEEL TROWELS



- Made from the highest grade stainless steel and tempered to a golden finish - stainless steel rivets.
- Aluminum alloy mounting is lightweight but very strong.
- Smooth, natural finish hardwood is securely attached.

13401	12" x 4" -Curved Wood Handle
12148	12" x 5" -Curved Wood Handle
12150	13" x 5" -Curved Wood Handle
13402	14" x 4" -Curved Wood Handle
13403	14" x 4-3/4" -Curved Wood Handle
13422	14" x 5" -Curved Wood Handle
13404	16" x 4" -Curved Wood Handle
13424	16" x 5" -Curved Wood Handle
13406	18" x 5" -Curved Wood Handle
13408	20" x 5" -Curved Wood Handle



XTRALITE® MIDGET TROWELS



- Made from the highest grade spring steel, properly shaped and tempered.
- Aluminum alloy mounting is lightweight but very strong.
- Resilient DuraSoft® handle provides a soft feel, reduces fatigue, and offers excellent durability.

13104	8" x 3"
13106	8" x 3" with Stainless Steel Blade

FLOAT HOOK



FH1000 Safety Float Hook

Holds hand floats and other tools clips to belt float hook

- Clips to belt
- Holds hand floats and other tools

ROAD & HIGHWAY BOOK

XTRALITE® POOL TROWELS

Blade is made from the highest grade spring steel that is properly shaped and tempered. Short aluminum alloy mounting is lightweight but very strong. Resilient DuraSoft® handle provides soft feel, reduces fatigue, and offers excellent durability.



- 13109 10" x 3" -Curved DuraSoft® Handle
- 13111 12" x 3-1/2" -Curved DuraSoft® Handle
- 13113 14" x 4" -Curved DuraSoft® Handle
- 13135 14" x 4" -Straight DuraSoft® Handle
- 13117 16" x 4-1/2" -Curved DuraSoft® Handle
- 13137 16" x 4-1/2" -Straight DuraSoft® Handle
- 13119 18" x 5" -Curved DuraSoft® Handle
- 13121 20" x 5" -Curved DuraSoft® Handle



HIGH CARBON BLUE STEEL POOL TROWELS

Blade is made from the highest grade blue spring steel that is properly shaped and tempered. Short aluminum alloy mounting and curved hardwood handle. Blade is flexible enough to bend to almost any radius. Ends of blades are fully rounded.



- 13125 12" x 3-1/2" -Curved Wood Handle
- 13130 14" x 4" -Curved Wood Handle
- 13126 16" x 4-1/2" -Curved Wood Handle
- 13128 18" x 5" -Curved Wood Handle
- 13132 20" x 5" -Curved Wood Handle



XTRALITE® FULLY ROUNDED TROWELS

Made from the highest grade blue spring steel that is properly shaped and tempered. Long aluminum alloy mounting is lightweight but very strong. Fully rounded ends prevent the blade from digging into the concrete.



- 13520 14" x 4" -Curved Wood Handle
- 13522 16" x 4" -Curved Wood Handle
- 13524 18" x 4" -Curved Wood Handle
- 13526 20" x 4" -Curved Wood Handle
- 13528 20" x 5" -Curved Wood Handle



XTRALITE® ROUNDED FRONT TROWELS

Curved DuroSoft® Handle



Curved Wood Handle



Made from the highest grade blue spring steel, properly shaped and tempered. Long aluminum alloy mounting is lightweight but very strong. Fully rounded front end for working around curvatures.

- 13510 16" x 4" -Curved Wood Handle
- 13511 16" x 4" -Curved DuroSoft® Handle
- 13512 18" x 4" -Curved Wood Handle
- 13513 18" x 4" -Curved DuroSoft® Handle
- 13514 20" x 4" -Curved Wood Handle
- 13515 20" x 4" -Curved DuroSoft® Handle
- 13516 20" x 5" -Curved Wood Handle
- 13517 20" x 5" -Curved DuroSoft® Handle



CONCRETE SLIDERS

CC-150



CC-162

Knee boards are made of stainless steel. They are durable and easy to use. Knee pads are replaceable.

- CC-150 Pair 31" x 8" Heavy Duty #16 gauge
- CC-151 Pair 28" x 8" Heavy Duty #16 gauge
- CC-162 Pair 28" x 8" Lightweight #18 gauge

CONCRETE SLIDERS

CC-153

Knee boards made of lightweight, tough heavy duty polystyrene plastic. Easy to use and easy to clean. One size fits all. They are durable and easy to use. Knee pads are replaceable.



KNEEBOARD



WL-069 "EZ-Kneeler"

A thermoplastic 2" thick rubber cushion securely fastened to 14" x 24" polypropylene tray for maximum comfort and long life. Weighs only 2 lbs.

KNEEBOARD



MT6451

Kneeler Board

Extra large handle grips. Black foam pad securely fastened to generously sized polypropylene tray.

ROAD & HIGHWAY BOOK

DELUXE FINISHING BRUSH



This finishing brush is equipped with an adjustable, extra strong handle socket, bull float tip and standard handle tip. Use on large concrete areas where grain finish needs to extend for long distances. Fits any 15/16" dia. standard threaded handle (sold separately). Filled with 3 rows of soft plastic bristles. Trim 3".

- LB5730** 30" Concrete Broom w/ Adjustable Bracket
- LB5736** 36" Concrete Broom w/ Adjustable Bracket

CONCRETE FINISHING BRUSH



Black Polypropylene Bristles staple set in clear lacquered hardwood block with threaded handle hole. Three rows of filling material.

FINE FINISH - used for applying a fine finish on newly poured concrete and for applying coatings on asphalt or concrete. Hang-up hole. Length of Trim: 3-1/4".

- | | |
|-----------------------------|--|
| LB2118 18 inch Brush | LB2124H 24 inch Horsehair Brush |
| LB2124 24 inch Brush | LB2136H 36 inch Horsehair Brush |
| LB2136 36 inch Brush | LB2148H 48 inch Horsehair Brush |
| LB2148 48 inch Brush | |

COARSE FINISH - used for applying a coarse finish on newly poured concrete. Hang-up hole. Length of Trim: 2-1/4".

- | | |
|-----------------------------|-----------------------------|
| LB2518 18 inch Brush | LB2524 24 inch Brush |
|-----------------------------|-----------------------------|

CONCRETE FINISHING BRUSH



Concrete Finishing Brush

Staple set in clear lacquered hardwood block with one threaded handle hole. Three rows of filling material. Applies a fine finish on newly poured concrete. Yellow styrene bristles.

- MG2124Y** 24" Yellow Concrete Broom
- MG2136Y** 36" Yellow Concrete Broom

CEMENT COATER BRUSH

LB561 Best Grade White Tampico fiber staple set in clear lacquered hardwood block with 6-3/4" red handle attached. Block size: 6-1/2" L x 2" W. Length of Trim: 4".



CONCRETE FINISHING BROOMS



Chameleon Single Brush System

Adjustable push-pull angled design uses sides of the bristle, not the ends to produce a superior brush finish. #612 Dupont nylon resin, high density polyethylene block, and our aluminum extruded channel, makes this the most durable brush on the market. Black=soft, Orange=medium, Green=stiff.



- MARMBCT4S-10-0** 4' Chameleon Single Broom - Black
- MARMBCT4S-16-0** 4' Chameleon Single Broom - Orange
- MARMBCT4S-22-0** 4' Chameleon Single Broom - Green
- MARMBCT6S-10-0** 6' Chameleon Single Broom - Black
- MARMBCT6S-16-0** 6' Chameleon Single Broom - Orange

CONCRETE FINISHING BRUSHES



Auto Glide Concrete Finishing Brush

To be used with handles, automatically tilts on both push and pull passes. no need to lift your brush across your pour. Black=soft, Orange=medium, Green=stiff.



- MARMBCA36-AG-BK** 36" Finish Brush - Auto Glide - Black
- MARMBCA36-AG-GR** 36" Finish Brush - Auto Glide - Green
- MARMBCA36-AG-OR** 36" Finish Brush - Auto Glide - Orange

CONCRETE FINISHING SYSTEM



Chameleon Trac II™ Rope Brush

The only patented handleless concrete Finishing Brush on the market, eliminating width restrictions! Excellent in confined areas or on wide pours where handles are awkward or won't reach.



- MARMBCT4KIT** 4' Chameleon Trac II Concrete Finishing Broom Kit

CONCRETE FINISHER'S BRUSH



LB190 Soft Horsehair Brush

Bristles staple set in clear lacquered hardwood block. Two rows of soft horsehair make this an ideal brush for applying a fine brush finish on small area concrete jobs such as patch jobs, concrete stairs and concrete curbs. Block size: 12" long, Length of Trim: 2".



CONSTRUCTION SPRAYER

The Industry Standard!

CH1949

Farrell Concrete Sprayer

3-1/2 Gallon Capacity. Tri-Poxy® Coated Steel Tank. 48" Heavy-Duty 300psi Flame Resistant Hose. 24" Brass Extension Wand. 14" Brass Pump .5 GPM Brass Fan Nozzle. Brass Shut-Off.



CONSTRUCTION SPRAYER



CH1949-1

Concrete Sprayer

3-1/2 Gallon Capacity. Tri-Poxy® Coated Steel Tank. 48" Heavy-Duty 300psi Flame Resistant Hose. 24" Brass Extension Wand. 14" Brass Pump .5 GPM Brass Fan Nozzle. Brass Shut-Off.



HEAVY DUTY SPRAYER



CH2279

Concrete Sprayer

3.0 Gallon Capacity. Wide mouth for no mess filling & cleaning. 36" Heavy Duty nylon reinforced hose resists chemicals. 18" Brass Curved Extension Wand. Brass Fan Nozzle. Brass Shut-Off with Lock-On Feature. Pressure Relief Valve/Gauge.



DRUM PUMP SPRAYER

A full featured, easy-to-use power sprayer that can be positioned on top of any container you wish to dispense from. Designed to replace the standard pump-up sprayers and will reduce the time needed for most spray-on applications, freeing labor for other tasks. Available in either AC or DC power options that easily spray high solids and high viscosity products.



WAGMAN
METAL PRODUCTS, INC.

WG00100 AC Drum Pump Sprayer
WG00200 DC Drum Pump Sprayer

DRUM PLUG WRENCH

HSDPW Drum Plug Wrench

Made of a non-sparking bronze alloy. Opens a large variety of drum plugs.



REBAR CUTTERS



Multiquip's Electro-Hydraulic Rebar Cutters simplify the job. They're compact, portable machines that can easily and safely cut rebar right at the job site with minimum effort. Our HBC-Series of lightweight, hand held cutters can be used on virtually any rebar job. Standard Equipment: Hex Wrenches, Hydro Oil, Wood Carrying box.



HBC-16DI Cutting Capacity: (No. 5) 5/8"
MQHBC-19 Cutting Capacity: (No. 6) 3/4"
HBC-25 Cutting Capacity: (No. 8) 1"

REBAR BENDER/CUTTERS

FASCUT®

FS-600 Portable Cutter/Bender combination machine for up to 3/4" (#6) rebar.

The Model FS-600 is a compact cutter/bender combination machine. Two handles allow two people to pick up and carry the unit. It plugs into a standard 110 volt outlet or can be run off a generator (3500 watts or larger).



CORDLESS REBAR CUTTER

MAX
MAX USA CORP.

MAX03-PJRC160(CE) 25.2 Volt Rebar Cutter w/ Charger & Battery

A lightweight, brushless, cordless battery operated rebar cutter. The PJRC160 cuts up to #5 (Grade 60) rebar at 3.3 seconds per cut. The PJRC160 has a full 360 degree rotating tool head and well balanced design. With a 25.2 V Li-ion battery, the PJRC160 can make 176 cuts per charge, and charges in 30 minutes (90%).



DRUM PUMP

PLEWS & EDELMANN

JE140030 Rotary Hand Pump

Fits 15 to 55 gallon drum with 2" bung openings. Rotary vane type pump for dispensing gasoline, diesel fuel, kerosene, machine oil, lube oil, transmission fluid, hydraulic fluid and similar light petroleum products. 4' PVC discharge hose.



ROAD & HIGHWAY BOOK

REBAR TIER



MAXRB397 Rebar Tier

14.4V Li-Ion Battery-operated rebar tying tool allows for high-speed tying at less than a one-second tying speed. One-hand operation. Three wraps per tie (21-gauge wire). Handles #3 x #3 to #5 to #6 rebar. Weighs just 5.2 lbs.

- MAX02-TW897A** 50 Roll Box Tie Wire for RB397
- MAX02-TW897APC** 50 Roll Box Poly Coated Tie Wire for RB397
- MAX05-JPL914** 14.4V Li-Ion Battery for RB397



WIRE REEL

KRGG309

Lightweight Reeler of sturdy, safety yellow Lexan for fast, easy dispensing of tie wire from the workers utility belt.



METAL WIRE REEL

KL27400 Rugged, lightweight reel feeds pre-coiled wire smoothly, easily, and quickly. Saves time and reduces waste. Handles all types of tie-wire and is designed for left or right hand use. Made of smooth aluminum alloy with wear parts made of steel.



REBAR TIER



MAXRB517 Rebar Tier

Reduces tying time, by working 5 times faster than manual tying. With a long-life 14.4V Li-Ion battery the RB517 gives you 1,800 ties per charge and charges in 30 minutes. Ties up to #7 x #8 rebar. Weighs only 5.3lbs.

SCYTHE STONE



UA 120L Scythe Stone
10" x 1-5/16" x 9/16"

REBAR TIER



MAXRB655 Rebar Tier

The RB655 battery-operated rebar tying tool is capable of tying up to #9 by #8 rebar. Wraps 16-gauge TW1525 wire around the tying area, then cuts and twists in approximately one second. Simple to use and ergonomically designed. Weighs 7.2lbs.

- MAXTW1525** 50 Roll Box Tie Wire for RB650
- MAXJP509** 9.6 Volt Battery For RB655



HAND/FLOOR RUBS

Vitrified Bonded Abrasives

Removes form marks on concrete.



Handle: For extra comfort and working overhead.

Fluted: For extra shearing action.

Scored: For cleaning castings and dressing bench grinding wheels.

- UA25040** 6" x 3" x 1" Rubbing Stone w/ Handle
- UA25050** 8" x 3-1/2" x 1-1/2" Rubbing Stone w/ Handle
- UA25062** 8" x 2" x 2" Scored Rubbing Stone Fine Grit
- UA25030** 8" x 2" x 2" Fluted Rubbing Stone



We are your Tie-Wire Resource!



WIRE TWISTERS

GG310 Tie Wire Twister Designed to twist wire bar ties with a minimum of effort. Lets you do the job right, quickly and safely.



DUST CONTAINMENT SHROUD

The DustBuddie dust containment shroud fits most hand grinders including Makita, Bosch, Dewalt and more. It captures up to 99% of airborne particles.



- DTSD1835** 4" - 5" Dust Buddie w/ Universal Arbor & 18" Hose
- DTSD1850** 7" - 9" Dust Buddie w/ Universal Arbor & 18" Hose
- DTSD1846** 5" Cut Buddie II Dust Shroud

WIRE TWISTERS

AMBPT Blitz P Automatic Tool

Two or three pulls of the handle turns the hook within its socket, twisting the wire. Designed for rough treatment. Rubber coated 12" ribbed handle for firm grip.



WE CARRY A FULL LINE OF ABRASIVE BLADES & WHEELS!



CONTRACTOR WHEELBARROW



BRENTWOOD INDUSTRIES

BW6S
6 cu. ft. Wheelbarrow
 Professional grade wheelbarrows are built for masonry, concrete construction, demolition, rough job sites. Lacquered hardwood handles. UV-resistant .275" thick HDPE pan. Wheels with heavy-duty ball bearings and grease fitting. Cushioned grip handles.

CONTRACTOR WHEELBARROWS



Heavy Duty Contractor Wheelbarrows
 Outlasts and outperforms all other brands on the job. Special deep, narrow tray design plus far forward position on undercarriage mean easier lifting, transport and discharge. Carry heavier loads with less effort.



ST530-16-42DB Metal Tub with Air Tire
ST530-16-42DB-FF Metal Tub with Flat Free Tire
STDWB-530-42 Metal Tub with Dual Air Tires

CONTRACTOR WHEELBARROW



Jackson® wheelbarrows are the professionals' choice for superior quality, value and performance. Heavy duty steel or poly trays, professional grade steel undercarriages and strong hardwood handles add up to the toughest, most dependable wheelbarrows on the jobsite. Don't compromise, choose Jackson and get the job done.



ASM6T22BB 6 cu. ft. Steel Tub with Air Tire
ASM6TC 6 cu.ft. Steel Tub "Total Control" with Air Tire
ASMP575T22BB 5 3/4 cu. ft. Poly Tray

SHOVELS



EAGLE® Series
 Coated Hardwood handle for strength. Open back, tempered-steel blade.

AS15545 Square Point Shovel 44" long wood handle
AS15543 Round Point Shovel 44" long wood handle
AS15544 Square Point Shovel 29" with "D" wood handle
AS15546 Round Point Shovel 29" with "D" wood handle



SHOVELS



Blue Max Contractor Shovels
 48" long wood handle. Texture coated blue blade keeps debris from sticking, prevents rust corrosion. Edge grind makes it easier to dig in harder soils and materials. Two rivets in 11" socket keep handle securely attached, redistributes load to stronger steel socket-not the handle. Industrial gauge FTS.

ASBMDLR Round Point Blue Max Shovel
ASBMDLRS Square Point Blue Max Shovel



FIBERGLASS HANDLE SHOVELS



Structron Brand 700 Series shovels feature heat-treated, high carbon polished steel for ultimate durability. PowerCore™ solid fiberglass reinforcing rod extends 12.5 inches from the handle into the shank for maximum strength at this critical stress point.

SRS700 Round Point 48" fiberglass long handle shovel
SRS700D Round Point 29" fiberglass handle with poly D grip
SRS701 Square Point 48" fiberglass long handle shovel
SRS701D Square Point 29" fiberglass handle with poly D grip

ROAD & HIGHWAY BOOK

SHOVELS



Razor-Back Contractor Shovels

Strength and durability make Razor-Back tools the choice of professionals. 48-inch sturdy, stained North American ash handle for long life. Industrial grade open-back blade. Rolled-step helps prevent material build-up. Dual rivet, extended tab socket for added strength.



- AS45520** Round Point Razor-Back Shovel
- AS44101** Square Point Razor-Back Shovel

SHOVELS



Kraft Shovels

48" Long Fiberglass Handle. 14 Gauge tempered steel blade for strength.



- KRGG861F** Square Point Kraft Shovel
- KRGG864F** Round Point Kraft Shovel

DRAIN SPADE



15609 Jackson 14" Drain Spade

14" drain spade with 29" wood/steel "D" handle. Forward-turned step.

DIRT TAMPER



Excellent way to tamp dirt surfaces. Cast iron tamper fitted with a 44" hardwood handle.



- CC926** 10" x 10" Dirt Tamper
- CC927** Replacement Handle for CC-926

POST HOLE DIGGERS

17050 Fiberglass Handle Post Hole Digger



17050

Pivot bolt engineered for greatest capacity and more leverage for fast, easy jobs. Cushioned dual durometer grips reduce hand stress. 48" contractor grade fiberglass handles are stronger than wood. Blades are engineered for speed and high capacity.



ASTPHD Post Hole Digger

44" handles. Pivot bolt engineered for greatest capacity and more leverage for fast, easy jobs.

ASTPHD

25 MAN FIRST AID KIT



PK06080 25 MAN Kit

Contains: 100 ea. Adhesive Strips (1"x3"), 5 ea. Gauze Pads (4"x4"), 1 ea. Large Wound Pad, 1 ea. Gauze Bandage (4"), 1 ea. Triangular Bandage (40"), 1 roll Adhesive Tape (1/2"x5 yds.), 4 Latex Exam Gloves, 30 ea. Antiseptic Wipes, 6 ea. First Aid/Burn Cream Packets, 1 Cold Pack, 1 pr. Scissors, 1 pr. Forceps, 1 First Aid Instructions. Weatherproof Plastic Case.

50 MAN FIRST AID KIT



50 MAN Kit PK06450 Kit

Contains: 100 ea. Adhesive Strips (1"x3"), 10 ea. Gauze Pads (4"x4"), 2 ea. Large Wound Pad (5"x9"), 2 ea. Gauze Bandage (4"), 2 ea. Triangular Bandage (40"), 2 rolls Adhesive Tape (1/2"x5 yds.), 4 Latex Exam Gloves, 60 ea. Antiseptic Wipes, 12 ea. First Aid/Burn Cream Packets, 1 Eyewash (4 oz.), Eye Pads, Strips & Sterile Eye Cup, 2 Cold Packs, 1 Elastic Bandage (2"), 1 pr. Scissors, 1 pr. Forceps, 1 First Aid Instructions. Rugged 20 gauge steel weatherproof case.

BANDAGES



Contains 100 sterile individually wrapped bandages with non-adherent pads.

- PK1000** 100 Pc. Box 3/4" x 3" Plastic Adhesive Strips
- PK1800** 100 Pc. Box 1" x 3" Heavy Woven Fabric Adhesive Strips
- PK1900** 100 Pc. Box Knuckle Bandages
- PK1990** 100 Pc. Box Fingertip Bandages

EYE FLUSH KIT



PK7600 Eye Flush Kit

Packaged in a modular box for easy removal from the station for situations where the victim cannot be moved to where the station is located. Contains: 4oz. Eye Flush Bottle. 4ea. Sterile Eye Pads. 4 sets Adhesive Eye Strips. 1ea. Sterile Eye Cup.

EYE/FACE WASH



Single Bottle Eye Wash Wall Station

The Single Wall Stations mount easily with peel-off self-adhesive (included) or screws. High visibility in any eye hazard area, ready for emergency flushing and decontamination of the eyes and face.

- VP42000370** 16 oz. Single Wall Station
- VP42000371** 32 oz. Single Wall Station

ROAD & HIGHWAY BOOK

HARDHATS

Americana Hardhat

Molded from high density polyethylene. Features short peak and trim profile. 4-point woven nylon suspension. Easy Quick-Slide sizing adjusts from head sizes 6 1/2 - 8. Meets ANSI Z89.1 - 2009, Type 1, Class C, E and G requirements.



- ERB06-19360** Americana Style Ratchet Hard Hat - Hi-Viz Lime
- ERB06-19361** Americana Style Ratchet Hard Hat - White
- ERB06-19362** Americana Style Ratchet Hard Hat - Yellow
- ERB06-19364** Americana Style Ratchet Hard Hat - Red
- ERB06-19365** Americana Style Ratchet Hard Hat - Hi-Viz Orange
- ERB06-19366** Americana Style Ratchet Hard Hat - Blue

HARDHATS

Americana Vented Hardhat

Vents on top of hard hat increase air circulation, keeping your head cool and comfortable. Features a 4-point woven nylon suspension, short peak and low profile. Meets ANSI/ISEA Z89.1, Type 1, Class C requirements.



- ERB06-19450** Americana Ratchet Style "Vented" Hard Hat - Hi-Viz Lime
- ERB06-19451** Americana Ratchet Style "Vented" Hard Hat - White
- ERB06-19456** Americana Ratchet Style "Vented" Hard Hat - Blue

HARDHATS JACKSON

Blockhead Hardhat

Meets ANSI Z89.1 Type 1, Class C, G, and E. Full 360 degree brim adds protection from nature's elements. Lightweight for comfort, molded from High Density Polyethylene (HDPE) - only weighs 16.3 oz. Smooth dome leaving no crevices for build-up. 8 pt. ratchet suspension.



- JAC02-3014874** Blockhead Hardhat - White (Safari Style)

SAFETY KITS

New Hire Safety Kits

Kit contains Liberty White helmet (ANSI Z89.1), Boas Smoke or Clear eye protection (ANSI Z87), ERB corded reusable ear plugs and pair of work gloves. Good for temporary labor, carpenters and plumbers.



- ERB02-18531** 4 Pc. New Hire Kit w/Clear Safety Glasses
- ERB02-18532** 4 Pc. New Hire Kit w/Smoke Safety Glasses

CUSTOM HARDHATS

CUSTOMIZE YOUR HARDHAT!

Your company logo can be applied to your hardhats for a distinctive look that will set you apart from the competition.

Call us for details!

Your Logo Here!



HARDHAT SWEATBANDS

UVUBB70N-B Hard Hat Sweatband

Snap-on, terry cloth sweatband for headgear.



FACE SHIELDS & BRACKETS

ERB02-15181 E16R Face Shield Headgear with Ratchet Suspension

Headgear has ratchet knob sizing adjustment. Tension can be adjusted for any fixed or moveable window position.



ERB02-15185 E20 ABS/Aluminum Face Shield Bracket For Hard Hat

ABS frame securely fits around bill of helmet. Durable aluminum carrier. Shield, helmet and carrier sold separately.



- ERB02-15186** Clear Face Shield
- ERB02-15190** Dark Green Face Shield



EAR PLUGS



PlugsSafety® Zip-Outs™

Hearing protection delivery system that integrate into any standard hard hat using 3M peel-and-stick adhesive. The tethering design ensures safety compliance with ear plugs that meet OSHA and ANSI requirements. They're comfortable, flexible, and always there when you need them.



- PLUPSRPDF** Replacement Plugs For Durafoam Zip-Out Ear Plugs
- PLUPSZOIND-DF** Durafoam Hard Hat Zip-Out Ear Plugs

EAR PLUGS

RDN-FP70BG50 Resealable Bag of 50 Pair Disposable Earplugs

Comfortable, tapered shape. Low pressure, self adjusting foam offers long wearing comfort and quick recovery time. NRR 32.



EAR PLUGS



AOS310-1001

E•A•R® Classic Foam Earplugs

Comfort and a high level of noise reduction. Unique, non-irritating PVC foam gradually expands and conforms to ear canal. Cylindrical shape provides better protection than taper style plugs. Washable and 100% recyclable. NRR 29dB.

EAR PLUGS

Max Earplugs

Preshaped and tapered for easy insertion, the soft closed-cell foam expands to provide a self-adjusting custom fit every time. Uncorded or corded. Individually packaged in poly bags. Noise reduction rating of 33db.



VP050 Uncorded Earplugs
VP075 Corded - Earplugs

EAR PLUGS



AOSP3000

Tri-Flange Earplugs with Cord

Soft, pliable, translucent flanges form a triple-level seal against noise. LiveWire stem makes insertion easy. NRR 29.

HEARING PROTECTOR



3M01-20006 E-A-Rflex™

Semi-Aural Hearing Protector

Soft, E-A-Rform™ foam tips keep feeling and fitting better as the day goes on. The hybrid foam formulation reacts to body temperature, warms, conforms, and becomes softer with wear time. NRR 28dB.

RESPIRATOR



3M01-46457 8210

Particulate Respirator

Is designed to help provide comfortable, reliable worker protection against certain non-oil based particles. Its lightweight construction helps promote greater worker acceptance and comfort and increased wear time.

RESPIRATOR



3M01-54343

8511 Respirator with Exhalation Valve

Is uniquely designed to help provide protection against certain non-oil based particles. It is ideally suited for work settings that involve heat, humidity, or long periods of wear.

RESPIRATOR



3M™ Half Facepiece

Use with 3M™ Filters 2000 Series, 3M™ Filter 7093, P100, 3M™ Cartridges 6000 Series, or 3M™ Dual Airline Systems against a variety of gases, vapors and particulate hazards according to NIOSH approvals.



3M01-07025

6200 Half Facepiece Respirator - Medium

3M01-07026

6300 Half Facepiece Respirator - Large

RESPIRATOR



3M™ Half Facepiece Respirator

This large half facepiece was designed with the wearer in mind. Its soft sealing surface, along with a uniquely designed, 3M™ Cool Flow™ Exhalation Valve, enhances wearer comfort and face fit.



3M01-37082

7502 Half Facepiece Respirator - Medium

3M01-37083

7503 Half Facepiece Respirator - Large

RESPIRATOR FILTERS



3M01-21674

6001 Organic Vapor Cartridge

NIOSH approved against certain organic vapors. Use with 3M™ Half and Full Facepieces 6000 Series and 3M™ Half and Full Facepieces 7000 Series with bayonet style cartridge holders. (Pack of 2)



3M01-07194

P95 Particulate Filter

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or 3M™ Cartridges 6000 Series, and 3M™ Filter Retainer 501.



3M01-17668

Filter Retainer Cap 501

Used to hold 3M™ Particulate Filters 5N11 and 5P71/07194(AAD) in place on top of 3M™ Respirators 5000 Series and 3M™ Cartridges 6000 Series.



3M01-54356

Particulate Filter 2071, P95

NIOSH approved for environments containing certain oil and non-oil based particles. Use with 3M™ Respirators 5000 Series or Cartridges 6000 Series with 3M™ Adapter 502, 3M™ Facepieces 6000 Series, or 3M™ Facepieces 7000 Series with bayonet filter holders. (Pack of 2)

ROAD & HIGHWAY BOOK

FORESTRY GEAR

STIHL®

STIHL offers an excellent selection of Pro Mark™ clothing, helmet systems, accessories and replacement parts to satisfy either the professional or occasional power equipment user.



- STL05-0000-886-0100** Complete Forestry Helmet System
- STL05-0000-886-3201** 32" Cut Resistant, 6-Ply Apron Chaps
- STL05-0000-886-3202** 36" Cut Resistant, 7-Ply, Apron Chaps
- STL05-0797-333-9200** Pair Of 36" Black Chaps - Cut Resistant

GOGGLES/SAFETY GLASSES

Fuselage Dust Goggles

Dust goggle, gray hard coat lens, anti-fog, full frame with gray flame retardant foam lining, detachable temple & strap.



- MJ250-50-0420** Dust Goggles - Clear /Anti-Fog & Anti Scratch
- MJ250-50-0421** Dust Goggles - Gray /Anti-Fog & Anti Scratch

GOGGLES

ERB01-15119 Expanded View Goggle Anti-Fog

Wide view splash protection goggle. Indirect venting for increased air flow. Anti-Fog coating. Black strap masks grease and grime. Meets ANSI Z87.1.



SAFETY GLASSES

JACKSON

Nemesis Safety Glasses

Sleek, sporty style. Soft touch temples. Lightweight construction. Single lens wrap-around protection. Includes free neck cord. 99.9% UV Protection. Meets ANSI Z87.1+ Impact Standard.



- JAC01-3000354** Black Frame & Clear Lens
- JAC01-3000355** Black Frame & Clear Anti-Fog Lens
- JAC01-3000356** Black Frame & Smoke Mirror Lens
- JAC01-3011375** Camo Frame & Brown Lens
- JAC01-3020706** Camo Frame & Clear Anti-Fog Lens
- JAC01-3020707** Camo Frame & Smoke Anti-Fog Lens
- JAC01-3020709** Red Frame & Smoke Lens

SAFETY GLASSES

3M



Virtua™ Safety Glasses

- So light, it's almost like it's not there. Less than 1 oz.
- Meets ANSI Z87.1-2003 standards for high impact.

- 3M04-62103** Virtua Safety Glasses-Indoor/Outdoor Mirror Lens
- 3M04-62105** Virtua Safety Glasses-Clear Anti Fog Lens
- 3M04-62107** Virtua Safety Glasses-Gray Anti Fog Lens

SAFETY GLASSES

3M



Virtua™ V4 Safety Glasses

Extended viewing range in every direction without distracting sideshields or brow guard. Soft, universal fit nose bridge. High impact, polycarbonate lens. Wrap around lens. Meets ANSI Z87.1 safety standards.

- 3M04-62035** Virtua V4 Safety Glasses-Gray Hardcoat Lens
- 3M04-62036** Virtua V4 Safety Glasses-Clear Anti Fog Lens
- 3M04-62038** Virtua V4 Safety Glasses-Indoor/Outdoor Mirror Lens

READER SAFETY GLASSES



ES4 Readers

Designed for all environments, the ES4 features an adjustable nosepiece, ultralight frame, and 100% visually correct lenses.



ES5 Reader

Designed for outdoor sports, the ES5 READER provides a polished style and has a great fit. The sleek framework provides substantial coverage for a variety of environments.



Crossfire Safety Readers meet all of the ANSI Z87 2010 standards and are available in 1.5, 2.0, and 2.5 diopter powers.

- RDN03-216115** ES4 1.5 Reader Safety Glasses w/ Bronze Lens
- RDN03-216120** ES4 2.0 Reader Safety Glasses w/ Bronze Lens
- RDN03-216125** ES4 2.5 Reader Safety Glasses w/ Bronze Lens
- RDN03-216415** ES5 1.5 Reader Safety Glasses w/ Clear Lens
- RDN03-216420** ES5 2.0 Reader Safety Glasses w/ Clear Lens
- RDN03-216425** ES5 2.5 Reader Safety Glasses w/ Clear Lens

SAFETY GLASSES

STIHL®

STL05-7010-884-0315

STIHL® ProPack is a convenient landscaper 4-pair crew pack which includes 2 pair of glasses with smoke lenses and 2 pair of glasses with clear lenses.



ROAD & HIGHWAY BOOK

SAFETY GLASSES

STL05-7010-884-0308

GSX Safety Glasses with Smoke Mirror Lens

Adjustable temples allowing a customized fit and a soft nose pad that offers comfort that lasts all day. Polycarbonate glasses with impact-resistant lens provide 99% UV protection. Meet ANSI Z87+ Standard.



SAFETY GLASSES

Pacifix Safety Glasses

An elliptical lens encapsulates the eye and helps provide additional protection. Polycarbonate glasses with impact-resistant lens provide 99% UV protection. Meet ANSI Z87+ Standard.



STL05-7010-884-0310 Pacifix Safety Glasses w/ Smoke Mirror Lens
STL05-7010-884-0319 Pacifix Safety Glasses w/ Sun Mirror Lens

SAFETY GLASSES

STL05-7010-884-0324

Sleek Line Safety Glasses with Orange Lens

Comfort, protection and durability. Polycarbonate glasses with impact-resistant lens provide 99% UV protection. Meet ANSI Z87+ Standard.



SAFETY GLASSES



RDN-1241W Crossfire Safety Glasses

Black Frames & Smoke Lens. The adjustable wired temples provide a perfect, comfortable fit and extra stability. Meets or Exceeds ANSI Z87.

COOLING TOWEL

RDN-RCS10

Blue cooling towel with plastic case.



EAR MUFFS

JACKSON

JAC06-3015092

Vibe Cap Mount Earmuff

New innovative design. Adjusts to fit all head shapes and sizes. Durable thermoplastic material retains its shape and pressure for consistent noise reduction. For medium noise environments. 25 NRR.



EAR MUFFS

STIHL



STL05-7010-884-0503 Professional Hearing Protector, NRR-23
STL05-0000-886-0402 Hearing Protectors, NRR-25
STL05-0000-884-0513 Camouflage Hearing Protectors, NRR-25
STL05-7010-884-0501 Professional Hearing Protector w/ Radio

EAR MUFFS

JACKSON

JAC06-3015089

Vibe Headband Earmuffs

New innovative design. Adjustable, soft padded headband that adjusts to fit all head shapes and sizes. Durable thermoplastic material retains its shape and pressure for consistent noise reduction. 26 NRR. For medium noise environments.



EAR MUFFS

RADIANS

RDN04-TROHVG-BX

Terminator Passive Earmuffs Hearing Protection -

High Visibility Passive Earmuffs with padded moisture wicking headband for comfort. Bright high visibility Yellow earcups with soft foam padded earcups. Folds up to quick and easy storage when not in use. 29 NRR.



RADIO EAR MUFFS

RADIANS

RDN04-AMFMD1C

AM/FM Digital Tuning Electronic Earmuff with LCD Display

Preset up to 8 different radio stations per band. Use with portable music players or smart phones (Required auxiliary plug included). Fully adjustable headband for a comfortable, custom fit. 25 NRR.



EAR MUFFS

RADIANS

RDN04-CMT26

Radians Cap Mount Earmuff

A universal design that will fit virtually all slotted hard hats. Adjustable headband with side wire guides. Universal design fits virtually all slotted hard hats. Lightweight, durable construction. 26 NRR.



ROAD & HIGHWAY BOOK

COWHIDE DRIVERS GLOVE

1510 Triple Crown

Our most popular driver. Top grain cow hide leather, gunn cut, keystone thumb, shirred back. The double stitched leather hem.



MJ1510-1 Small
MJ1510-2 Medium
MJ1210-3 Large

MJ1510-4 X-Large
MJ1510-5 XX-Large

WINTER LINED DRIVERS GLOVE

MJ1511T

Cowhide Thinsulate Driver

Grain cowskin, keystone thumb, shirred back, Thinsulate lined.



MJ1511T-2 Medium
MJ1511T-3 Large

MJ1511T-4 X-Large

WORK GLOVES



X10

Knucklehead

Synthetic leather palm, elastic wrist. Full finger and back hand shock absorbing protection.



21242HY

MJ21242HY/L Knucklehead X10 - Large
MJ21242HY/XL Knucklehead X10 - X-Large

WINTER GLOVE LINERS

MJ3420

String knit, polypropylene/polyester blend, ambidextrous. Large only.



WINTER LINED WORK GLOVES



MJ1938 Lined Pigskin Safety Cuff Glove

Heatkeep® thermal lining. 3M Scotchlite™ reflective material. Safety orange nylon back. Available in Large and X-Large.



WINTER WORK GLOVES



REV99ACE-PW Frost Insulated Gloves

Resilient grain pigskin with sure-grip reinforced contact zones. Insulated with MultiBlend. Spandex back for better comfort and a snug fit. Available in M, L, XL and XXL.



CHORE GLOVES

MJ3460 14 oz. Cotton Chore

Double woven, knit wrist- yellow. Large only.



LEATHER PALM GLOVES

MJ1501A/10 Leather Palm

A side split cowhide palm glove. Features: Full leather index finger and finger tips. Large only.



WINTER WORK GLOVES

MJ41-1430/L PowerGrab Thermo Gloves

Acrylic inner shell with black microfinish grip. Quickly evaporates moisture from the skin. Seamless construction for a comfortable fit. Available in Large and XL.



JERSEY GLOVES

3401 Brown Jersey

The traditional brown jersey, clute cut, knit wrist.



MJ3401W small

MJ3401 Large

PVC COATED GLOVES

MJ3370 PVC dipped, smooth finish, foam lined, knit wrist, orange. Large only.



WORK GLOVES



REV99BLACKPLUS Tool Handz™ Plus

Action Spandex with Titan synthetic reinforced ergonomic gloves. TITAN synthetic leather with reinforced contact zones for extra durability for better comfort and a snug fit.



WORK GLOVES

MJ3237 SuperDex Pro Plus

Double Dipped, Foam Nitrile On Closed Cell Nitrile, 15 Gauge Nylon Shell.



MJ3237/L SuperDex Pro Plus - Large

MJ3237/XL SuperDex Pro Plus - X-Large

MJ3237/2X SuperDex Pro Plus - 2X-Large

WINTER WORK GLOVES

MJ3396HO Polar Penguin Hi-Vis Terry Lined

Orange Heavyweight Knit, Rubber Palm, Excellent Wear and Resistance, Lined.



MJ3396HO-LG Polar Penguin - Large

MJ3396HO-XL Polar Penguin - X-Large

ROAD & HIGHWAY BOOK

WORK GLOVES

STIHL®

Landscaper Series Gloves

Exclusive deerhide leather provides fantastic wear properties and excellent sense of touch and feel. Naturally soft leather provides all-day working comfort.



STL05-0000-886-1104 Medium
STL05-0000-886-1105 Large
STL05-0000-886-1106 XL

WORK GLOVES

STIHL®

Heavy-Duty Work Gloves

Ultra-durable goat leather lasts twice as long as common leathers. High visibility, upgraded canvas back.



STL05-7010-884-1110 Medium
STL05-7010-884-1111 Large
STL05-7010-884-1112 XL

COATED GLOVES

STIHL®

Easy2Grip Gloves

Thin but durable nitrile material with a superior grip. Oil and gas resistant with textured palm and fingers.



STL05-7010-884-1130 Medium
STL05-7010-884-1131 Large
STL05-7010-884-1132 XL

ALL WEATHER GLOVES

Hyperlite™ Ultra-Thin All Weather Gloves

Hyperlite fabric blocks wet & cold. Half the weight of the Original All Weather Glove. Light enough to wear as a liner. Reinforced PU Palm. Wicking lining. Lycra cuff.



SEIRUS
INNOVATION

SEI8008-L All Weather Gloves - Large
SEI8008-XL All Weather Gloves - X-Large

ALL WEATHER GLOVES

Original All Weather Waterproof Gloves

Windproof. Waterproof. Inner plush fleece lining. 4-way stretch fabric Weathershield™ Tri-laminate shell.



SEIRUS
INNOVATION

SEI8010-L All Weather Gloves - Large
SEI8010-XL All Weather Gloves - X-Large

ALL WEATHER GLOVE/LINER

SEIRUS
INNOVATION

Hyperlite™ Ultra-Thin All Weather Camo Gloves

Ultra thin glove or weatherproof liner. Reinforced PU Palm. Wicking lining. Lycra cuff. Half the weight.



SEI8110-L All Weather Gloves - Large
SEI8110-XL All Weather Gloves - X-Large

ALL WEATHER GLOVES

SEIRUS
INNOVATION

Max All Weather Realtree Camo Gloves

With a rugged neoprene cuff, sensitive trigger finger, and a rollover thumb design. Made from form-fit WeatherShield Tri-laminate.



8004-L All Weather Gloves - Large
8004-XL All Weather Gloves - X-Large

CUT RESISTANT GLOVES

Great White Cut Resistant Glove

White Spun Dyneema® and Lycra, Coated Palm and Finger Tips. Offers superior puncture and abrasion resistance.



MJ19-D622/L Great White - Large
MJ19-D622/XL Great White - X-Large
MJ19-D622/XXL Great White - XX-Large

WORK GLOVES

MJ3385 ATLAS Blue Rubber Palm Glove

Premium string knit polyester/cotton blend shell and ribbed-knit wrist to offer a comfortable sure fit. The rubber palm ensures an excellent grip.



MJ3385-L Large **MJ3385-XL** X-Large

WORK GLOVES

3228HVY SuperDex

Micro Foam Nitrile Palm & Finger Coated Gloves, 15-Gauge Liner, Breathable, Hi Vis Yellow/Black



MAJESTIC
RELIABLE IN SAFETY

MJ3228HVY/M SuperDex - Medium
MJ3228HVY/L SuperDex - Large
MJ3228HVY/X1 SuperDex - X-Large
MJ3228HVY/X2 SuperDex - XX-Large

ALL WEATHER GLOVES

Hyperlite™ Ultra-Thin All Weather Gloves

Hyperlite fabric blocks wet & cold. Half the weight of the Original All Weather Glove. Light enough to wear as a liner. Reinforced PU Palm. Wicking lining. Lycra cuff.



SEIRUS
INNOVATION

SEI8008-L All Weather Gloves - Large
SEI8008-XL All Weather Gloves - X-Large

ALL WEATHER HEATED GLOVES

SEIRUS
INNOVATION

Heat Touch™ Hyper lite All Weather Gloves

Heat Touch technology – rechargeable heating mechanism with push button warmth that includes 3 heat settings, batteries and charger included.

- Reinforced PU palm.
- Hyperlite Weathershield shell.
- Exclusive fusion heat panels with 3 settings.
- Form fit design to fit skin tight.
- Flexgrip palm.



8130-L Heated Gloves - Large
8130-XL Heated Gloves - X-Large

ROAD & HIGHWAY BOOK

WORK GLOVES

MJ50072
Beige w/
Blue Palm
Gloves

String knit, rubber
palm dipped.



NITRILE COATED GLOVE

The G-Tek

Features the
advanced foamed
nitrile palm coating
on a seamless knit
nylon glove.

- Excellent Wet & Dry Grip
- Provides superior dexterity and comfort



MJ34-874-L Large G-Tek Gloves
MJ34-874-XL X-Large G-Tek Gloves
MJ34-874-XXL XX-Large G-Tek Gloves

RUBBER GLOVES



VP7000 Sol-Vex Gloves

Unsupported, Premium-Quality, Nitrile.
11 mil, 13" embossed straight cuff
glove.

SAND COAT PVC GLOVE



MJ3364 Sand Coat PVC Gloves

The superior grip choice for working with
chemicals, grease, oil and industry. 14"
Length. Available in large only.



*IF YOU DON'T SEE IT HERE, CALL US.
WE WILL FIND IT FOR YOU!*

NITRILE DISPOSABLE GLOVES



Powder Free Nitrile Gloves

Breakthrough 5.5 pH Technology!
Made to match healthy skin's natural
5.5 pH levels to ensure the MOST
comfortable fit yet! 100 Pc. Box.

NEWA-GLV-L Nitrile Gloves - Large
NEWA-GLV-XL Nitrile Gloves - X-Large

RUBBER GLOVES

VP63B Black Rubber Gloves

Unlined Natural
Rubber, Heavy Duty, 40-Mil Thick. 18"
long. Rolled cuff.



HARDHAT LINERS

ERG16810 Stretch Tube Winter Liner

- Half Cap style.
- FR treated for safety.
- 100% polyester knit.
- One size, Black.



ERG16821 Balaclava Full Head Hardhat Liner

- Long length.
- FR treated for safety.
- Polyester fleece.
- One size, Black.

ERG16950

Fleece Lined Hardhat Liner

Shell: 100% quilted nylon. Mid-Layer:
Foam. Lining: 100% poly sherpa. FR
treated for safety. Elastic gap control at
forehead keeps warmth in and cold out.



ERG16952 Shoulder Length Fleece Lined Hardhat Liner

Shoulder length. Shell: 100% cotton twill.
Lining: 100% poly fleece. FR treated for
safety. Warming pack pockets near ears
for extra warmth. One size, Black w/red.

HEADLINER

8077 Hi-Vis Dynamax™ Quick Headliner®

3 IN 1: hat/facemask/neck warmer.
Skull cap with built-in balaclava. Wind
resistant. Ultra-thin. Seirus' exclusive
Dynamax - dual density, micro Denier
Thermax. Lightweight, warm, wicking.
Snug form-fit design.

SEI-8077 BLACK Quick Headliner
SEI-8077 HI-VIS YELLOW Quick Headliner
SEI-8077 REALTREE XTRA Quick Headliner



SAFETY VESTS



SV3 Economy Class 3 Mesh Safety Vest

The vest is made with a single
horizontal stripe, zipper front closure,
one upper front radio pocket, and two
inside open pockets. This vest is intended for
warm weather.



RDN-SV3ZGM-2X/3X Class 3 Lime Mesh Safety Vest - 2X/3X
RDN-SV3ZGM-4X/5X Class 3 Lime Mesh Safety Vest - 4X/5X
RDN-SV3ZGM-L/XL Class 3 Lime Mesh Safety Vest - L/XL
RDN-SV3ZGM-S/M Class 3 Lime Mesh Safety Vest - S/M

HI-VIS STOCKING CAP



ERB07-S109 Safety Stocking Cap

Silver reflective stripe for visibility. Great
for under a hard hat or to wear alone.
Hi-Viz lime.



SAFETY T-SHIRTS

JAC03-3012948 ANSI Class 2 T-Shirt

Chest pocket with continuous super bright
silver retroreflective tape. Meets ANSI /
ISEA 107 - 2004 Class 2 standards. XL.



ROAD & HIGHWAY BOOK

SAFETY VESTS



RDN-SVG1-SM/XL

Economy Lime Safety Vest - SM/XL
Non Rated Safety Vests with 1" Tape Hi Viz protection to keep you safe on the job. Visibility is a safety must in busy traffic areas, around heavy equipment and in poorly lit work environments.



SAFETY VESTS



SV23-2 Class 2 Expandable Two Tone Safety Vest

Has an expandable waist with adjustable sides for a comfortable fit. Multiple pockets for organization and mic tabs on both shoulders. Contrasting trim detail for higher visibility.



RDN-SV23-2ZGM-3X/5X Class 2 Mesh Safety Vest-Lime - 3X/5X
RDN-SV23-2ZGM-M/L Class 2 Mesh Safety Vest-Lime - M/L
RDN-SV23-2ZGM-XL/2X Class 2 Mesh Safety Vest-Lime - XL/2X

SAFETY VESTS



SV2Z Economy Class 2 Safety Vest with Zipper

Compliant protection at an economical price. Excellent choice for extreme work environments like asphalt paving that greatly reduce the useful life of a vest, or protection for short-term labor.



RDN-SV2ZGM-2X Class 2 Lime Mesh Safety Vest - 2X-Large
RDN-SV2ZGM-3X Class 2 Lime Mesh Safety Vest - 3X-Large
RDN-SV2ZGM-L Class 2 Lime Mesh Safety Vest - Large
RDN-SV2ZGM-XL Class 2 Lime Mesh Safety Vest - X-Large

SLUSH BOOT



17" Slush Boot

Extra Wide, 17" High Over-the-Shoe Slush Boot. Available in High-Visibility Yellow or in all Black.



APSLB11 Size 11	APSLB14 Size 14
APSLB12 Size 12	APSLB15 Size 15
APSLB13 Size 13	APSLB16 Size 16

SLUSH BOOT



17" Super Tough Slush Boots

The most puncture and tear resistant slush boots in the world because TREDS are molded from nature's strongest elastic material... latex natural rubber.



TRD17852 17" Black TREDS Slush Boots - Large
TRD17853 17" Black TREDS Slush Boots - X-Large
TRD17855 17" Black TREDS Slush Boots - Large / X-Large

RAINWEAR



.35 mm PVC/Polyester 3-Piece Suit Rainsuit

Consists of a 32" Jacket with Detachable Hood, and Bib Overall Pants. Reinforced Seams for Strength and Durability. Made from 100% Non-Conductive Material Entirely Waterproof. Comfortable, Oversized Fit.

AP00M	Medium Rainsuit
AP00L	Large Rainsuit
AP1XL	X-Large Rainsuit
AP2XL	2X-Large Rainsuit
AP3XL	3X-Large Rainsuit
AP4XL	4X-Large Rainsuit



RAIN SUIT



R103

3-Piece Nylon Rain Suit

Constructed with 190T nylon, 0.18mm. Jacket and detachable drawstring hood Storm front jacket with zippered closure Drawstring elastic waist pants. Internal back mesh panel for breathability. Black with gold. Full cut sizes to fit over clothing.



CLC02-R103L	3 Pc. Black Nylon Rain Suit - Large
CLC02-R103X	3 Pc. Black Nylon Rain Suit - X-Large
CLC02-R1032X	3 Pc. Black Nylon Rain Suit - 2X-Large

RAIN SUIT

R111 3-Piece ANSI Polyester Rain Suit

Constructed with medium-weight 0.18mm oxford polyester. ANSI/ ISEA 107-2004 Class 3 certified. High visibility fluorescent yellow body material with retro reflective stripes. Jacket, bib pants and detachable hood. Snaps on jacket and pant cuffs for snug fit. Heavy-duty buckles on bib overall straps.



CLC02-R1112X	3 Pc. Hi-Viz Polyester Rain Suit - 2X-Large
CLC02-R1113X	3 Pc. Hi-Viz Polyester Rain Suit - 3X-Large
CLC02-R111X	3 Pc. Hi-Viz Polyester Rain Suit - X-Large

DISPOSABLE COVERALLS

Protective Coveralls offer protection at a low cost. Cloth-like fabric that is easy and comfortable to wear. Ideal in general protective clothing situations, but especially suited for non-toxic liquid and spray hazards. Provides a true aerosol and liquidproof barrier. All garments feature serged seams and a zipper front.



VP33005415	Size XL
VP33005420	Size 2XL

ROAD & HIGHWAY BOOK

SAFETY CANS



Galvanized Steel Type-I Safety Cans

These Eagle Safety products meet OSHA requirements and most are either Factory Mutual (FM) approved or listed by Underwriters Laboratories, Inc. (UL), and Underwriters Laboratories Canada (ULC). Eagle Safety Containers are manufactured to exacting standards, reflecting sophisticated technology and superior workmanship.



Model	Capacity	Approval	Diameter	Height	Weight
UI-2-S	1 qt.	UL, ULC, FM	5.25"	8.00"	1.96 lbs.
UI-4-S	2 qt.	UL, ULC, FM	6.75"	8.75"	2.59 lbs.
UI-10-S	1 gal.	UL, ULC, FM	9.00"	10.00"	3.31 lbs.
UI-10-FS*	1 gal.	UL, ULC, FM	9.00"	10.00"	3.52 lbs.
UI-20-S	2 gal.	UL, ULC, FM	11.25"	9.50"	5.00 lbs.
UI-20-FS*	2 gal.	UL, ULC, FM	11.25"	9.50"	5.25 lbs.
UI-50-S	5 gal.	UL, ULC, FM	12.5"	13.5"	6.75 lbs.
UI-50-FS*	5 gal.	UL, ULC, FM	12.5"	13.5"	7.00 lbs.

* F-15 Funnel included



EAGLE Type-I Safety Cans are available in yellow or blue finishes by using the model number followed by the word yellow or blue. These cans are manufactured to the same exacting standards and quality workmanship as our standard safety cans.

EFG-15 Plastic Spout for Safety Can



SAFETY CANS

Type-II Safety Cans

Galvanized Steel construction helps reduce the danger of explosion while dispensing flammable liquid. Includes flexible 12" metal spout. Brass flame arrestors in filler opening and pour spout. Both sizes available in red, yellow or blue, use model number and color you need.



Model	Capacity	Approval
U2-26-S	2 gal.	UL, ULC, FM
U2-51-S	5 gal.	UL, ULC, FM



SAFETY LABELS

Meets OSHA Requirements.



LS1000	Gasoline Label
LS2000	Gasoline Mixture Label
LS3000	Diesel Fuel Label
LSCL51L	Danger Gasoline Label
LSCL86L	Danger Diesel Fuel Label



CIGARETTE DISPOSAL



1202BEI Butt Can


Provide for clean and safe disposal of ashes and cigarettes. Newly designed polyethylene tube helps keep rain water out and unsightly butts in. Tube is removable for emptying can. 2-1/2 gal. capacity.



SAFETY STORAGE CABINETS



Keep flammable liquids near work areas in Eagle Safety Storage Cabinets. All are constructed of 18-gauge steel. Sides, top, bottom, and doors are double-walled with a 1-1/2" air space between walls. Both vents, with 2" threaded fittings, have fire baffle and cap. Cabinets come in yellow high gloss powder finish with red warning, plus grounding attachment, 3-point key lock, and 2" raised, leakproof door sill. Each shelf is adjustable, supported by 4 brackets, and can support 350 pounds. Meets OSHA Requirements. FM Approved. Meets NFPA Code 30 Requirements.



EAGLE Flammable Storage Safety Cabinets

Model	Capacity	FM	Door Specs	Size (WxDxH)	Weight
1903*	4 gal.	-	1 Self-closing	17.5"x18"x22.5"	70 lbs.
1904*	4 gal.	-	1 Manual	17.5"x18"x22.5"	69 lbs.
1924	12 gal.	-	1 Self-closing	23"x18"x35"	135 lbs.
1925	12 gal.	-	1 Manual	23"x18"x35"	133 lbs.
1905	16 gal.	-	1 Self-closing	23"x18"x44"	150 lbs.
1906	16 gal.	-	1 Manual	23"x18"x44"	150 lbs.
1923	24 gal.	-	1 Manual	23"x18"x65"	260 lbs.
2310	24 gal.	-	1 Self-closing	23"x18"x65"	270 lbs.
1930	30 gal.	Y	1 Sliding	43"x18"x44"	253 lbs.
1932	30 gal.	Y	2 Manual	43"x18"x44"	247 lbs.
3010	30 gal.	Y	2 Self-closing	43"x18"x44"	257 lbs.
1945	45 gal.	Y	1 Sliding	43"x18"x65"	340 lbs.
1947	45 gal.	Y	2 Manual	43"x18"x65"	342 lbs.
4510	45 gal.	Y	2 Self-closing	43"x18"x65"	353 lbs.
1960	60 gal.	Y	1 Sliding	31 1/4"x31 1/4"x65"	358 lbs.
1962	60 gal.	Y	2 Manual	31 1/4"x31 1/4"x65"	354 lbs.
6010	60 gal.	Y	2 Self-closing	31 1/4"x31 1/4"x65"	364 lbs.
1992	90 gal.	-	2 Manual	43"x34"x65"	475 lbs.
9010	90 gal.	-	2 Self-closing	43"x34"x65"	485 lbs.

EAGLE Tower Safety Cabinets

Model	Capacity	FM	Door Specs	Size (WxDxH)	Weight
1906LEGS	16 gal.	Y	1 Manual	23" x 18" x 44"	160 lbs.
1932LEGS	30 gal.	Y	2 Manual	43" x 18" x 44"	257 lbs.
1947LEGS	45 gal.	Y	2 Manual	43" x 18" x 65"	352 lbs.
1962LEGS	60 gal.	Y	2 Manual	31.25" x 31.25" x 65"	364 lbs.
1992LEGS	90 gal.	Y	2 Manual	43" x 34" x 65"	485 lbs.

SAFETY SIGNS



OSHA and ANSI Industrial 14" x 20" Safety Signs

We provide quality products that keep you in compliance with OSHA & ANSI standards.

LSD151B	Danger Hard Hat Area Sign
LSD1873B	Danger Construction Site - Authorized Personnel Only Sign
LSD200RC	Do Not Enter - Authorized Personnel Only Sign
LSD59RC	Keep Out Sign

DANGER FLAGS



PYFLAG Tear Off Danger Flags

Convenient disposable danger flags come 1000 to a roll. These heavy, 4-mil, polyethylene flags are 18" x 18". They easily tear off at the perforations and are suited for use in lumberyards.


AIRPORT FLAG



SAAPF Airport Flag

A heavy nylon 36" x 36" flag made of alternating 12" x 12" orange and white squares. Heavy-duty stitching and reinforced pocket make for easy mounting. Required by FAA and OSHA for all construction equipment and contractor vehicles in airports.

PERIMETER MARKER



MU1000 OSHA Perimeter Marker

This marker is required by OSHA for perimeter marking of any above ground construction area, flat roof jobs, and open upper-level construction. 60 ft in length. Available in Red or Yellow.

PADDLE SIGNS



IN15SS24 "Stop/Slow" with Staff

24" Aluminum Sign w/Wood Handle - Durable ABS Stop/Slow paddles have an 81" high staff for easy handling and are highly visible to motorists on the road.

PADDLE SIGNS



INSTSL "Stop/Slow" Paddle

18" diameter traffic control paddles are available lettered with "STOP" on one side and "SLOW" on the other side, or "STOP" on both sides. Made of lightweight non-corrosive and weather-proof material with no sharp edges, They are available with 10" handles.

LOAD BANNERS



Double Sided Load Banners

Measures 18" x 7' and have heavy-duty grommets sewn in. Made of a super-tough, 12 oz yellow vinyl-coated nylon material and have bold black letters which say either "Wide Load", or "Oversized Load".

FLAGGING TAPES



Ribbon Marker Flagging Tape

Highly visible flagging tape made from extruded PVC., which is preferred by professional tradesmen, surveyors and sportsmen. In fluorescent and standard colors. Available box packed, bulk packed, and economy size.



Fluorescent (150 ft. x 1-3/16")

FTGO	Glo-Orange
FTGR	Glo-Red
FTGL	Glo-Lime
FTGP	Glo-Pink

Standard (300 ft. x 1-3/16")

FTR	Red
FTO	Orange
FTY	Yellow
FTB	Blue
FTW	White
FTG	Green
FTP	Pink

MARKING FLAGS



These marking flags will stand up to sun, wind and inclement weather. The plastic will stay on the staffs and the colors won't fade. 4" x 5" Flag with 30" Wire Staff.

BB0500	Red Flag -100/Bundle
BB1000	Orange Flag -100/Bundle
BB2000	Blue Flag -100/Bundle
BB3000	Yellow Flag -100/Bundle
BB4000	Pink Flag -100/Bundle
BB5000	Lime Flag -100/Bundle
BB6000	White Flag -100/Bundle

STAKE CHASER WHISKERS



Easily attach to wooden stakes or 16-penny nails. Each whisker is 6". Ideal for Road Construction and Grading. Additional Uses include reference points, forestry markers, exploration, and more.

MU15900-010	White - 500 pc. Box
MU15900-025	Blue - 500 pc. Box
MU15900-039	Green - 500 pc. Box
MU15900-041	Yellow - 500 pc. Box
MU15900-079	Red - 500 pc. Box
MU15900-145	Glo Orange - 500 pc. Box
MU15900-75	Glo Pink - 500 pc. Box

COLORED ELECTRICAL TAPE

7 mil colored vinyl tape. U.L. approved. Used primarily for color coding electrical wiring. 3/4" x 66'.



UT34-GR 66	Green
UT34-OR 66	Orange
UT34-R 66	Red
UT34-W 66	White

ROAD & HIGHWAY BOOK

LIGHT BAR



ECO5135A-VM
Evolution Low Profile Mini Light Bar with Vacuum Magnet
 Two 55 Watt halogen bulbs. Flat Center Mirror. Factory installed vacuum magnets with 15' straight cigarette cord with plug rated at 65 MPH.



MESH FLAGS



These bound 18" x 18" Mesh Flags are made of fluorescent knitted vinyl mesh material. Recommended to be used on fast moving vehicles. These flags will overcome the problems from "whipping", such as cracking, peeling, or fraying. Available with or without staff.

SFKV18 Flag Only
SFKV18+27 With Staff

BEACON

ECO5813A-VM
Low Profile Stealth Drive™ Beacon
 55 watt halogen bulb. Efficient design combining silicon belt with stainless steel bearings for longer life. Thread-on lens secures with a single screw Vacuum-Magnet mount.



STROBE LIGHT

ECO6410A-MG
Strobe Light Magnetic Mount Kit
 12-80V Low Profile Strobe Light. Compact size for easy storage when not in use. Economical light will cover low intensity application. Factory installed magnet and cigarette cord with plug.



CONSTRUCTION SIGNS

Roll-up Signs

48" x 48" Sign Heavy 15 oz. Bright Orange Mesh. All standard stock legends – Non stock legends available. Overlays available. Lexan pockets available.



- IN1020** 48" Roll-Up Sign w/Rib - "Men Working"
- IN1021** 48" Roll-Up Sign w/ Rib - "Be Prepared to Stop"
- IN1022** 48" Roll-Up Sign w/ Rib - "Flagger Ahead"
- IN1023** 48" Roll-Up Sign w/Rib - "Road Construction Ahead"
- IN1024** 48" Roll-Up Sign w/Rib - "Utility Work Ahead"

STROBE LIGHT



Low Profile Strobe
 Flush mounted without removing lens. Double flash. Factory installed magnet and 15' straight cigarette cord with plug. Designed for mounting in areas where a compact profile is required.



- ECO6550A-MG** 12-48V Low Profile Strobe w/ Mag Mount
- ECO6550A-VM** 12-48V Low Profile Strobe w/Vac-Mag Mount

SIGN STAND

JAC05-3007719 Light Duty Tri-Pod Stand For 48" Signs
Roll-Up/Rigid Tripod Sign Stand
 Meets NCHRP-350 requirements with roll-up sign. Displays 36" and 48" roll-up or rigid panels without special adaptors. Fabricated from durable, galvanized mechanical tubing. Powder-coated orange metal signstand.



STROBE LIGHT



ECO6750A High Intensity Anti-Vibration Light
 Low Profile Switchable i.beam™. Three wire leads allow user to choose double flash or quad flash. Heavy duty epoxy filled, aluminum base. i.beam LED monitors circuit board performance and flash tube performance on each cycle.



SIGN STAND

JAC05-3008153 Heavy Duty Screwlock Stand Kit For 48" Signs
 NCHRP-350 Certified. Sign stand displays 36" and 48" roll-up panels 14" off the ground. Durable, lightweight and corrosion-resistant aluminum legs provide longer service life and easier handling. Four steel L-shaped brackets reinforce legs and base.



STROBE LIGHT




Medium Profile Strobe
 Flush mounted without removing lens. Integral flange, internal and 1" pipe mounting. Seven support points provide a shock-resistant mounting of the power supply. Three wire leads allow user to choose double flash or quad flash.



- ECO6570A-MG** 12-48V Medium Profile Strobe w/ Mag Mount
- ECO6570A-VM** 12-48V Medium Profile Strobe w/Vac-Mag Mount

SAFETY FENCE

Extra Heavy Duty Plastic Safety Fence
 Heavy duty orange rigid diamond mesh.



- CO1000** 4' x 50' Roll
- CO2000** 5-1/2' T-Bar Fence Post

ROAD & HIGHWAY BOOK

BARRICADE TAPE

More Styles Available!



Non-pressure sensitive vinyl barricade ribbon. High visibility 3" wide. Variety of stock and special order legends available. Rolls are 3" x 1000' Available in Heavy Duty 4 Mil or Standard Grade (2 mil).

- RI1000** "Caution" Tape 4 mil.
- RI1002** "Caution" Tape Standard Grade
- RI2000** "Keep Out" Tape 4 mil.
- RI3000** "Danger" Tape 4 mil.
- RI4000** "Caution Wet Concrete" Tape 4 mil.

Harris Industries

TRAFFIC CONES

Offers outstanding visibility. "Slim line" construction which decreases wind lift, teamed with rubber base (for underslung center of gravity) adds up to the most stable cone on the road.



- INTC18** 18" Safety Cones
- INTC28** 28" Safety Cones
- INT2825-5-MM** 28" Safety Cone w/ 6" & 4" Reflective Stripes
- INTC36** 36" Safety Cones

SAFETY DIVERTERS

Grip and Go Channelizer

42" High. Meets MUTCD and NCHRP-350 requirements with or without barricade lights. Large grip on the handle allows workers to easily pick up the channelizer and base.



- INTC4294-LP-16** Diverter, 16 Lb. Base & H.I. Stripes

SPEED BUMPS

Speed Bump & Cable Protector adds safety to your facility. Constructed of high-visibility yellow high density polyethylene (HDPE) this bump is engineered at the perfect angle. Also acts as a dual channel cable protector, feature a non-skid surface, and is weather and chemical resistant.



PARKING STOPS



Designed with safety and durability in mind. Flexible enough to fit parking lot contours, the rugged high density polyethylene (HDPE) design is weather and chemical resistant. Anchor kit included with 3 spikes.

- EG1790BLK** 8" X 4" X 72" Parking Stop - Black w/ Yellow Stripes
- EG1790Y** 8" X 4" X 72" Parking Stop - Yellow

BARRICADE

Plastic A-Frame Barricade

Cordon off hazardous areas with a highly visible barrier system consisting of two A-Frame Legs and one or two I-Beams. Injection-molded, structural foam A-Frame Leg is extremely durable. Standard size mounting holes accommodate a wide variety of boards. ADA compliant to MUTCD standards.



- COR-97-01-004-02** Plastic A-Frame Barricade Leg (One End Only)
- COR-97-01-029-02** Plastic Barricade 2" X 8' Top Rail with Reflective Stickers

BARRICADE



COR-97-01-001-05 24" Plastic Barricade Type 1 with Reflective Stickers

Type I Plastic barricade 8" length x 24" width x 8" height. Closed-hinge feature prevents pinched fingers during placement and retrieval.



COR-03-10-WAYDC L.E.D. Barricade Light

Operates with 4 D-cell batteries; 3-Way (flashing, steady burn, off). L.E.D lights located in the strongest area of the case for protection. Made in the U.S.A.

HIGHWAY WARNING KIT



COR-95-03-009 Roadside Emergency Kit

Highway rated. Includes three warning triangles, storage box. Meets standards: FMVSS 125, SAE-W4-74DOT.

BOLLARD SLEEVES

Bumper Post Sleeves

Make old bollard posts look like new! High-visibility construction with UV inhibitors resist fading, rusting or cracking. Sleeves are available in lengths up to 72" and can be trimmed for an exact fit. Available to fit 4", 6" and 8" NPT pipe sizes. Available smooth or ribbed.



- EG1736** 6" X 56" Yellow Smooth Bollard Post Sleeve
- EG1737** 8" X 57" Yellow Smooth Bollard Post Sleeve
- EG1730** 6" X 56" Yellow Ribbed Bollard Post Sleeve
- EG1738** 8" X 57" Yellow Ribbed Bollard Post Sleeve

BOLLARD FORM

The Pour in Place Bollard Ceme-Tube™




Designed to provide installation of pour in place bollards. This model is an 8" x 4' standard Ceme-Tube™ molded in reflective caution yellow with a strong UV inhibitor to protect from fading.

LIGHT REFLECTIVE for Visibility at Night!



- CEMCT08-48** 8" x 4' Black Ceme-Tube (Footing Tube)
- CEMCT08B** 8" x 4' Yellow Ceme-Tube w/ Cap (Bollard)

LIGHT POLE FOOTING



LIGHT REFLECTIVE for Visibility at Night!

Light Pole Footing

Revolutionizes the installation of light pole footings. This CEME-TUBE™ is manufactured in reflective caution yellow which contains strong UV inhibitors to protect from fading. Saves time and labor on stripping and painting.



- CEMCT18LP** 18" x 4' Yellow Ceme-Tube (Light Pole Base)
- CEMCT24LP** 24" x 4' Ceme-Tube (Light Pole Base)
- CEMCT18-48** 18" x 4' Black Ceme-Tube (Footing Tube)
- CEMCT24-48** 24" x 4' Black Ceme-Tube (Footing Tube)

REPLACEABLE DETECTABLE WARNING TILES

Replaceable!



Access Tile
Tactile Systems



Cast In Place Replaceable Detectable Warning Tiles

Access Tile boasts the easiest and fastest installation in the industry requiring no concrete demolition and needing only a single fastening device. The replaceability feature of the tile is industry leading due to its simplicity and speed.

CONTAINERS



BRUTE® Round Containers

Durable, heavy-duty containers for a variety of uses. Built with its trademark durability and toughness, they feature the newest innovations to improve productivity and ease-of-use.



- RUB-FG264300GRAY** 44 Gal. Brute Container with out Lid
- RUB-FG265500GRAY** 55 Gal. Brute Container with out Lid
- RUB-FG264000BLA** SF Brute Dolly

DETECTABLE WARNING TILES

Stainless Steel Truncated Dome Detectable Warning Surface

Advantage is a wet-set application system for construction requirements anywhere the safety of the visually impaired is a concern: curb ramps, shopping malls, transit platforms, parking areas, stairwells, and escalator approaches.



- Permanent stainless steel construction
- Diamond-Tek coating
- ADA compliant
- California Title 24 compliant
- Maintenance free
- Cost effective, time efficient installation
- Slip resistant Technology
- Unsurpassed fade resistance
- Standard sizes consist of (12" x 12") (12" x 24") (24" x 24") (24" x 36") (24" x 48") (24" x 60") (36" x 48")



DETECTABLE WARNING TILES



Armor-Tile is the world leader in detectable warning systems. Manufactured of diamond-hard vitrified polymer, Armor-Tile truncated dome tiles are the industry standard for durability, weather resistance and wear resistance.

Cast In Place Truncated Dome Systems

Only Armor-Tile offers the cost-effective option of setting detectable warning tiles directly in newly poured concrete.

- Unique patented system available only from Armor-Tile.
 - Installed for a fraction of the cost of surface applied tiles.
 - Tiles are set seamlessly into newly poured concrete.
 - No glue, no screws, no caulking.
 - No costly preparation of the concrete surface.
 - Set by concrete pourers with negligible labor cost and time.
- Standard sizes: 12" x 12", 24" x 24", 24" x 36", 24" x 48", 24" x 60" and 36" x 48" (other sizes available).

ENG1000 24" X 24" ADA Cast Iron Truncated Domes - Unpainted

Surface Applied Truncated Dome Systems

The solution of choice for facilities needing to upgrade for the visually impaired.

- Retrofit applications or new construction.
- Large perimeter beveled edges for smooth transition.
- Secured with color matched fasteners and structural adhesive.
- Surface applied tiles are 1/8" thick with beveled edges.

Standard sizes: 12" x 12", 24" x 24", 24" x 36", 24" x 48", 24" x 60" and 36" x 48" (other sizes available).



CURB & GUTTER FORMS



The most accurate method of forming curbs and gutters.



Straight Curb Face Forms


Used for forming straight sections of curbs that do not contain radius curves.

Flexible Curb Face Forms

Used for forming sections of concrete curbs that contain radius curves. (When ordering, we suggest one full division plate and five skeleton division plates for each 10' section of flexible forms.)




Curb Face Forms Descriptions:



"B" Profile Curb Face Form
 "J" Profile Curb Face Form
 "S" Profile Curb Face Form
 "E" Profile Curb Face Form
 "F" Profile Curb Face Form
 "G" Profile Curb Face Form
 "H" Profile Curb Face Form

STRAIGHT STEEL FORMS



The only completely reinforced forms!

Steel forms do not warp ensuring end-users of an accurate, straight, concrete pour over a long service life. Long-lasting providing an average service life of 5+ years. Stackable so contractors can ensure each pour is exactly the correct height. Typical Applications: Edge forming, Patios, Driveways, Footings, Industrial slabs, Foundations, General flatwork, & Curb & gutter work.

10' Length Straight Forms- Standard 2" Base
Available with 2 or 3 Pockets

Heights: 4", 5", 6", 7", 7-1/2", 8", 9", 10", 11", 12", 13", 14", 15", 16"

FLATWORK FORMS

CertainTeed


CertaForm™ Flexible Flatwork Form

Speed through curves. Its superior performance will have you speeding through your next project. No kerfing required. Save time and money. Increase your productivity. 12' long for easy layout, no excess length.



851709 2 x 4 Flex Form - 12' x 3.5" x 1/2"
851716 2 x 6 Flex Form - 12' x 5.5" x 1/2"

FLATWORK FORMS



Plastiform Reusable Plastic Concrete Forms
 Slide Clamps: Camlock clamps that fit 1/2 to 3/4-inch diameter stakes.


PLA4PF15 4" x 15' Pc. Plastiform W/ OUT Clamp
PLACAMHD Camlock Clamp




STRAIGHT STEEL FORM ACCESSORIES




Filler Forms for Metal Forming. Used to connect sections of forms together.



Just drop it on!



Straight Filler Forms - Standard 5' Lengths
 Heights: 4", 5", 6", 7", 8", 9", 10", 11", 12"



Corner Forms - Outside or Inside Available
 Heights: 4", 5", 6", 7", 8", 9", 10", 11", 12"

FLEXIBLE STEEL FORMS



Radius Flatwork Forms

Perfectly true radius forming concrete placement every time. Made from spring steel. Resists kinking and returns to a perfectly flat form when released. Designed and manufactured to attach easily to dee straight forms clamps.




Flexible Forms - Standard 5' Lengths

Heights: 4", 5", 6", 7", 7-1/2", 8", 9", 10", 11", 12", 13", 14", 15", 16", 17, 18, 19", 20", 21", 22", 23", 24"

LOCK CLAMP



Lock clamps are used to connect flexible forms together as well as transition forms to flexible forms in all flatwork and curb & gutter applications.



ROAD & HIGHWAY BOOK

NAIL STAKES



Steel Stakes

3/4" Dia. Standard Stakes for general construction
7/8" Dia. Heavy Duty Stakes for heavy construction
Available Lengths: 18", 24", 30", 36"



DE10018	3/4" x 18" Stake with Holes
DE10024	3/4" x 24" Stake with Holes
DE10030	3/4" x 30" Stake with Holes
DE20018	7/8" x 18" Stake with Holes
DE20024	7/8" x 24" Stake with Holes
DE20030	7/8" x 30" Stake with Holes
DE20036	7/8" x 36" Stake with Holes

Also available without holes.

DE132 Stake Puller

The fastest way to remove dee Nail Stakes without damage.



WOOD STAKES



Special Order Sizes Available!



Available in bundles of 50 or by the Pallet.

WS1318	1" x 3" x 18" Wood Stakes 50pc. bundle
WS1324	1" x 3" x 24" Wood Stakes 50pc. bundle
WS1336	1" x 3" x 36" 30 Pc Bundle Batter Board Stakes

WOOD LATHE



WS2025 50 Pc. Bundle Wood Lathe

CHAMFER STRIPS



WS3000 3/4" X 3/4" X 8' Chamfer Strip - 1000 L.F. Bundle

IMPALEMENT PROTECTION



DS0220339

Impalement Rebar Cap

Our Patented Suprotek PC-110 Meets Federal OSHA specification #1926.701(b). It contains a curved steel plate, which provides additional protection against falls that occur from an angle, preventing hazardous impalement.



REBAR

Quantity Discount Available
Call for Pricing!

WE CAN CUT & BEND IF NEEDED




Grade 40

RB4003	#3 (3/8") x 20 feet
RB4004	#4 (1/2") x 20 feet
RB4005	#5 (5/8") x 20 feet
RB4006	#6 (3/4") x 20 feet

Grade 60

RB4003	#3 (3/8") x 20 feet
RB4004	#4 (1/2") x 20 feet
RB4005	#5 (5/8") x 20 feet
RB4006	#6 (3/4") x 20 feet
RB6007	#7 (7/8") x 20 feet
RB6008	#8 (1") x 20 feet

WIRE TIES



5000 per Bundle

AM1004	4" Wire Ties
AM1005	5" Wire Ties
AM1006	6" Wire Ties
AM1008	8" Wire Ties
AM1010	10" Wire Ties
AM1012	12" Wire Ties

Other Sizes Available.
PVC Coated Available.


TIE WIRE ROLL



AM1001	16 Gauge Roll
AM1002	16 Gauge Plastic Coated Roll
AM1003	Sharkskin 60 lb. Shark PVC Coated Roll
AM2009	#9 Wire 16 Ga. 100lb. Coil




MESH CONCRETE REINFORCEMENT



RBM661010
6-6-10-10 (5' x 150' Roll)

MESH CONCRETE REINFORCEMENT

Discover the convenience of working with Sheets
-Call for details!



RBM661010815	6-6-10-10 (8' x 15' Sheet)
RBM6666815	6-6-6-6 (8' x 15' Sheet)

REBAR CAPS



DU1000

Rebar Caps Fits 3/8" to 1-1/4" Rebar

Reusable, Heavy-duty polyethylene is virtually indestructible. Impervious to weather and temperature extremes. Brightly colored for good visibility.



REBAR HOOPS

Rebar Hoops

Specially designed reinforcement for concrete form tubes.



- RBH1212** 1/2" x 12" Diameter
- RBH1218** 1/2" x 18" Diameter
- RBH1224** 1/2" x 24" Diameter

CONCRETE FORM TUBES

EASY-POUR Concrete Forms

The fast way to pour perfect, cylindrical columns of concrete. They provide a round column at less cost than comparable rectangular forms.



- HA008** 8" x 12' Size
- HA010** 10" x 12' Size
- HA012** 12" x 12' Size
- HA014** 14" x 12' Size
- HA016** 16" x 12' Size
- HA018** 18" x 12' Size
- HA020** 20" x 12' Size
- HA024** 24" x 12' Size
- HA030** 30" x 12' Size
- HA036** 36" x 12' Size
- HA048** 48" x 12' Size

ANCHOR BOLTS



"L" Shaped Low Carbon Anchor Bolts with Washers & Nuts

Product #	Size	Pcs. per Box
AN2006	1/2" x 6"	50
AN2008	1/2" x 8"	50
AN2010	1/2" x 10"	50
AN2012	1/2" x 12"	50
AN2014	1/2" x 14"	50
AN2016	1/2" x 16"	50
AN2018	1/2" x 18"	50
AN3016	3/4" x 16"	1 ea. qty.
AN3018	3/4" x 18"	1 ea. qty.

- AN5012** 1" x 12" 1 ea. qty.
- AN5014** 1" x 14" 1 ea. qty.
- AN5016** 1" x 16" 1 ea. qty.
- AN5018** 1" x 18" 1 ea. qty.
- AN5020** 1" x 20" 1 ea. qty.
- AN5024** 1" x 24" 1 ea. qty.
- AN6018** 1-1/8" x 18" 1 ea. qty.
- AN6024** 1-1/8" x 24" 1 ea. qty.
- AN6036** 1-1/8" x 36" 1 ea. qty.
- AN7018** 1-1/4" x 18" 1 ea. qty.
- AN7024** 1-1/4" x 24" 1 ea. qty.
- AN7036** 1-1/4" x 36" 1 ea. qty.
- AN7048** 1-1/4" x 48" 1 ea. qty.
- AN9018** 1-1/2" x 18" 1 ea. qty.
- AN9024** 1-1/2" x 24" 1 ea. qty.
- AN9036** 1-1/2" x 36" 1 ea. qty.
- AN9048** 1-1/2" x 48" 1 ea. qty.

All Sizes Available in Galvanized

DOUBLE HEAD NAILS

Double flat head. Diamond point. Smooth shank. The bottom head acts as a stop to make it easy to remove the nail and dismantle temporary structures. Used for scaffolds, framework & other temporary structures.



- SQ2006** 50 LB. Box 6 Penny Double Head Nails
- SQ2008** 50 LB. Box 8 Penny Double Head Nails
- SQ2010** 50 LB. Box 10 Penny Double Head Nails
- SQ2016** 50 LB. Box 16 Penny Double Head Nails

ARCHITECTURAL CONCRETE FORM LINERS

GREENSTREAK



Because of its strength and versatility, concrete continues to gain popularity as the building material of choice. More and more, owners, designers and contractors refuse to settle for plain, unadorned concrete.

Greenstreak Form Liners provide an economical means for adding interest and visual appeal to almost any concrete structure. The applications for Form Liners are limitless.

Liners attach to almost any

forming system or casting bed prior to concrete placement. Following normal placement practices and curing times, the forming system and liner are stripped leaving an architectural concrete finish. Patterns are available in a variety of sizes and depths to achieve the best visual effect.

ANCHOR POSITIONER




An innovative multi-function pole base template engineered to hold the anchor bolts and conduits securely in place while supporting the rebar cage during the toughest concrete pours. The result of years of design refinement and testing, BOLT STAR is a superior bolt anchoring system designed by pole base contractors to virtually eliminate the drawbacks of the conventional pole base construction process.



- BOL-518-00401** 18" Bolt Star - Anchor Bolt Positioning Tool
- BOL-524-00400** 24" Bolt Star - Anchor Bolt Positioning Tool
- BOL-004-00405** Set Of Xtenders for Nested Forming Tubes (4 each)

CONCRETE REINFORCEMENT SUPPORTS



DAYTON/RICHMOND
CONCRETE ACCESSORIES

- A) Slab Bolster Available 3/4" to 3" high
- B) Slab Bolster with Plates Available 3/4" to 3" high
- C) Individual High Chairs Available 2" to 40" high, Also with plastic tipped legs
- D) Individual High Chair with Plates Available 2" to 15" high
- E) Snap On Paving Chair Available 1" to 7" high
- F) 125310 2" Mesh Chair

SPACE WHEELS

A side-form spacer designed for use in round columns, walls, beams and pre-cast applications.

DAYTON/RICHMOND
CONCRETE ACCESSORIES




MEGASCREED®

MegaScreed® System
Increased Speed, Improved Accuracy, Better Finish, Tested & Proven. MegaScreed is used with #4 or #5 rebar and 1-1/2" I.D., 2" O.D. (approx.) screed pipe. Yellow is standard. Green is oversized for foreign rebar.



MEGASCREED
LANDRE™



1. Establish grade with guide line.
2. Drive rebar to desired depth with the MegaScreed Driver.
3. Place yoke over rebar, set screed pipe on top of yokes.
4. After striking off concrete the yokes may be left in the pour.

ACCMSY04	Megascreed Yoke For #4 Rebar (Yellow)
ACCMSY15	Megascreed Yoke 15mm (Green)
MSD04	Megascreed Driver For Yellow Yokes
MSD15	Megascreed Driver For Green Yokes

SCREED CHAIR BASES

G-3 Screed Chair


- 47531 No. 0, 1 1/2" High, 1/2" Dia.
- 47532 No. 1, 2 1/2" High, 1/2" Dia.
- 47533 No. 2, 3 1/2" High, 1/2" Dia.
- 47534 No. 3, 5 1/2" High, 1/2" Dia.




DAYTON/RICHMOND
CONCRETE ACCESSORIES

Also available: **G-7** For Steel Deck

SCREED BAR HOLDERS



A fast, easy way to strike-off concrete slabs!



The All Purpose Bracket: Just change the angle of the bracket to suit the screed bar.

dee

- DE107** for use with 3/4" Dia. Posts
- 108** for use with 7/8" Dia. Posts

PIPE HOLDERS

DAYTON/RICHMOND
CONCRETE ACCESSORIES

G-1 (1/2" Thread Diameter)

- 47600 1 1/2" Length
- 108500 2 1/2" Length
- 47700 3" Length
- 47800 4" Length
- 47900 6" Length
- 47910 8" Length
- 47920 12" Length




ACCUSCREED®

The Revolutionary Breakthrough in Setting Screed!



AccuScreed® System

Similar to MegaScreed, But uses metal conduit instead of rebar. AccuScreed Super Kit includes: 1 Driver, 150 Yokes, 75 Nuts, 1 Barrel Bag.




AccuScreed
LANDRE™
CORPORATION

ACCASD01	Accuscreed Driver (For Conduit w/ Male End)
ACCASN01	Accuscreed Nut
ACCASY01	Accuscreed Yoke (w/ Threads)
ACCASPKT	Accuscreed Super Kit (Yokes are w/ Threads)

ROAD & HIGHWAY BOOK

SPEED DOWELS

Speed Dowel™ is the slip dowel installation preferred by engineers and contractors alike. Speed Dowel™ provides a highly effective method for constructing superior quality construction joints in concrete flatwork. Additionally, Speed Dowel™ cuts the time and labor of conventional slip dowel installation in half.



GREENSTREAK



SPEED DOWEL™ is a two component system consisting of a sleeve and an attachment base. Bases are reusable; consider this when determining requirements.



- 1. Nail the speed dowel in place.**
No more wasting time drilling forms.



- 2. Pour the concrete.**
Speed dowel is self aligning and creates a clean void to install dowels.



- 3. Strip your forms.**
It's that simple!! And you can use your forms again with the bases still in place, saving you money on labor and materials.

GSPSD/#4BX	5/8" Dowel Base for 1/2" Rebar
GSPSD/#5BX	3/4" Dowel Base for 5/8" Rebar
GSPSD09/#4TX	5/8" ID x 9" Dowel Tube for 1/2" Rebar
GSPSD12/#4TX	5/8" ID x 12" Dowel Tube for 1/2" Rebar
GSPSD12/#5TX	3/4" ID x 12" Dowel Tube for 5/8" Rebar

Additional Sizes Available!

SPEED PLATES



GREENSTREAK



SPEED PLATE™ Flat Plate Dowel System

The economically smart choice for flat plate dowel applications in construction joints. Provides load transfer across construction joints and accommodates lateral and axial movement at inception due to concrete shrinkage and differential slab movement. The patented design reduces the number of dowels typically required with slip dowel systems and offers many benefits to owners and installers.

Slab Depth	SPEED PLATE Dimensions	Center-to-Center Spacing
5" - 6"	1/4" thick X 4" wide x 6" long	18"
7" - 8"	3/8" thick X 4" wide X 6" long	18"
9" - 11"	3/4" thick X 4" wide X 6" long	20"

SCREED KEY BoMetals, inc.

PRO-KEY™ are stay in place metal keyed control joint formers for use in concrete flatwork as a control or construction joint. Available in 10 foot lengths.

BO1003	3-1/2" x 10'
BO1004	4-1/2" x 10'
BO1005	5-1/2" x 10'
BO1015	15" Stake




SMOOTH DOWELS DAYTON/RICHMOND CONCRETE ACCESSORIES

A common application of smooth dowels is alignment of wall panels as they are tilted and set on a footing or pier.

DS86140	1/2" x 18" Smooth Dowel
DS86180	5/8" x 18" Smooth Dowel


VOID CAP

A polystyrene cap with a removable top. When placed over asphalt impregnated expansion joint, the top section can be separated from the bottom section creating a 1/2" x 1/2" void on the surface of the concrete. The cap acts as a barrier eliminating the migration of chemical seepage to the surface of the concrete.



ZIP-STRIP CONTROL JOINT

Used anywhere a separation or control joint is required. Finished to the top of grade, zip off the top strip and finish.



Product #	Width	Length	Qty/Box	Ft./Box
SF1001	1"	10'	50 pcs.	500'
SF1003	1-1/2"	10'	50 pcs.	500'
SF1005	2"	10'	50 pcs.	500'

BACKER ROD HANDY-PACK

NOMACO

Compressible polyethylene foam rope. Use as a backing material for elastomeric sealants. Used on metal panels, pre-cast panels, expansion joints, window and door frame perimeters, coping joints, glazing joints, floor and deck joints.

NOM359-91-0375-1	3/8" Closed Cell Sof Rod
NOM359-91-0625-1	5/8" Closed Cell Sof Rod
NOM359-91-0875-1	7/8" Closed Cell Sof Rod
NOM359-91-1125-1	1-1/8" Closed Cell Sof Rod
NOM322-91-1500-1	1-1/2" Closed Cell Sof Rod (6' Length)
NOM322-91-2000-1	2" Closed Cell Sof Rod (6' Length)
NOM322-91-2500-1	2-1/2" Closed Sof Rod (6' Length)
NOM322-91-3000-1	3" Closed Cell Sof Rod (6' Length)
NOM359-91-0375-0	3/8" Sof Rod Handy Pack (1400 LF)
NOM359-91-0625-0	5/8" Sof Rod Handy Pack (550 LF)
NOM359-91-0875-0	7/8" Sof Rod Handy Pack (330 LF)
NOM322-91-1125-0	1-1/8" Closed Cell Sof Rod (500 LF)

ROAD & HIGHWAY BOOK

EXPANSION JOINTS

ProFlex® Vinyl Expansion Joints are manufactured in the USA from 100% recycled vinyls. ProFlex® will not rot, swell, crack, break, or deteriorate. ProFlex® is water and chemical resistant. Because its vinyl, ProFlex® is flexible for radius work, yet rigid enough to be used for forming. ProFlex® will accept a concrete stain, making it excellent for stamped and/or decorative concrete work, providing a seamless look.



- OP104** 1/4" thickness, 4" x 5'
- OP004** 1/2" thickness, 4" x 5'
- OP006** 1/2" thickness, 6" x 5'



FIBRE EXPANSION JOINT FILLER

Asphalt Expansion Joint Filler
SEALTIGHT FIBRE Expansion Joint Filler is a versatile, resilient, flexible and non-extruding joint composed of cellular fibers securely bonded together and uniformly saturated with asphalt. It is ideal for use on highways, streets, airport runways, sidewalks, driveways, flatwork, and scores of commercial and industrial applications.



- MD003** 1/2" x 3 1/2" x 5' Fiber Expansion Joint
- MD004** 1/2" x 4" x 5' Fiber Expansion Joint
- MD005** 1/2" x 5" x 5' Fiber Expansion Joint
- MD006** 1/2" x 6" x 5' Fiber Expansion Joint
- MD012** 1/2" x 48" x 5' Fiber Expansion Joint
- MD0126** 1/2" x 36" x 6' Expansion Joint
- MD034** 3/4" x 48" x 5' Fiber Expansion Joint
- MD0410** 1/2" x 4" x 10' Fiber Expansion Joint
- MD0510** 1/2" x 5" x 10' Fiber Expansion Joint
- MD0610** 1/2" x 6" x 10' Fiber Expansion Joint

EXPANSION JOINT FILLER

Deck-O-Foam® Expansion Joint Filler

SEALTIGHT DECK-O-FOAM is a lightweight, non-staining, polyethylene, closed cell product for expansion, contraction and/or isolation joint applications. It is ideal for swimming pool decks, curb and gutter work, floor slabs, pavement patch repair, sidewalks, driveways, plazas, parking decks, highways and airport runways.



- MD1003** 3/8" x 48" x 50' Roll
- MD1004** 1/2" x 4" x 50' Roll
- MD1005** 1/2" x 5" x 50' Roll
- MD1006** 1/2" x 6" x 50' Roll



Other Sizes Available!

DENVER FOAM®

A backer rod serving as a backing for elastomeric and other applied caulking sealants. Denver Foam® controls the depth and amount of sealant required.



- ED1000** 5/8" x 500 ft. length
- ED2000** 7/8" x 350 ft. length
- ED3000** 1-1/8" x 300 ft. length
- ED4000** 1-1/2" x 350 ft. length
- ED5000** 2" x 200 ft. length

SLUMP CONES

Accurately determine the slump of concrete both in the laboratory and in the field.

DU3000 Steel Slump Cone

Made of seamless spun steel for easy cleaning. Fitted with handles and foot lugs, plated to resist rust. Conical shape 8" diameter base, by 4" top, by 12" height.



CONCRETE TEST CYLINDER MOLDS



Econ-o-Mold

For quality control and for reference in the case of concrete failure, test specimens are very essential to the engineer and concrete producer. To insure that the only variable is the concrete itself, use correct curing and sampling procedures and ECON-O-MOLD™ concrete test cylinder molds. They give consistent, dependable performance. 6" x 12" are packed either in a standard 20 pack or a new 36 pack. This new pack meets United Parcel Service dimensions and ships more economically. Meet S.A.S.T.M. specifications C39, C192 and C470. Lids and Stripping tools available



Other Sizes Available!

- DUTC6W** 6" I.D. x 12" Long -White
- DU2000** 6" I.D. x 12" Long -Black
- DU2001** Test Cylinder Flat Lid

GRADUATED TAMPING ROD

DU3002 A round, straight steel rod for use with concrete cylinder molds, slump cones, and unit weight tests. Measures 5/8" diameter by 24" length. Both ends are rounded to a hemispherical tip. Rod is plated for rust resistance and has a 6" scale in 1/4" increments engraved on the handle end of the rod.



SCOOP

DU3003

For handling concrete, sand and soils in the laboratory or field. One piece aluminum casting, Scoops are 5" wide by 8-1/4" long. Overall length with handle is 11-3/4".



THERMOMETERS



DUT200 Minimum/Maximum

Clearly shows the minimum and maximum temperature in time period since last setting. Can be reset easily with magnet included in the set. White backing marked with bold black numbers shows off the mercury column and Min/Max markers. Resettable high/low indicators. Dual scale: -30°F to +120°F; -34°C to +50°C. +/- Division accuracy, 1°.



DUT125 Direct Reading Dial

- 1" Dial, 1-3/4" Dial.
- Stainless steel construction.
- +/- Division accuracy.
- Recalibration nut.
- Range: -25° F to +550° F.



POINTING MASTIC



Sealtight® Pointing Mastic

A pre-mixed, cold-applied polymeric single component compound. Pointing Mastic was specifically designed for use with vapor and waterproofing membrane and detail strip products to seal all membrane terminations. It offers excellent cohesive and adhesive qualities to structural concrete, masonry, or wood.



MD4200 29 oz. cartridges

WATERPROOFING PRIMER

Mel-Rol® Self-Adhering Waterproofing System

Apply MEL-PRIME Solvent-Base VOC Primer to concrete to simultaneously prepare and dustproof new and old, vertical and horizontal surfaces in one easy, economical operation. Use MEL-PRIME S/B VOC on all concrete surfaces to receive applications of MEL-GARD®, MEL-ROL®, MEL-DEK™ and/or AIR-SHIELD™ Waterproofing Membranes from W. R. MEADOWS.



MD4101 1 Gal Mel-Prime Solvent
MD4100 5 Gal Pail Mel-Primer Solvent

WATERPROOFING MEMBRANES

Mel-Rol® Self-Adhering Waterproofing System

A flexible, versatile, dependable, cost-effective, "peel and stick" protective, roll-type waterproofing membrane. It is ideal for waterproofing foundations, vertical wall and below-grade floors in residential and commercial construction, between-the-slab waterproofing on plaza and parking decks, structural slabs.



MD4000 60' long by 38.5" wide roll

INLET FILTERS



State DOTs and Municipalities across the country now have a universal structural BMP to address the issue of storm sewer inlet protection. The FLEXSTORM system is inexpensive, configurable and adjustable and offers more versatility to fit the wide array of drainage structures throughout the United States while offering various levels of filtration. FLEXSTORM Inlet Filters are the preferred choice for inlet protection and storm water runoff control.

SILT FENCE

MP1000 Roll 3' x 100' Silt Fence with 13 Stakes

Nearly 70% of all construction jobs that require silt fence do not specify the type of fence that must be used. Save money by using Silt Sock's superior quality non-spec contractors grade silt fence.



D.O.T. Spec Silt Fence

Silt Sock is Wisconsin D.O.T. approved and certified by many state D.O.T.'s and can manufacture D.O.T. silt fence to meet any requirement.

MP1000 Roll 3' x 100' Silt Fence with 13 Stakes
MP2000 Roll 3' x 100' Wisconsin DOT Silt Fence with 13 Stakes

SILT SOCKS



A tubular-shaped material comprised of a fabric exterior filled with wood chips or compost. The material used in the sock is an environmentally safe material.



Cost Effective & Low Maintenance: Silt Socks allow water to flow through at a controlled rate while trapping sediment. This is accomplished by a filter fabric filled with organic material. The design of the sock provides intimate contact with the ground preventing water from flowing underneath.

Easy Install: Filled socks may be used as an alternative to silt fence in many areas.

Green Product: The socks are filled with 100% wood recycled from new construction debris.

Better Site Access: The sock is an effective erosion control device with a lower profile making your project easier to access and more aesthetically pleasing.

Reusable: The Silt Sock is an effective perimeter control device.

Shippable: Any quantity of filled Sock is palletized and ready to ship to your projects location.

Size Options: Stocked in 8' x 20' (SIL1000). Also available in 12", 18", & 24" diameter.

SIL1000 8" X 20' Silt Sock
SIL2000 Inlet Bags - Wi. Type D

ROAD & HIGHWAY BOOK

EROSION CONTROL



Enviroscape provides quality erosion control matting tailored to your specification and size requirements. Our erosion control blankets can be used for slopes, drainage channels, and shore lines. The blankets are produced using degradable agricultural



straw, excelsior, coconut fiber, or polypropylene fiber, as well as composite blankets. 100 sq. yard rolls.

- LIM1001** S1000 Single Net Blanket, Class 1 Type A
 - LIM1002** S2000 Straw Double Net Blanket, Class 1 Type B
 - LIM1007** S1000BD Biodegradable Single Net Blanket
 - LIM1003** Circle Top Pins, 1000/box
- Additional Styles and Sizes Available**

CULVERTS



N-12 HDPE Dual Wall Smooth Interior

Made from high density polyethylene, this HDPE drainage pipe combines an annular corrugated exterior for strength with a smooth interior wall for maximum flow capacity. The N-12 pipe was designed specifically

for storm sewers, highways, airports, and other engineering construction. This pipe is significantly lighter than concrete pipe, and superior to metal pipe in corrosion and abrasion resistance. The N-12 pipe's excellent strength-to-weight ratio and its performance and economy have led to rapid acceptance by contractors and engineers, and official approval by state and municipal agencies. Available in both bell and spigot and plain end styles. Plain end style uses split couplers to attach culverts. Wisconsin DOT approval up to 36".

- AD12850020IB** 12" x 20' Bell & Spigot Culvert
- AD12950024DW** 12" x 24' Plain End Culvert
- AD12950030** 12" x 30' Plain End Culvert
- AD15850020IB** 15" x 20' Bell & Spigot Culvert
- AD15950024DW** 15" x 24' Plain End Culvert
- AD15950030** 15" x 30' Plain End Culvert
- AD18850020IB** 18" x 20' Bell & Spigot Culvert
- AD18950024DW** 18" x 24' Plain End Culvert
- AD24950024DW** 24" x 24' Plain End Culvert
- AD1265AA** 12" Split Coupler
- AD1565AA** 15" Split Coupler
- AD1865AA** 18" Split Coupler
- AD2465AA** 24" Split Coupler
- ADI275NS** Metal End Wall for 12" Culvert
- AD1575NW** Metal End Wall for 15" Culvert

Additional Sizes & Fittings Available


GEOTEXTILE FABRICS



US Fabrics are a nonwoven needlepunched geotextile made of 100% polypropylene staple filaments. US205NW can be used in drainage applications or can be used for separation under roads, driveways or parking areas. US300NW can be used under riprap for erosion control; for separation in road and railroad applications; and will act as a cushion in geomembrane applications.

- USF1000** 12.5' x 432' Roll Private Driveway Fabric #US200
 - USF2000** 12.5' x 360' Roll DOT Type R, Type C Fabric #US205NW
 - USF2500** 15' x 300' Roll DOT Type R, Type C Fabric #US205NW
 - USF3000** 12.5 x 360' Roll DOT Type HR Fabric #US300NW
 - USF3500** 15' x 300' Roll DOT Type HR Fabric #US300NW
- Additional Styles and Sizes Available**


GEOGRID



Without Geogrid Reinforcement



With Geogrid Reinforcement



A geosynthetic material used to reinforce soils and similar materials. Geogrids are commonly used to reinforce retaining walls, as well as subbases or subsoils below roads or structures. Soils pull apart under tension. Compared to soil, geogrids are strong in tension. This fact allows them to transfer forces to a larger area of soil than would otherwise be the case. Geogrid is designed for base reinforcement and subgrade improvement.



**Available in Basegrid 11, 12, 13, 15 and 41.
Equal to Tensar BX series.**

ROAD & HIGHWAY BOOK

COMMERCIAL TRENCH DRAINAGE SYSTEMS



K1005 - General Purpose Drainage
Has integrally cast in galvanized steel grate support rail. This edge provides a discreet aesthetic wearing edge.

- Parking Areas
- Railway Platforms
- Light Industrial
- Office Buildings
- Gas Stations
- Restaurants and Shopping Malls
- Auto Repair Shops
- Interior Locations
- Airport Terminals



A Variety of Grates are Available!

ACO2899 QuickLok® Grate Locking System For K1005

Comprised of a glass nylon stud, factory fitted to the grating, which allows a snap fit into a stainless steel spring clip in the locking bar. With no loose bolts or bars, QuickLok provides highly secure boltless locking, that is easy to remove / replace for maintenance and cleaning. Used in the K1005 system. The locking bar must be placed by the installer.



DRAINAGE TILE



with sock



- | | |
|-------------------|----------------------------------|
| AD03010100 | 3" x 100 LF Drain Tile w/o Sock |
| AD04010100 | 4" x 100 LF Drain Tile w/o Sock |
| AD04010250 | 4" x 250 LF Drain Tile w/o Sock |
| AD04730100 | 4" x 100 LF Drain Tile with Sock |
| AD04730250 | 4" x 250 LF Drain Tile with Sock |

COMMON DRAINAGE FITTINGS



- | | |
|--------------------|---------------------|
| A) AD0417AA | 4" Internal Coupler |
| B) AD0421AA | 4" Tees |
| C) AD0422AA | 4" Wye |
| D) AD0432AA | 4" Snap End Cap |

TRENCH DRAINAGE SYSTEMS



MEA-JOSAM Pro-Plus

Manufactured from glass reinforced polyester (GRP) pressed from sheet molding compound (SMC), the Mea-Josam Pro-Plus trench drains provide a trench drain system that is 1.5 times stronger, yet 70% lighter, than polymer concrete. In addition to strength and reduced weight, key advantages of the SMC/GRP process include shatterproof, non-porous, chemical resistance, nonflammable, superior compressive, flexural and tensile strength and reduced thermal expansion. The Pro-Plus series is available with and without slope, in 4", 8" and 12" nominal widths and with a variety of gratings including the STARFIX "bolt free" grate securing system.

- | | |
|-------------------|---|
| JOS100BS | Pro Plus 100 Channel Bracket Support |
| JOS100BSW | Pro Plus 100 Outlet End Bracket Support |
| JOS100EC | Pro Plus 100 Solid End Cap |
| JOS100OE4 | Pro Plus 100 4" End Outlet |
| JOS140144 | 1/2 Meter Ductile Iron Grate |
| JOS100C01 | 101 Pro-Plus 1M Sloped Channel Trench Drain |
| JOS100C02 | 102 Pro-Plus 1M Sloped Channel Trench Drain |
| JOS100C03 | 103 Pro-Plus 1M Sloped Channel Trench Drain |
| JOS100C04 | 104 Pro-Plus 1M Sloped Channel Trench Drain |
| JOS100C05 | 105 Pro-Plus 1M Sloped Channel Trench Drain |
| JOS100C05N | 105N Pro-Plus 1M Neutral Channel Trench Drain |
| JOS100C06 | 106 Pro-Plus 1M Sloped Channel Trench Drain |
| JOS100C07 | 107 Pro-Plus 1M Sloped Channel Trench Drain |
| JOS100C08 | 108 Pro-Plus 1M Sloped Channel Trench Drain |
| JOS100C09 | 109 Pro-Plus 1M Sloped Channel Trench Drain |
| JOS100C10 | 110 Pro-Plus 1M Sloped Channel Trench Drain |

POLY

Plastic Sheeting

- Thousands of uses!
- Equipment Cover
 - Vapor Barrier
 - Insulation
 - Paint Protection
 - Moisture Barrier



**More Sizes Available!
Give us a call!**

- | | | | |
|-----------------|-----------------------|-----------------|--------------------------|
| 042002 | 2 Mil - 4'2" x 200' | 201006 | 6 Mil - 20' x 100' |
| 061004 | 4 Mil - 6' x 100' | 201006B | 6 Mil - 20' x 100' Black |
| 061006 | 6 Mil - 6' x 100' | 201008 | 8 Mil - 20' x 100' |
| 081004 | 4 Mil - 8' x 100' | 201010 | 10 Mil - 20' x 100' |
| 081006 | 6 Mil - 8' x 100' | 202001.5 | 1.5 Mil - 20' x 200' |
| 082001.5 | 1.5 Mil - 8'4" x 200' | 202002 | 2 Mil - 20' x 200' |
| 094007 | .7 Mil - 9' x 400' | 241004 | 4 Mil - 24' x 100' |
| 101004 | 4 Mil - 10' x 100' | 241006 | 6 Mil - 24' x 100' |
| 101006 | 6 Mil - 10' x 100' | 281004 | 4 Mil - 28' x 100' |
| 121004 | 4 Mil - 12' x 100' | 281006 | 6 Mil - 28' x 100' |
| 121006 | 6 Mil - 12' x 100' | 321004 | 4 Mil - 32' x 100' |
| 161004 | 4 Mil - 16' x 100' | 321006 | 6 Mil - 32' x 100' |
| 161006 | 6 Mil - 16' x 100' | 401004 | 4 Mil - 40' x 100' |
| 201004 | 4 Mil - 20' x 100' | 401006 | 6 Mil - 40' x 100' |

PARKING LOT SEALANT



SEALIGHT® DIRECT FIRE PARKING LOT SEALANT (PLS)

SEALIGHT Direct Fire Parking Lot Sealant (PLS) is formulated specifically for melting and heating in direct fire kettles. It is a single-component, hot-applied, self-leveling sealant to be used for sealing joints and cracks in Portland Cement or asphaltic concrete pavements. PLS is easily melted and applied, and will form a flexible, resilient, non-tracking seal suitable for use on both highways and parking lots.

MD7000 50 lb cartons

ASPHALT HORIZONTAL CRACK AND JOINT SEALER

SAFE-SEAL® 3405

High Performance, Cold-Applied, One-Component, Horizontal Crack and Joint Sealer

A high performance, polymer-modified, asphalt emulsion horizontal joint and crack sealant.



It is a one-component, self-leveling material that can easily be poured into openings 1/8" up to 1" wide. After full cure, the product will remain flexible at cold temperatures and will not flow at high temperatures.



1 gallon container
5 gallon container



ASPHALT HORIZONTAL CRACK AND JOINT SEALER



3405 Hot-Applied, Single Component, Polymeric Joint Sealant

A quality, hot-applied, single-component polymeric compound. 3405 was specifically formulated for the cost-effective sealing of cracks and joints in Portland cement and asphalt concrete highways. It offers excellent bonding properties, high resiliency and resistance to degradation from weathering. It is ideal for large, medium and small-scale sealing projects. Packaging: 55 pound (cartons containing two 27.5 pound blocks individually wrapped in poly bag liners).



ASPHALT PATCH



Perma-Patch®

A high tech cold patch repair material, which consists of a unique blend of special polymer additives, pressure sensitive plastics, asphalt and special



aggregates. The grade uses an average 1/4" aggregate. It can be applied in any weather conditions in temperatures from -15 to 104°F (-28 to 40°C+) without mixing, tack coating or any other type of sealer being applied. Perma-Patch is used for quick and permanent repairs of potholes, cracks, cable trenches, utility cuts, around manhole covers, any broken areas, sections touching expansion joints.

PER1000 60 Lb. Bag Perma-Patch Asphalt Patch

ASPHALT SEALANTS



#3405 Regular Hot Applied Sealant

Formulated with selected asphaltic resins, synthetic polymeric rubber, plasticizers, stabilizers, and a blend of organic reinforcing fillers.



#3405 Parking Lot Sealant

Formulated with selected asphaltic resins, synthetic polymeric rubber, plasticizers, stabilizers, and a blend of organic reinforcing fillers.



#3405 Rubber Hot Applied Sealant

Formulated with selected asphaltic resins, synthetic polymeric rubber, plasticizers, stabilizers, and a blend of organic reinforcing fillers. It is specifically formulated to contain a minimum of 18% - recycled rubber.



#3405 Poly Fiber-EF Hot Applied Sealant

Formulated with selected polymer modified asphaltic and pre-treated dimensionally stable polyester (DSP) fibers in a proprietary blend consisting of a minimum 5% fibers by weight.

ASPHALT MELTER & APPLICATOR



KRG968

Portable Asphalt Melter And Applicator



ROAD & HIGHWAY BOOK

AS-1 1315 ACHRO SEAL

A solvent based, clear, acrylic and methyl methacrylate resin curing, sealing and hardening compound for freshly placed and/or existing concrete, terrazzo, brick, stone, architectural concrete and other cementitious materials for either exterior or interior applications. AS-1 can be used for curing, sealing, abrasion resistance, ultra-violet ray resistance, and chemical resistance. Also available in white or grey pigment for exterior work. Coverage Rate: Curing and Sealing 300-600 Sq. Ft./Gal.



TKAS101 1 Gallon container
TKAS105 5 Gallon Container
TKAS155 55 Gallon Container

TKAS1W01 1 Gallon Container (White Pigmented)
TKAS1W05 5 Gallon Container (White Pigmented)
TKAS1W55 55 Gallon Container (White Pigmented)

AK-2 CURING & SEALING AGENT

AK-2 ACHRO KURE 1315 is a 25% solids solvent based, clear, high quality acrylic resin curing, sealing and hardening compound for freshly placed and/or existing concrete, terrazzo, brick, stone, architectural concrete and other cementitious materials for either exterior or interior applications. AK-2 ACHRO KURE with it's premier acrylic resin gives it superior moisture retention capabilities, excellent resistance to abrasion, ultra-violet ray resistance, and chemical resistance.



TKAK201 1 Gallon Container
TKAK205 5 Gallon Container
TKAK255 55 Gallon Container

BRIGHT KURE & SEAL

Bright Seal is a excellent sealer for architectural concrete, terrazzo, brick, stone, slate, quarry tile, burnish block, or any cementitious material where yellowing or discoloration cannot be allowed. The coating is clear and does not yellow, degrade with age or exposure to ultraviolet rays. Coverage Rate: 100-400 Sq. Ft./Gal. depending on the porosity of the substrate.



TKBS01 1 Gallon Container (High Gloss)
TKBS05 5 Gallon Container (High Gloss)
TKBS55 55 Gallon Container (High Gloss)

BRIGHT KURE & SEAL MATTE FINISH

A blend of 100% methyl methacrylate polymers used as a superior exposed aggregate cure, and final sealer and protective coating. The coating is clear and does not yellow, degrade with age or exposure to ultraviolet rays. The matte finish provides low luster.



TKBSMT01 1 Gallon Container (Matte Finish)
TKBSMT05 5 Gallon Container (Matte Finish)
TKBSMT55 55 Gallon Container (Matte Finish)

BRIGHT KURE & SEAL MERRIMAC BROWN

A colored sealer solution of 100% methacrylate polymers used as a specialized curing and sealing compound for exposed aggregate and stamped concrete. It provides increased protection and enhances the aggregate compared to typical curing compounds. Also Available with Matte Finish.



TKBSM01 1 Gallon Jug Bright K&S Merrimac Brown
TKBSM05 5 Gallon Pail Bright K&S Merrimac Brown
TKBSMBMF05 5 Gallon Pail Bright K&S Merrimac Brown Matte Finish

BRIGHT GLAZE

Bright Glaze is a higher viscosity (thicker) version of Bright Kure & Seal. It is to be used when you are looking for a glossy one coat film. A blend of 100% methyl methacrylate polymers used as a specialized superior curing and sealing compound for exposed aggregate, colored stamped concrete and stenciled concrete.



TKBG01 1 Gallon Can Bright Glaze
TKBG05 5 Gallon Pail Bright Glaze

TK TRI-GRIP

A Non-Slip Synthetic Aggregate made up of Polypropylene sphere shaped particles. It creates a textured surface without sharp edges. They are light weight so they will stay suspended in TK Product's curing and sealing compounds easily. They are clear, so unnoticeable on the floor. Can be used in sealers and stains.



TKTRIGRIP20 1lb. Container

ROAD & HIGHWAY BOOK

TK-290 FINAL SEAL

Ready-to-use, colorless, breathable, non-staining, non-yellowing and deep penetrating. May be applied to concrete that had previously been applied with a cure and seal such as: Achro Seal AS-1, Achro Kure AK-2, TK-26 UV, and Bright Kure and Seal. It should be sprayed and back rolled over the concrete to re-solvate the resin on the surface; penetrating and sealing it off from water and harmful deicers that can cause concrete deterioration.



TK290FS05 5 Gallon Pail TK-290 Final Seal
TK290FS55 55 Gallon Drum TK-290 Final Seal



TK-26



A special formula of chlorinated rubber and epoxy that cures, hardens and seals new concrete. It eliminates the need for other curing processes, sealing and hardening agents, when applied to new concrete as a cure, sealing in and retaining 95-98% of the moisture content for the critical 7 day curing period. This high moisture retention assures stronger fully cured concrete. Coverage Rate: Curing and Sealing 350-650 Sq. Ft./Gal.



TK2601 1 Gallon Container
TK26W01 1 Gallon Container (White Pigmented)
TK2605 5 Gallon Container
TK26W05 5 Gallon Container (White Pigmented)
TK2655 55 Gallon Container
TK26W55 55 Gallon Container (White Pigmented)

TK-290 TRI-SILOXANE

A solvent based, low viscosity oligomeric organosiloxane, one-component, deep penetrating, invisible, non-darkening water repellent for concrete and masonry. The siloxane groups are chemically bonded, not just physically bonded like other surface penetrating sealers, to the concrete. It eliminates the ever present moisture that had previously engulfed the cementitious substrate, thus eliminating spalling, freeze/thaw damage, and rebar corrosion. It penetrates up to 1/4 inch and becomes a permanent part of the substrate not allowing water to enter, but allows moisture vapor to pass out of the substrate.



TKTRIO1 1 Gallon Container
TKTRIO5 5 Gallon Container
TKTRI55 55 Gallon Container



TK-26 UV



A special formula of chlorinated rubber and epoxy that cures, hardens and seals new concrete. Coverage Rate: Curing and Sealing 350-650 Sq. Ft./Gal.



TK26UV01 1 Gallon container
TK26UV05 5 Gallon Container
TK26UV55 55 Gallon Container

TK-290 WDOT

A solvent based, low viscosity oligomeric organosiloxane, one-component, deep penetrating, invisible, non-darkening water repellent for concrete and masonry. Specified and approved by the state of Wisconsin for protective coating on bridge decks.



TK290DOT05 5 Gallon Container
TK290DOT55 55 Gallon Container



TK-CCS

Concrete colored chlorinated rubber and epoxy that cures & seals concrete that has been patched or different colored cements used, to make the concrete uniform in color and sealed from de-icing chemicals. Designed for exterior concrete.



TKCCS01 1 Gallon Container
TKCCS05 5 Gallon Container
TKCCS55 55 Gallon Container



TK-590 DOT

TK-590 TRI-SILANE is a one-component, deep penetrating, invisible, non-darkening treatment for concrete. TK-590 TRI-SILANE is an alkylalkoxy-silane, 100% reactive penetrant, designed to prevent the intrusion of water and waterborne salts into concrete and masonry substrates.



TK59005 5 Gallon Pail TK-590 Tri-Silane Sealer
TK59055 55 Gal. Drum TK-590 Tri-Silane Sealer



TK-DOT STAIN

A high solids chlorinated rubber concrete sealer and protector, designed for the Department of Transportation. Offers the same protection from deicing chemicals as our Tri-Kote 26 along with the color uniformity of our TK-CCS. To be used on vertical surfaces.



TKSTAIN01 1 Gallon Container
TKSTAIN05 5 Gallon Container
TKSTAIN55 55 Gallon Container



ROAD & HIGHWAY BOOK

TK-5329 FLOOR HARDENER AND DENSIFIER

A colorless, orderless, nontoxic, noncombustible blend of 100% active sodium silicate and silicate chemicals which deeply penetrate the concrete and masonry substrates. It chemically reacts with the calcium component in the cement to strengthen, harden, densify, dustproof and waterproof permanently. Coverage Rate: 200-300 Sq. Ft./Gal.



TK532905 5 Gallon Container
TK532955 55 Gallon Container



TRI-SEAL

A 100% water based, high solids, premiere acrylic resin compound formulated to cure, seal, protect and dustproof concrete as well as to seal many types of porous tile and resilient floor. For both interior and exterior application. TRI-SEAL is particularly recommended for indoor work in public buildings and housing (hospitals, schools, restaurants and private residences where solvent systems are difficult to use). Coverage Rate: Curing and Sealing 300-500 Sq. Ft./Gal.



TKTRISEAL01 1 Gallon Container
TKTRISEAL05 5 Gallon Container
TKTRISEAL55 55 Gallon Container

TK 2519DC WB

A 100% Resin Water/Solvent Emulsion Base Curing Compound. Its designed for curing freshly placed concrete surfaces, allowing the concrete to achieve maximum hardness and density by restricting the evaporation of available moisture within the mix. It can be used on both vertical and horizontal surfaces, interior and exterior, i.e. sidewalks, floors, walls, curbs and gutters, or wherever proper curing is desired. TK-2519 WB chemically becomes very brittle after 28 days. Average traffic will wear it off. On areas where there is little traffic, a power sweeper with stiff bristle brushes, or a buffer with a coarse 3M pad will take it off. This process leaves the concrete surface suitable for subsequent coatings of liquid floor hardeners, penetrating sealers (silanes & siloxanes), epoxies, and cementitious toppings. Coverage Rate: Curing and Sealing 200-300 Sq. Ft./Gal.



TK2519DC01 1 Gallon Container
TK2519DC05 5 Gallon Container
TK2519DC55 55 Gallon Container

TK KURE & SEAL WB

**GREAT WINTER SEALER FOR INSIDE USE!
NO ODOR & NON-FLAMMABLE!**

A 100% water based, acrylic resin compound formulated to cure, seal, protect and dustproof concrete as well as to seal many types of porous tile and resilient floor. For both interior and exterior application. Coverage Rate: Curing and Sealing 150-250 Sq. Ft./Gal.



TKKUREWB01 1 Gallon Container
TKKUREWB05 5 Gallon Container
TKKUREWB55 55 Gallon Container

URETHANE SEALER

TK-1572 URETHANE WB

A water borne aliphatic urethane dispersion specially designed to seal and protect interior and exterior concrete. It provides superior protection against water and abrasion versus water borne acrylics sealers. It dries to a full gloss while retaining the natural color of the concrete.



TK157201 1 Gallon Can Gloss Sealer
TK157205 5 Gallon Pail Gloss Sealer



CURING COMPOUND

2255 White PAMS Curing Compound

Ready-to-use concrete curing compounds are high solids, white pigmented, and poly-alpha-methylstyrene-based. These formulations were developed for various departments of transportation as premium-grade concrete curing compounds. The 2200-WHITE series offers rainfall protection typically within four hours of application, developing sufficient hardness and film integrity.



MDDR2255 55 Gal. Drum White PAMS Curing Compound - MN
MDDR2255WI 55 Gal. Drum White PAMS Curing Compound - WI

TK-2120 TRI FILM

An evaporation retardant to be used on freshly poured concrete to retard the evaporation of surface water during times of placing the concrete in direct sunlight, high winds, high temperatures, and/or low humidity, which will prevent crusting of the surface of the concrete and aid in it's finishing. TK-2120 Tri Film slows the evaporation by 80%.



TKTF01 1 Gallon Container
TKTF05 5 Gallon Container
TKTF55 55 Gallon Container

WHITE PIGMENTED CURING COMPOUND

1600-WHITE SERIES Water-base, Wax-base Concrete Curing Compounds

Water-Base, White-Pigmented Concrete Curing Compounds are wax-base dispersions, with selected white pigments. When properly applied, they provide an impermeable film, which optimizes water retention. The 1600-WHITE SERIES meets maximum VOC content limits of 350 g/L for Concrete Curing Compounds as required by the U.S. Architectural Coatings Rule.



MDPL1600	5 Gallon Container - WI
MDDR1600	55 Gallon Container - WI
MDDL1250	5 Gallon Container - MN
MDDR1250	55 Gallon Container - MN



FORM RELEASE AGENT

Farrell Red Label Form Release

A high quality form release agent that provides a means of easy release between all types of forms and concrete by the interaction of fatty acids and clear mineral seal oil instead of fuel oil. Guarantees non-staining of all architectural concrete. Rust inhibitors and wood preservatives are blended into the formulation to prevent rust on metal forms; and prevents deterioration of wooden forms.



FA4105	5 Gallon Pail Farrell Red Label Form Oil
FA4155	55 Gallon Drum Farrell Red Label Form Oil
FA4175	Tote Of Farrell Red Label Form Oil

ACRYLIC CURING & SEALING COMPOUND

SEALTIGHT® CS-309-25™ Ultra Clear Curing & Sealing Compound

A clear, non-yellowing high solid formulation of acrylic resins, plus select plasticizers, blended with a quick-evaporating solvent. When applied on freshly placed concrete surfaces, a tough, uniform, moisture-retentive film for simultaneous curing and sealing is formed. For curing and sealing newly placed concrete, vertical or horizontal applications.



1 Gallon Container
5 Gallon Container
55 Gallon Container



FORM RELEASE AGENT

Farrell Green Label Form Release

A high performance, low odor form release agent that provides a means of easy release between all types of forms and concrete by interaction of fatty acids, with the use of a clear mineral seal oil, and other slippery agents instead of fuel oil.



FA4005	5 Gal. Pail Farrell Green Label Form Release
FA4055	55 Gal. Drum Farrell Green Label Form Release
FA4075	Tote of Farrell Green Label Form Release

CURING COMPOUND

Lin-Seal® White Curing And Anti-Spalling Compound

A true water-based, white-pigmented, high solids emulsion of boiled linseed oil. When properly applied, it provides a nearly impermeable seal that optimizes water retention. The white pigments reflect the heat-producing rays of the sun to keep the concrete surface cooler and prevent excessive heat buildup.



MDPL1700	5 Gallon Pail
MDDR1700	55 Gallon Drum



BONDING AGENT

TK-Tri-Bond

A liquid, ready-to-use, high build, re-emulsifiable bonding agent used for adhering gypsum plaster and portland cement mixtures to all types of structurally sound surfaces. Bonds mortar bed of ceramic tile to old walls and floors.



CONCRETE BONDING AGENT

Liquid Bonding Agent

An acrylic latex bonding agent and admix (in place of water) for cement mortar patching and resurfacing. Mixed with a cement/sand or gravel combination, it becomes an effective patching and topping mortar having excellent adhesion capabilities and resistance to abrasion, freeze/thaw cycling, industrial chemicals and deicing salts and chemicals.



FA2050	1 gallon container
FA2055	5 gallon container



BONDING AGENT



Weld-Crete® Concrete Bonding Agent

Bonds new concrete, stucco, tile setting beds and terrazzo to any structurally sound surface, interior or exterior. Use Weld-Crete's® open time to your advantage in bonding to concrete shear walls when you need a time lapse between application of bonding agent, placement of reinforcement steel, placement of formwork and placement of concrete.

ROAD & HIGHWAY BOOK

HEAVY DUTY FLOOR PATCH

- Fast setting / super strength.
- Allows for quick repairs.
- Drive over it within two hours.



FA2005 50lb. Bag

VERTICAL PATCH

- Non-slumping vertical and overhead patch.
- Quick setting, eliminates form work.



FA2015 50lb. Bag

NON-SHRINK GROUT

- Grouting steel column bases.
- Grouting under precast construction.
- Fill holes and voids.
- Secure anchors and bolts.



FA2020 50lb. Bag

FLOOR UNDERLAYMENT

- Cement based floor leveler.
- Interior or exterior.
- For concrete surfaces.



FA2000 50lb. Bag

CONCRETE TEXTURE COAT



Cementitious coating. Finish and beautify vertical concrete/masonry Provides attractive textured finish. Brush, Roll, or spray on.

FA2040 Gray 50 lb. bag
FA2045 White 50 lb. bag



CONCRETE MIX

E-Z Crete quality concrete mix. Available in sand or gravel mix.

PN01300 Gravel Mix - 60lb. Bag
PN01200 Sand Mix - 60lb. Bag



CHEMICAL ACTION CONCRETE

MB530250 Set® 45

A one-component magnesium phosphate-based patching and repair mortar. This concrete repair and anchoring material sets in approximately 15 minutes and takes rubber-tire traffic in 45 minutes. For ambient temperatures below 85°. 50lb. Bag.



MASTER BUILDERS TECHNOLOGIES

HYDRAULIC CEMENT

Farrell Hydraulic Cement

A quick setting cement and sand compound used primarily as a water stop or leak sealer. It expands during its set and locks in place to block flowing water in 3 to 5 minutes. To be used only on concrete and masonry materials.



FA2030 60lb. container



ANCHORING CEMENT

Farrell Anchoring Cement

A quick setting cement and non-shrinking anchoring cement which gives a rock hard anchor for any items needing anchoring. As it hardens it expands to fill all voids and locks itself securely in place. Sets up hard in 15 minutes and will be stronger than concrete in one hour.



FA2035 50lb. container



GROUT



588™ PRECISION GROUT

SEALTIGHT 588 Precision Grout is a Portland Cement based product. It is non-corrosive, non-gaseous and provides high density, high initial and ultimate flexural and compressive strengths. It can be mixed quickly, as needed, on the job-site. 588 Grout offers exceptional workability and is easily placed by pouring or pumping. The product is designed to give non-shrink performance under various conditions, in interior or exterior applications.



MD588 50 LB. Bag 588 Non Shrink Grout

ROAD & HIGHWAY BOOK

BRIDGE DECK OVERLAY (BINDER)



TK-2109 Epoxy Bridge Deck Overlay
A two component, solvent free, 100% solids, low modulus epoxy. It is an epoxy system specially designed to provide a flexible, yet strong bond and seal to an existing or new bridge deck or parking structure. TK-2109 EPOXY BRIDGE DECK OVERLAY, with our specified selected sharp black granite aggregate, will provide a 3/8 inch layer of exceptional skid resistance.

BRIDGE DECK & CRACK SEALER



Tk-2110 Bridge Deck & Crack Sealer
A low viscosity, VOC compliant, solvent-free epoxy crack and deck sealer that was designed specifically for Department of Transportation bridge decks and parking structures. TK-2110 BRIDGE DECK & CRACK SEALER is a two-component, easy to mix, gravity type crack filler for use on new or existing horizontal concrete surfaces. It may be used as an alternative to hazardous methylmethacrylates.

EPOXY JOINT FILLER



MET-MM-80
1 Gallon Unit of Epoxy Joint Filler - Medium Gray

MM-80 is a 100% solids, two component, heavy duty semi-rigid epoxy joint filler designed to fill and protect contraction and construction joints in industrial concrete floors.



CITRUS CLEANER



Citri-Clean

Environmentally safe, nontoxic. Dilute with water or use in concentrated form. Removes oil, grease, rubber marks and other contaminants. Also removes cures, sealers and cure/sealers.

UNX60001 1 Gallon Jug Citri-Clean Degreaser
UNX60005 5 Gallon Pail Citri-Clean Degreaser
Also available in 55 Gallon Containers



SOLVENT CLEANER

TK-00 A solvent for cleaning sprayers that were used for spraying solvent based sealing compound, and tools. Also used for removing solvent based curing and sealing compounds.

TK0001 1 Gallon Container
TK0005 5 Gallon Container



TK-9000 100% EPOXY CRACK FILLER



A two-component, 100% solids, fast setting epoxy designed with state of the art epoxy resins with low toxicity. It is designed to flow and seep easily into small cracks in concrete decking, floors, parking and bridge decks, filling and bonding the concrete back together.

TK900012 1/2 Gallon Kit
TK900002 2 Gallon Kit
TK900010 10 Gallon Kit



JOINT FILLER



TK-9020 Joint Filler

A polyurethane/polyurea hybrid that comes in a 600 ML two component kit or bulk. It has a fast cure to allow for quick reopening of area. It has excellent adhesion, is very tough, and flexible to minimize the possibility of parallel cracks forming.

TK9020 22 Oz. Twin Tube Polyurea (Joint Repair)

CRACK & JOINT REPAIR



TK-9030 Crack And Joint Repair

A low viscosity translucent gray polyurethane/polyurea hybrid that comes in a 600 ML two component kit or bulk. It has a fast cure to allow for quick reopening of area. It has excellent adhesion, is very tough. Its low viscosity allows it to penetrate deep into smaller 1/32" hairline cracks.



TK9030 22 Oz. Twin Tube Polyurea (Crack Repair)

EPOXY PATCH



TK-211 Epoxy Patch

A 100% solids poly/amine solvent free epoxy resin system. The Epoxy can be used for bonding fresh concrete to existing concrete. Insensitive to moisture it can be used on dry or damp substrates. As much as five parts sand or aggregate can be blended to make a economical patching material up to 1 inch lifts, interior or exterior.

TKPE21102 2 Gal. Unit TK 211 Epoxy Floor Patch - Gray

MURIATIC ACID

DO3000

A heavy-duty concrete muriatic acid. Uses: etching and cleaning concrete. 1 gallon jug.



ROAD & HIGHWAY BOOK

EPOXY



Pro-Poxy 100 LV

Low-viscosity injection resin and mortar binder. An excellent epoxy adhesive for use in crack grouting by pressure injection or gravity-feed, and for making epoxy mortars and grouts. Includes static mixer and nut.

- UNX10003** Twin Tube Pro-Poxy 100 LV Crack Injector w/ Restr.
- UNX10006** 1 Gallon Unit Pro-Poxy 100 LV
- UNX10000** T-Ports for Injection

ADHESIVE




AC100+GOLD Quick-Shot Adhesive

Vinylester Injection Adhesive Anchoring System. It is a two-component adhesive anchoring system. Designed for bonding threaded rod and reinforcing bar hardware into drilled holes in concrete base materials.

- RA8478SD** 10 oz. Tube AC100+GOLD Quick-Shot Adhesive
- 28 oz. Tube AC100+GOLD Quick-Shot Adhesive

EPOXY



Pro-Poxy 204

Medium-viscosity, multi-purpose bonding adhesive. A solvent-free, moisture-insensitive, 100% solids, medium-viscosity, two-component epoxy bonding agent and injection resin specifically formulated for load-bearing applications where higher tensile strength is required. Recommended for structural crack repair for larger cracks: 0.007-0.030 in/0.18-0.76 mm. Includes static mixer and nut.

- UNX204003** Twin Tube Pro-Poxy 204 (Honey) w/ Half Restrictor
- UNX20404** 1 Quart Unit Pro-Poxy 204 (Honey)
- UNX20406** 1 Gallon Unit Pro-Poxy 204 (Honey)

CONSTRUCTION EPOXY

Rezi-Weld™ Gel Paste State

A high viscosity, high modulus, rapid-setting, thixotropic, structural, epoxy-based, chemical anchoring/bonding adhesive and injection gel. Provides high mechanical properties and bond strength to concrete and various other substrates. It is a two-component, moisture insensitive construction epoxy, which can be troweled, brushed, injected, or pumped.



- MD4401** 8.6 Oz. Single Tube Rezi-Weld Gel Paste State
- MD4402** 21.2 Oz. Dual Tube Rezi-Weld Gel Paste State
- MD4402-1** Static Mixer For Dual Tube Rezi-Weld Gel Paste State

EPOXY



Pro-Poxy 300 & 300 Fast

Non-sag, injectable anchoring gel Both PRO-POXY 300 and 300 FAST are high-strength, two-component epoxy adhesive anchoring gels. They both meet USDA specifications for use in food processing areas. Includes static mixer and nut.

- UNX30001** Single Tube Pro-Poxy 300 Fast Cure w/ Static Mixer
- UNX30003** Twin Tube Pro-Poxy 300 Fast Gel
- UNX30004** 1 Quart Unit Pro-Poxy 300 Gel
- UNX30006** 1 Gallon Unit Pro-Poxy 300 Gel
- UNX4008** Large Stepdown Static Mixer Full Mix for 300 Epoxy

CONSTRUCTION EPOXY

REZI-WELD™ LV STATE

An ultra-low viscosity, two-component, 100% solids, rapid setting, epoxy-based, structural injection resin. It is a solvent-free, low odor, high strength, high modulus, moisture-insensitive, ultra-low viscosity epoxy resin system. Resists most chemicals and forms a structural, monolithic bond with typical concrete.



- MD4350** 6.1 Oz. Single Tube Rezi-Weld LV State
- MD4351** 16 Oz. Dual Tube Rezi-Weld LV State
- MD4351-1** Static Mixer with Nut (Single & Dual Tubes)

EPOXY GUN



535-XSP Multi Ratio Applicator

26:1 Thrust Ratio. Easily Converts in Just Seconds with Snap In/Snap Out Push Disks. Patented Cartridge Stabilizing Plate for Extra Cartridge Support

CONSTRUCTION EPOXY

REZI-WELD 1000

A medium viscosity, two-component, construction-grade structural epoxy adhesive. It is moisture insensitive and resistant to many chemicals. High modulus, high strength REZI-WELD 1000 is color coded to assure proper mixing, and is self-leveling and easy to apply.



- MD4300** 1 Gal. Unit Rezi Weld 1000
- MD4302** 2 Gal. Kit Rezi Weld 1000

TOW BEHIND LIGHT TOWER

ALMNLPRO-34580-2 Night-Lite™ PRO SHO (super high output) parallel lamp fixtures are at least 33% more efficient than competitive fixtures and provide 50% more light output. Engine-generator package includes an 1800 rpm Kabota D905 liquid cooled diesel engine coupled to a 6 kw generator. Features: 30-gallon fuel tank provides approximately 65 hours of continuous operation. Heavy-duty enclosure includes rugged 12-gauge fold-up doors and 10-gauge side panels. Self-locking stabilizers and captive latch pin on tower support eliminate need for troublesome pins. Forklift pockets allow easy loading and unloading of up to 12 units on a flatbed truck. Additional Models Available.



Replacement Lamps Available!

Allmand

PORTABLE GENERATORS



Other Capacity Models Available.

HONDA
GENERATORS & PUMPS



Portable Generators
Honda Generators

HNEB3000CKAG	3000 Watt Construction Generator
HNEB5000XK2A	5000 Watt Construction Generator w/ Wheel Kit
HNEB6500X	6500 Watt Construction Generator w/ Wheel Kit
HNEU2000I	2000 Watt Super Quiet Generator
HNEU3000IIS	3000 Watt Super Quiet Generator
HNGX160K1QX2	5.5 HP Honda Motor
HNGX240K1QA2	8 HP Honda Motor

PORTABLE GENERATORS



Many More Models Available!

The preferred generators of contractors everywhere!



Withstands the rough handling on the job site or in the back of a truck. Receptacles — Additional twist-lock receptacles have been added for operator convenience. Hinged design lays flat when not in use. Brushless design — low maintenance for years of dependable service. Superior voltage regulation — helps to keep

tools and equipment running at optimal levels; helps them last longer.

GA-3.6HZ	3,600 watt, Honda Powered, Recoil start
GA-6HZ	6,000 watt, Honda Powered, Electric and recoil start
GA-9.7HZ	9,700 watt, Honda Powered, Electric and recoil start
MQWK2	Wheel Kit For MultiQUIP Generators

PORTABLE COMPRESSORS



ROLAIR
SYSTEMS

Portable Compressors

Rolair is strictly a compressor company that meets the compressed air needs of the professional contractor.

DIESEL GENERATORS

BALDOR



Tow Behind Generators

Baldor portable generators are designed to meet your demands when dependable portable power is required. The performance and durability of Baldor portables have made them the "generator of choice" for industrial and rental/construction applications. Baldor's brushless two-pole design is maintenance free and manufactured to the highest quality standards in an ISO 9001 facility.

TOW BEHIND COMPRESSORS

KAESER
COMPRESSORS



Chicago Pneumatic

Our portable compressors are ideally suited for use in heavy-duty construction businesses and are designed to withstand years of use in tough field operations. They have power-saving features and heavy-duty industrial diesel engines.

ROTARY LASER KIT

SL100-2

LL100 Laser Kit

A complete system is contained in a single hard-shelled, portable carrying case - the laser, receiver, clamp, tripod, and grade rod - for easy transportation, storage, and use.

Automatic, self-leveling ensures fast, accurate setups. Easy, one-button operation requires minimal training. The LL100 laser is capable of handling a wide variety of elevation control applications.



ROTARY LASER KIT

SLHV101GC2

HV101 Horizontal/Vertical Laser Package

The automatic, self-leveling Spectra Precision Laser HV101 Laser is a professional tool with an economical price tag. The HV101 laser is capable of handling a wide variety of horizontal, vertical and plumb applications. It is rugged enough for the toughest jobsite and designed to survive a 3 foot drop onto concrete. Backed by the industry's only 3-year instant over the counter exchange.



Includes HV101 laser, GR151 Grade Rod, HR320 Receiver, C59 Rod Clamp, RC601 remote control, wall mount, ceiling target and glasses.



ROTARY LASER

SL300

LL300 Self-Leveling Laser with Detector & Bracket

Our most rugged laser level. The Spectra Precision® Laser LL300 is rugged enough to survive drops of up to 3 feet onto concrete and can be tipped on a tripod up to 5 feet and keep working. Includes HR350 detector and bracket.



ROTARY LASER

SLGL422 Grade Lasers

Cost-effective, automatic self-leveling lasers that do three jobs—level, grade and vertical alignment with plumb. Both lasers feature a 2-way, full-function remote control so you can make grade changes from anywhere on the jobsite for reduced setup time and faster operation.



ROTARY LASER KIT

SL300-2

LL300 Laser Kit with HL450 Receiver, Tripod & Grade Rod

Rugged enough for tough job-site use, the Spectra Precision Laser LL300 Level delivers automatic self-leveling performance to help you get work done quickly, accurately, and efficiently.

Bundled with a 10 Foot Grade Rod (inches) and Tripod, the LL300 is a perfect choice for tackling elevation-control applications and handling concrete and other general construction jobs.



ROTARY LASER

GREEN BEAM LASER INCLUDES WALL MOUNT!

SLHV301G Green Beam Laser w/ Wall Mount

The automatic, self-leveling horizontal and vertical laser offers exceptional versatility and superior green beam visibility for increased productivity in a wide variety of horizontal, vertical and plumb applications.



LASER LEVELING SYSTEM

SL500C

Laserplane Leveling System

The world's best selling laser level: the Spectra Precision laser LL500 is a one-person leveling system designed for the most rugged environment. Accurate, stable and reliable, the LL500 is ideal for longer range measurements across



your entire site. It comes complete with a hand held or rod-mounted receiver and is also compatible with machine control receivers.

- 1600 ft. Operating Diameter.
- Battery Operated - uses Alkaline or NiCad batteries.
- Includes HR500 Laser Receiver.



UNIVERSAL LASER

SLUL633 Universal Pipe/Grade Laser

The first construction laser allowing total automatic control of all three axes (X/Y/Z). Can provide precise automatic axes alignments to two desired points without positioning the receivers 90 degrees perpendicular. This allows contractors to perform easily dual axis alignments for applications such as grade work on sports fields, parking lots, tennis courts and driveways.



ROTARY LASER



RL-H4C

Multi Purpose Laser

NEW RL-H4C auto-leveling laser combines precision, versatility and value in one job site tough package. Its super-fast self-leveling motors are accurate to +/-10 arc seconds meaning whether you're checking grade or setting batter boards you're going to be accurate the first time. Its high-power 2.4mW diode means you have a 2,600ft. (800m) diameter working radius making it a great reference for machine mounted receivers. All of these features plus optional dry, rechargeable battery operation makes the RL-H4C more than twice the laser offered by anyone else.



AUTO LEVELS



Optical Auto Levels

Featuring metal housings and high-quality optics, the Spectra Precision Optical Auto Levels are built to last. These optical levels are the ideal tools for daily leveling work.



- Air dampened compensator provides superior accuracy and stability.
- Plastic/rubber controls allows easier control in wet or cold conditions.
- Built-in angle circle enables basic short-range alignments.
- Metal housing increases durability.
- Built-in bubble mirror makes the level easy to see regardless of auto-level position.
- Rugged optical levels withstand the most challenging jobsite conditions for many years of reliable performance

SLAL224	24 Power Auto Level (AL24A)
SLAL228	28 Power Auto Level (AL28A)

ROTARY LASER



TOP313990752

#RLSV2S DUAL GRADE LASER

The RL-SV2S is built for multitasking — Meaning you can use it for both construction and interior jobs: jobs where you need a laser for horizontal, single slope, dual slope or vertical applications. This laser has all the features and is easy to use. Horizontal, single and dual slope. Vertical function. Full function radio remote. Long-range operation (800m). Tough IP66 construction rating. Extra-long battery life (120 hours).



DIGITAL THEODOLITE



SLDET-2

DET-2 Spectra Precision Theodolite

Full featured digital theodolite for general construction applications. A rugged, cost-effective theodolite designed to give accurate angle measurements in general construction applications. The affordable, versatile, easy to use instrument and accessories will increase your productivity when turning angles and setting elevations and lines. Fully customizable for your preferred operating style or job, with programmable settings for the horizontal angle resolution, 90 degree angle beep, vertical degrees or %, and more.



PIPE LASER

SLDG711 Pipe Laser

w/ RC502 Remote

Completely waterproof and designed to ensure easy cleanup. Setup is fast with a full range of mounting accessories available, and easy to use with straightforward, "no-instructions-required" controls. Featuring a very rugged design and a variety of unique technological capabilities. Applications: Installation of gravity flow sanitary and storm sewer pipelines, pipe jacking and tunnel boring.



DIGITAL THEODOLITE



SLHRA73100

Nikon NE-101 Digital Theodolite

Gives you accurate measurements in an affordable, easy-to-use platform. Nikon NE-101 theodolites can run 48 hours under normal operating conditions on a set of six AA alkaline batteries. Ergonomic keypad with one-touch keys for all functions and a large, backlit LCD display help you work productively in the field.



- 7-Inch (2.0 mgon) DIN Accuracy.
- 5-Inch/10-Inch unit display. Water and Dust resistant.
- Backlight and scope illumination and single-sided display.

Farrell Equipment & Supply Is Your Laser Repair Shop!

We can repair, clean and calibrate ALL brands of lasers and transits.

LASER RECEIVER

SLHR320 HR320 Receiver with Clamp

A durable laser receiver for exterior leveling applications. LCDs on the front and back display a 5 segment grade arrow that indicates grade position. A loud beeper is designed to be heard on noisy job sites. Fine and medium accuracies are selectable to meet various applications and conditions.



LASER RECEIVER

SLHL450 Laserometer with Clamp

Features a digital readout of elevation that provides a numeric display of ± 40 mm or ± 1.5 inches. The readout is displayed on the large front and rear LCD's and shows exactly how far the elevation is from on-grade. Accurate measurements can be made without moving the rod clamp, saving time and increasing productivity.



LASER RECEIVER

#HR550 Detector with Rod Clamp (#HL700)

Highly versatile laser receiver for basic and advanced leveling and aligning applications. A highly versatile laser receiver for basic and advanced leveling and aligning applications, is designed for general, concrete and site preparation contractors. The HL700 Laser Receiver is an easy-to-use tool that accurately measures elevations across the site, and is ideal for use with any rotating transmitter.



ROD CLAMPS



- SLC50** Rod Fast Clamp for LL500
- SLC57** Rod Clamp for HR550
- SLC59** Rod Clamp for HR350

MAGNETIC LOCATOR



CS19-558 Magna-Trak® - 102 Magnetic Locator
Provides excellent field performance at a value price. It detects ferrous metals from 6in. to 15ft. in depth, depending on signal strength.

TRIPOD

CS60-ALQR120 Quick Clamp Aluminum Tripods

Lightweight, heavy gauge aluminum and the added stability of double banded legs put this extension leg tripod "head and shoulders" above other aluminum tripods. Outstanding features include positive locking clamps, powder coated wear-resistant metal parts and shoulder strap. 65" open, 42" closed, 5/8" x 11 thread, flat head.



GRADE RODS

Telescoping Fiberglass and Aluminum Rods




- CS06-816** 16', 5 Section, feet/10ths Aluminum
- CS06-816C** 16', 5 Section, feet/inches Aluminum
- CE903001 / SVR-16** 16' Oval Fiberglass Rod in 10ths & Inches
- CE903002 / SVR-25** 25' Oval Fiberglass Rod 10ths & Inches
- CE920041 / CR-16** 16' Rectangle Fiberglass Rod in 10ths
- CE920042 / CR-16** 16' Rectangle Fiberglass Rod in Inches
- CE91411** Carrying Case for CR16
- CS06-925** 25' Fiberglass Rod 10ths w/ Case
- CS06-925C** 25' Fiberglass Rod Inches w/ Case

CALCULATORS

ConcreteCalc Pro 4225

Advanced Yard, Feet-Inch-Fraction Concrete Construction-Math Calculator. Helps reduce material waste, improve design accuracy and cut estimating time. Increase efficiency in the field or in the office with fast, accurate solutions for Square-ups, Loads, Area, Volume, Rebar, Drop, Stairs and much more.



Construction Calculator

This advanced construction-math calculator provides powerful new built-in solutions and expanded preference settings. It's easy to use in the field or office. Get the job done right the first time with fast, accurate answers. Perfect for completing layouts, bids and estimates - saves time, money, materials and frustration.

- CAL4065-BB** Construction Calculator (4065)
- CAL4220** Concrete Calculator (4225)

ROAD & HIGHWAY BOOK

MEASURING WHEELS



MP401

Our best selling metal wheel. The 4-foot circumference wheel levels out uneven ground by spanning divets that smaller wheels would dip into.

MP301

Not far behind the MP401 in popularity, this slightly more compact wheel (11-1/2" is a little lower in price without compromising any durability.



KSMP401 15-1/2" Metal Professional Measuring Wheel - Feet
KSMP301 11-1/2" Metal Professional Measuring Wheel - Feet

MEASURING WHEELS



RRT6/RRT12 Top Reading, Center-Line

Enhanced grip pistol-type handle increases control and comfort. Re-set on the handle AND on the unit housing. Brake on pistol grip — stops counting instantly. Stop adding lengths accidentally by putting the brake on exactly when you need it. Center-line handle design with counter on top of wheel — center of gravity aligned for perfect balance. This makes measuring easier and more accurate.



KSRRT12 12" Measuring Wheel - Feet / Inches
KSRRT6 6" Measuring Wheel - Feet / Inches

MEASURING WHEELS

Lightweight materials and quality construction make the MM-12 Series the perfect choice for interior design, home remodeling, janitorial and real estate appraisals. The MM-12 gives accurate measurements on any smooth, hard surface from counter tops to sidewalks.



MM12 Twin

MM12 Feet / Inches
MM12T Feet / Tenths
MM12M Meters / Decimeters
MM12TWIN Feet / Inches
MM12TWIN T Feet / Tenths
MM12TWIN M Meters / Decimeters

MEASURING WHEELS



A money-saving workhorse is the best way to describe the MM-30. For longer indoor measuring needs and mid-range outdoor applications the MM-30 shines. Real estate, road finishing, law enforcement, general construction and fencing needs are easily handled by this wheel. The standards of flexibility and durability are set by the MM-30 Series.



MM30 Feet / Inches
MM30T Feet / Tenths
MM30M Meters / Decimeters

MEASURING WHEELS

300 Series

Standards of versatility and portability are set by the Rolatape 300 Series measuring wheels. Professionals rely on the smooth rolling, accurate 300 Series to perform on pavement, dirt and rough surfaces. Transport and storage is easy with the unique, Insert-and-Lock handle.



300 Feet
300Y Yards
300M Meters

MEASURING WHEELS



400 Series

When a tough, all-purpose measuring wheel is needed, nothing fills the order like the Rolatape 400 Series. Its 4-foot circumference handles the toughest measuring needs for heavy construction, large commercial operations, utility companies, land surveying and other critical measuring applications. When measuring demands are tough, the 400 Series gets the job done.



400 Feet / Inches
400E Extended Handle
400D Dual Counters, Feet
400M Meters
400MD Dual Counters, Meters

SIGHTING LEVELS CST/berger™



17-630 5x Magnifying Hand Level

5x magnification of objective and 2x magnification of level bubble. Solid brass construction with durable yellow finish.

LASER DISTANCE METER

SH06300

LD300 Laser Distance Measuring Kit

Range up to 100 ft. Fast and accurate measuring. Compact as a cell phone. Bright backlit screen. Length, area, volume & Pythagorean. Continuous measure function.



ROAD & HIGHWAY BOOK

STRIPING MACHINES

Engineered and designed for easy operation and durability. 18-gauge all-steel construction. 12-can storage. Stripes widths of 2" to 4".

K08350 Athletic Field Striping Machine

10" wheels elevate the carriage to provide an even ride over rough or uneven surfaces. Ideal for grass, dirt, gravel or any uneven surface.



K08340 Pavement Striping Machine

7" wheels provide a smooth ride on hard surfaces, such as concrete, blacktop and metal. Excellent for use in parking lots, warehouses, plants, factories, etc.

MARKING WAND



SPLW40

Long Wand Spray Can Holder

Constructed of durable, rugged plastic and lightweight steel. Comfortable pistol grip for easy handling and marking. Apply a uniform, 1" to 1-1/2" width of paint.



STRIPING PAINTS



Solvent-Based Pavement Striping Paints

Fast drying. Long-lasting durability on outdoor pavement and indoor surfaces. Non-clogging spray tip. VOC compliant, free-of-lead hazards.

Uses: Warehouse aisles, parking lots, school grounds, construction and excavation sites, road surfaces, nurseries, apartment complexes, fairgrounds. 18-oz. cans. Case Pack: 12.



K08300 Highway White
K08301 Highway Yellow
K08302 Handicap Blue

K08303 Firelane Red
K08304 Cover-Up Black

Water-Based Athletic Field Striping Paints

Fast drying. Ideal for grass and fields or short-term striping. Non-clogging spray tip. VOC compliant, free-of-lead hazards. Uses: Athletic fields, golf courses, football, soccer and baseball fields. 18-oz. cans. Case Pack: 12.

K08305 Athletic White
K08306 Athletic Yellow

K08307 Athletic Orange

INVERTED MARKING PAINTS



Krylon® Industrial Quik-Mark™ Inverted Marking Paints

High solids formulation for bold, bright, visible markings. Fast-drying, high-solids formula penetrates and adheres to hot surfaces. Convenient Spray-Thru™ cap and non-clogging spray tip. VOC compliant, free-of-lead hazards.



APWA Solvent-Based Marking Paints - 17 oz.

S03611 Red	S03731 Bright Orange
S03621 Blue	S03821 High Visibility Yellow
S03631 Green	S03823 Safety Yellow
S03712 Light Blue	S03900 Utility White

FLUORESCENT Solvent-Based Marking Paints - 17 oz.

S03613 Fluor. Safety Red	AT3701 Fluor. Red/Orange
S03614 Fluor. Neon Green	S03702 Fluor. Orange
S03615 Fluor. Purple	S03722 Fluor. Blue
S03622 Fluor. Hot Pink	

GENERAL PURPOSE Solvent-Based Marking Paints

S03550 Asphalt Black	S03640 Silver (16-oz. net wt.)
S03600 Clear (15-oz. net wt.)	

APWA Water-Based Marking Paints - 17 oz.

S03500 Clear (extends wear and impedes fading)	S03903 Blue
S03801 Utility Yellow	S03904 Green
S03901 Brilliant White	S03905 Orange
	S03911 Brilliant Red

FLUORESCENT Water-Based Marking Paints - 17 oz.

S03610 Fluor. Safety Red	S03650 Fluor. Red/Orange
S03612 Fluor. Pink	S03700 Fluor. Orange
S03620 Fluor. Caution Blue	S03715 Fluor. Purple
S03630 Fluor. Safety Green	

APWA Water-Based Marking Paints - 12 oz.

S03401 Brilliant White	S03406 Brilliant Blue
S03402 Brilliant Yellow	S03407 Brilliant Green
S03403 Brilliant Orange	S03411 Light Blue
S03404 Brilliant Red	

FLUORESCENT Water-Based Marking Paints - 12 oz.

S03405 Fluor. Pink	S03409 Fluor. Red
S03408 Fluor. Orange	S03410 Fluor. Red/Orange

PRIMERS



Sandable Primers

Use Industrial Sandable Primer to build up repaired metal areas to smooth, even surface. Dries to the touch in 5 minutes and may be recoated in one hour.



SP0342 12 oz. Can Red Primer
SP1314 12 oz. Can Platinum Primer

ELECTRIC HEATED BLANKETS

Cure Concrete 2.8 Times Faster Than Standard Curing Blankets!



Powerblankets®

With patented GreenHeat™ technology, saves money by not subjecting projects to costly cold weather delays. Prevents freezing, rapid drying, & cracking. Thaw frozen ground prior to pouring. Heat spreading technology cures concrete quickly.

POWEH0325	3' X 25' Extra Hot Power Blanket
POWEH0612	6' X 12' Extra Hot Power Blanket
POWMD0325NH	3' X 25' Multi-Duty Power Blanket
POWMD0612NH	6' X 12' Multi-Duty Power Blanket
POWMD0625	6' X 25' Multi-Duty Power Blanket

INSULATED BLANKET

Max Katz®

Closed-Cell Insulated Blanket is tough, easy to use- built to take abuse, use and re-use. On job after job, the long-lasting core of soft closed-cell foam with thousands of tiny insulating air pockets, prevents fresh concrete's heat of hydration from escaping too quickly.



MK0700	6' X 25' Insulated Blanket 2 Layer (3/8")
MK0706	6' x 25' Insulated Blanket 3 Layer (5/8")

ELECTRIC TOTE HEATERS



POWTH275 Tote Heater

With patented GreenHeat™ technology, saves products by keeping it within safe temperature ranges. The flexible weather resistant tote heaters fit 275 gallon IBC totes and include an adjustable thermostatic controller.

ELECTRIC BARREL HEATERS



The Powerblanket® Drum

Warmer With patented GreenHeat™ technology, protects product by maintaining desired temperature through an evenly heated area, thus reducing downtime. This keeps chemicals and other industrial materials within customer-defined temperature ranges, which means no overheating and burning of product.

POWBH55-PRO	55 Gallon Drum Blanket w/ Adjustable Temp
POWBH55-RR	55 Gallon Drum Blanket

ELECTRIC CYLINDER HEATERS



POWGCW100 Gas Cylinder Warmer

With patented GreenHeat™ technology, saves money by optimizing the gas temperature and increasing the vaporization rate.

Get all Your Gas out? Your Heater Will Run Better!

WARMING BAG

REA-WB60908 Caulk Warmer Bag

Velcro closure on flap Handy Cord Storage Pocket Color: Forest Green Size: 18" High x 15" Wide x 3". 120 VAC - 50 Watts. Holds: 12 standard caulk tubes 7 quart size caulk tubes 7 sausage size caulk tubes 12 grease cartridges 8 cans foam 12 rolls sealing tape. Maintains caulk at 80° even when the outside temperature drops to -13°.



WARMING WRAP

REA-0609-PLWC

5 Gallon Cylinder Warming Wrap

Plugs into 120V AC. Heavy duty industrial cord. Convenient cord storage pouch on front. Velcro closure with adjustable cinch straps. Internal temperature controlled to maintain constant temperature. Requires only 50 watts of power.



VOLCANO ROD

HEALL16JX2B


Electric Sand Pile Heater

Heats all day while you work, three ways:

- 1) heat from the ground below the sand pile moves up through the sand;
- 2) heat radiates from the water barrel in the center of sand pile;
- and 3) heat lost through the top forms a heated air shield between the whole top surface of the sand and the tarp. Measuring only 16" x 38" x 1" and weighing less than 5 pounds, it can fit behind the seat of a pickup truck.



HEATRON



SPREADER



CH82108
100 Lb. Capacity Spreader with Stainless Steel Frame
 Professional stainless steel Push spreader. Enclosed metal gears to withstand the elements. Solid steel linkage opens and closes the gate in incremental steps. Stainless steel T-handle with comfort grips feature gate control at fingertips. 14" Fully pneumatic tires easily handle rough terrain. Grate and rain cover included.



SNOW SHOVEL

SRPP100 Snow Pusher

Designed to push snow rather than lift and throw it. It allows the user to stand erect to minimize back strain and reduce fatigue. 24" Black ABS Head and 44" fiberglass handle with poly D grip.



SPREADER



CH80088
80 Lb. Capacity Spreader
 SureSpread Residential Push Spreader. Patent pending poly conical auger helps agitate product and minimize clumping. 26% larger gate opening to allow product to flow smoothly. Adjustable 360° salt baffle system helps spread salt only where you want it 12" Fully pneumatic tires easily handle rough terrain. Grate and rain cover included.



SCOOP SHOVEL

AS16814

14" Aluminum Scoop Shovel

Full-size power D grip fits gloved hand comfortably. Aluminum alloy blade for strength and balance. 27" handle.



FLOOR SCRAPER

Ideal for after work clean up. Scraper blades are firm but flexible. Comes with heavy-duty 5' shovel type wood handle.

- CC-214 14" Scraper
- CC-218 18" Scraper
- CC-222 22" Scraper
- CC-207 14" Replacement blade
- CC-208 18" Replacement blade
- CC-209 22" Replacement blade



ICE MELT

DOW3000 Ice-Trax™ Premium Ice Melt

Specifically formulated to give protection and effective melting power to ten below zero. Blue colorant allows even spreading assuring proper coverage with less waste. 50 lb. Bag.



FLOOR SCRAPER

T-Handle Floor Scraper

Floor scraper has 7" blade that shaves all kinds of floor coverings on any type of floor. Also scrapes carpeting. All steel "T" handle is 54" long. Blades are replaceable.

- GG-393 7" Scraper
- GG-394 7" Replacement blade



ROCK SALT

DOW4000

Diamond Crystal Winter Melt Rock Salt

Made with pure salt, Winter Melt® Ice Melter is the natural choice to melt ice in temperatures as low as 5 °F / -15 °C. Always a cost-effective way to maintain your driveways, sidewalks and walkways on icy, cold days. 50 lb. Bag.



TORCH



WH169 Cast Iron Head Torch - 500,000 BTU

Ideal for brush burning, thawing pipes, roofing applications and more! Includes Regulator.

BULK ROCK SALT

Bulk Rock Salt The most cost-effective product available for removing snow and ice, keeping traffic and the economy flowing. It's easy to use, store and apply, and its effectiveness at keeping parking lots and sidewalks clear makes it the cornerstone in most snow removal programs.



TORCH



WH171LP Gas Torchman 500 - 500,000 BTU

Durable steel construction. Known for their reliability, durability and serviceability in the field. Does not include regulator.

ROAD & HIGHWAY BOOK

WATER COOLERS



All-Plastic Commercial Coolers

Gott RubberMaid Water coolers in orange color comes with durable construction resists scratching, denting and fading. It features leak and drip resistant spigot that is ideal to carry. Cooler features extra-thick insulation that ensures superior thermal retention. Cooler meets EA standards.

Water Cooler Mounting Bracket

Easily fasten any Rubbermaid water cooler to a truck bed, table, etc. with this mounting bracket. Made for horizontal mounting Bracket 2/3/5 Gallons.



Cup Dispenser

Durable cup holder is weather-resistant for outdoor use. It is designed specifically for use with Rubbermaid® water coolers. Holds 4- and 6-ounce paper cups.

- | | |
|-------------------------|------------------------------|
| GOT-FG1683ISORAN | 3 Gallon Cooler |
| GOT-1787621 | 5 Gallon Water Cooler |
| GOT-FG164002331 | Watercooler Mounting Bracket |
| GOT-FG825706WHT | 7 oz. Cup Dispenser |

PAPER CUPS

NSCUP Cone Paper Cups

200 Pcs. 4oz. Cone Water Cups



GATORADE®

Gatorade 8.5 Oz. Instant Powder Mix

Speeds fluid absorption, the carbohydrates and electrolytes stimulate rapid fluid absorption, quickly replacing the fluids and electrolytes lost in sweat. Makes 1 Gallon.



- | | |
|----------------------------|-----------------------------|
| IG03808 Fruit Punch | IG33302 Fierce Grape |
| IG03956 Lemon-Lime | IG33665 Riptide Rush |
| IG03957 Orange | |

PLAN BAG

OUT-910-000100 Plan / Blue Print Bag

The Outpak plan bag protects blueprints from the elements. They are made from a durable 20 oz. PVC to guarantee a long life of the product.



SCRUBS®



AG422C-072 72 Count SCRUBS® Bucket

Premoistened, heavy duty hand cleaner towels that go where you go! Powerful, yet safe, patented citrus-based formula works together with an absorbent, nonscratching abrasive hand cleaner towel for proven performance.



SHOP TOWELS



FA1002 Box of Shop Towels

200 Count. White shop towels in centerpull dispensing box.



SHOP TOWELS

DO75420 SCOTT® Shop Towels

Ideal for changing oil, refilling fluids and general automotive maintenance. Super strong - works when wet!. Easily absorbs liquids, oils, and grease. 10" x 13". 200 count.



SHOP TOWELS



JAC06-05930 WypAll X-80 Towels in a Box

Designed to feel like a cloth and work even better. 80 Sheets per box.



SHOP TOWELS



JAC06-41055 WypAll X-80 Towels

Designed to feel like a cloth and work even better. Patented technology allows this thick, strong wiper to absorb oil and water faster than rags or shop towels. 475 sheets per roll.



JAC06-80596 Jumbo Roll Dispenser Floor Model. A mobile, efficient dispensing reduces waste. Dispenser for WypAll X-80 towels. Metal with trash bag attachment.



SWEEPING COMPOUND



For construction cleanup. Out performs oil based compounds. Environmentally safe wax base.

- | |
|---|
| FA050 50 LB Box Farrell Sweeping Compound |
| FA100 100 LB Box Farrell Sweeping Compound |



CONTRACTORS GARBAGE BAGS



PYGRHDCBAG20
42 Gallon Heavy Duty Contractor Garbage Bags (20 per Box)



ROAD & HIGHWAY BOOK

POLYESTER SLINGS

H•D•P




Additional Lengths Available!

liftex
the world's best slings®

Polyester Web Slings

Easier Handling: Weighs 85% less than equivalent wire rope or chain sling. **Better Grip:** Wider bearing surface on load and easily takes contour of material being lifted. **Low Stretch Factor:** Polyester slings have lower elongation characteristics than nylon slings (depending on sling type, age and use). **Good Chemical Resistance.** Water resistant.

eye and eye			rated capacity (lbs)					
vertical	1-ply	2-ply	choker	1-ply	2-ply	basket	1-ply	2-ply
1"	1600	3200	1"	1250	2500	1"	3200	6400
2"	3200	6400	2"	2500	5000	2"	6400	12800
3"	4800	9300	3"	3800	7440	3"	9600	18600
4"	6400	11500	4"	5000	9200	4"	12800	23000



endless			rated capacity (lbs)					
vertical	1-ply	2-ply	choker	1-ply	2-ply	basket	1-ply	2-ply
1"	3200	6200	1"	2560	5000	1"	6400	12400
2"	6400	12400	2"	5000	9920	2"	12800	24800
3"	9300	18600	3"	7440	14880	3"	18600	37200
4"	12400	22000	4"	9920	17600	4"	24800	44000

- LA104** 1" x 4' Polyester Sling (EE1-901X04)
- LA106** 1" x 6' Polyester Sling (EE1-901X06)
- LA204** 2" x 4' Polyester Sling (EE1-902X04)
- LA206** 2" x 6' Polyester Sling (EE1-902X06)
- LA208** 2" x 8' Polyester Sling (EE1-902X08)
- LA210** 2" x 10' Polyester Sling (EE1-902X10)
- LA212** 2" x 12' Polyester Sling (EE1-902X12)
- LA216** 2" x 16' Polyester Sling (EE1-902X16)
- LA220** 2" x 20' Polyester Sling (EE1-902X20)
- LA408** 4" x 8' Polyester Sling (EE1-904X08)
- LA410** 4" x 10' Polyester Sling (EE1-904X10)
- LA412** 4" x 12' Polyester Sling (EE1-904X12)
- LA420** 4" x 20' Polyester Sling (EE1-904X20)



Warnings: Use of all synthetic slings should be in accordance with regulations and standards for sling use issued by both the Occupational Safety and Health Administration, which can be found at www.osha.gov (search: slings), and the American Society of Mechanical Engineers. Always consult manufacturer's literature for rated capacities.

RATCHET STRAP ASSEMBLIES




LA60106 Load Hugger

1" x 10' with wire hooks. 3000 lbs.

ROUND SLINGS

liftex
the world's best slings®



Additional Lengths Available!

Endless-Type Roundslings

The most basic roundsling, yet they offer great versatility. Endless roundslings may be used in a vertical, choker or basket type hitch.

- LA506** 6' Round Sling Green (SR-2X06)
- LA508** 8' Round Sling Green (SR-2X08)
- LA510** 10' Round Sling Green (SR-2X10)
- LA512** 12' Round Sling Green (SR-2X12)

BRIDLE SLINGS

liftex
the world's best slings®

Additional Configurations Available!



Bridle Slings

Special purpose slings with varied combinations of rings and/or hooks. Available with one, two, three, or four legs. 3 and 4 legged assemblies available on request. Available in Nylon and Polyester Webbing. Other types of fittings available on request. All Hooks Supplied with Safety Latches.

BINDERS



PN91010 Tiedown Chain Binders


Grab hook at each end. 5/16 - 3/8" Lever Style.



PNLDR-38 Load Binders

Grab hook at each end. 5/16 - 3/8" Ratchet Style.

RACK STRAP



RACK-STRAP

RSR-51CS
The most advanced patented tie-down system available!

Tie down: lumber, pipe, ladders and most materials.

RATCHET STYLE LOAD HUGGERS

2" x 27'. 10,000 lb. capacity


- DRBRS-2-27-LW-FH** with Flat End
- DRBRS-2-27-W-WH** with Wire Hook



Your choice of flat or wire hook ends




Other Available Farrell Catalogs:




Blade & Fastener Book




Decorative Concrete Book




Concrete Book




Erosion Control Book




Masonry Book




Measuring & Marking Book




Safety Book



Winter Jobsite Book



Rental Book



Rental Concrete Stamps



FARRELL

Equipment & Supply Co., Inc.

Visit us at any of our **6** Locations!

All our catalogs are available online!



ROCHESTER
507-252-0234
888-533-8909
Fax: 507-252-0222
1635 3rd Avenue S.E.
Rochester, MN 55904

LA CROSSE
608-796-9300
888-533-0909
Fax: 608-796-9435
508 Monitor Street
La Crosse, WI 54603

EAU CLAIRE
715-835-4334
800-533-0909
Fax: 715-835-4356
1510 N. Hastings Way
Eau Claire, WI 54703

WAUSAU
715-355-8300
800-933-5939
Fax: 715-298-1662
7405 Commerce Drive
Weston, WI 54476

APPLETON
920-903-1985
Fax: 920-903-8278
1002 Truman Street
Kimberly, WI 54136

MADISON
608-222-5372
888-533-7909
Fax: 608-222-5405
6809 Mangrove Lane
Monona, WI 53713



For Your Convenience We Accept:



Copyright © Farrell Equipment & Supply Co., Inc.

Find us online: www.FarrellEquipment.com

