

FARRELL

EQUIPMENT & SUPPLY CO., INC.

Visit us at:
farrellequipment.com

YOUR TRUSTED SOURCE

IN CONCRETE FORMING SUPPLIES

POLYSTYRENE FOAM BOARDS

CertiFoam®
Extruded Polystyrene Insulation



CertiFoam® 15

Available in:

1" X 4' X 8'

DV1010

1-1/2" X 4' X 8'

DV1015

2" X 4' X 8'

DV1020

CertiFoam® 25

Available in:

1" X 4' X 8'

DV2010

1-1/2" X 4' X 8'

DV2015

2" X 4' X 8'

DV2020

ALWAYS IN STOCK!

DiversiFoam®
PRODUCTS

With its consistent closed cell structure, skin surface, long term value, and solid physical properties, CertiFoam helps you save energy and adds strength to your application.

**We sell by the piece,
by the truck load, and
anything in between!**



FOUNDATION FOOTING DRAINAGE

CertainTeed® **FORM-A-DRAIN®**



Installed before the footing is poured and stays in place permanently, so it's in the optimum position to provide superior drainage and become part of a radon venting system where needed.

FORM-A-DRAIN®

3-IN-1 foundation footing solution that offers three key benefits:

- ⊕ A better way to build a foundation.
- ⊕ A drainage system that's integrated directly into the foundation footing.
- ⊕ Easy adaptation for radon evacuation.

FDLN126

6" x 12' Lineal Form-A-Drain

FDCN906

6" 90 Degree Corners

FDXCPL6

6" x 6" Coupling

FDAD004

4" Outlet Adaptor

More sizes and accessories available!

WATERSTOP

GREENSTREAK®

GS701

50' Roll 4" x 3/16" Waterstop

GS703

50' Roll 6" x 3/16" Waterstop


GS705

50' Roll 6" x 3/8" Waterstop

GS723

50' Roll 6" Split Bulb Waterstop

**Waterstop for
Concrete Construction**
Watertight diaphragm
that prevents the
passage of fluid
through the joint.



*More sizes and
configurations available!*

See more inside!



BASEMENT WINDOW SYSTEMS

Series 11000 Freedom Basement Windows

Designed to fit the entire depth of foundation forms, the Freedom Basement Window is fast and easy to install without the need for pouring buck extensions or additional braces.

- **FULL and NOMINAL 8"** frame depth provides a fast, hassle free installation without pouring bucks.
- **PATENTED DESIGN** allows the header, sill, and jamb pieces to be removed, reversed, and replaced to easily fix backward and upside down pours.
- **DUAL OPERATING SASHES** easily remove when not locked, allowing a wide, clear opening to move material through during construction.



WIN-FWS-3020-80	30-1/2" X 20" FULL Slider Basement Window
WIN-FWS-3024-80	30-1/2" X 24" FULL Slider Basement Window
WIN-FWS-3216-75	32" X 16" NOMINAL Slider Basement Window
WIN-FWS-3216-80	32" X 16" FULL Slider Basement Window
WIN-FWS-4848-80	48" X 48" FULL Slider Basement Window



www.WindowsByUnlimited.com

ANCHOR BOLTS

"L" Shaped Low Carbon Anchor Bolts
with Washers & Nuts



50 Pc. Box 1/2" x 8"
"L" Shaped Anchor Bolts
AN2008

Galv. 50 Pc. Box 1/2" x 8"
"L" Shaped Anchor Bolts
ANG2008


50 Pc. Box 1/2" x 10"
"L" Shaped Anchor Bolts
AN2010

Galv. 50 Pc. Box 1/2" x 10"
"L" Shaped Anchor Bolts
ANG2010

FOUNDATION PROTECTOR



platon
FOUNDATION PROTECTOR



Economical and easy to install!

- Effective for ALL types of foundations.
- Tough, dimpled, 24-mil high-density polyethylene wrap seals out water & bridges foundation cracks.
- Seals inevitable foundation cracks (1/4"+), making foundation leaks a thing of the past.
- Keeps basements dry, controls both interior and exterior moisture
- Chemically inert and environmentally friendly.

6' 9-1/2" x 65' 6"
ARMXSM2070

7' 3" x 65' 6"
ARMXSM2210

8' x 65' 6"
ARMXSM2440

FORM RELEASE AGENT

5 Gal. Pail
FA4005

55 Gal. Drum
FA4055

260 Gal. Tote
FA4075



Farrell Green Label Form Release

A high performance, low odor form release agent that provides a means of easy release between all types of forms and concrete with the use of a clear mineral seal oil, and other slippery agents instead of fuel oil.

WATERPROOFING / DAMPPROOFING

FOUNDATION COATING

- TK200105** 5 Gallon Pail Foundation Coating
TK200155 55 Gallon Drum Foundation Coating

TK-2001

A plastic solution formulation intended to dampproof/waterproof poured concrete and concrete block foundation walls above and below grade. Unlike asphalt based products it penetrates the surface, forming a mechanical bond stronger than the concrete itself. Made from recycled materials.



FOUNDATION COATING

- TK200205** 5 Gal. Pail Rubberized Coating
TK200255 55 Gal. Drum Rubberized Coating

TK-2002

A rubberized polymer formulation intended to dampproof/waterproof poured concrete and concrete block foundation walls above and below grade. A 12 to 15 mil film can bridge small cracks up to 1/16 inch.



INSULATED CONCRETE FORM (ICF) COATING

- TK200305** 5 Gal. Pail Foundation Waterproof
TK200355 55 Gal. Drum Foundation Waterproof

TK-2003

Water-borne rubberized waterproofing dampproofing treatment for residential foundations. It is specifically designed for application over foam forms.



WATERPROOFING MEMBRANES



60' L x 38.5" W roll
MD4000

Mel-Rol®

Self-Adhering Waterproofing System

A flexible, versatile, dependable, cost-effective, "peel and stick" protective, roll-type waterproofing membrane.

BITUMINOUS DAMPPROOFING



**5 Gallon Pail or
55 Gallon Drum**
MD6500



Type III - TROWEL-ON-GRADE

is a weather, water, corrosion, and abrasion resistant trowel applied, mineral colloid, asphalt emulsion. It is fibrated with select fibers to produce a light trowel application consistency.

ALUMINUM FORMING TIES

Full / Nominal Wall Ties

Standard break back. Ultimate load: 7,000 lbs.



Full Wall Ties

4"	100 pc.	ER0004
6"	100 pc.	ER0006
8"	100 pc.	ER0008
10"	100 pc.	ER0010
12"	100 pc.	ER0012

Nominal Wall Ties

6"	100 pc.	ER1006
8"	100 pc.	ER1008
10"	100 pc.	ER1010
12"	100 pc.	ER1012

Other Sizes Available!

FLAT X-TIES

Nominal Wall Ties

6"	100 pc.	ER4006
8"	100 pc.	ER4008
10"	100 pc.	ER4010
12"	100 pc.	ER4012
14"	100 pc.	ER4014
16"	100 pc.	ER4016
18"	50 pc.	ER4018
20"	50 pc.	ER4020
24"	50 pc.	ER4024




REBAR WIRE TIES

5000 Per Bundle Wire Ties

Other sizes available. PVC Coated Available

4"	AM1004
5"	AM1005
6"	AM1006
8"	AM1008



TIE WIRE ROLLS

16 GA. Bonded Plastic Coated SHARK SKIN

AM1003

16 GA. Roll

AM1001

16 GA. Plastic Coated Roll

AM1002

100 LB. #9 Wire (1,750 L.F.)

AM2009



REBAR FABRICATION

NOW AVAILABLE AT FARRELL

YOUR REBAR FABRICATION STATION

- Fast turnaround!
- Rebar sizes #3 thru #8.
- Quick shipping to your jobsite!



USA REBAR

"L" SHAPE #4 REBAR

Sizes:

Grade 60 Rebar

12" x 24"
24" x 24"
12" x 36"
24" x 36"



#4 REBAR HOOPS

Specially designed reinforcement for concrete form tubes.

Sizes:

1/2" x 12" Diameter
RBH1212
1/2" x 18"
RBH1218



REBAR DOWELS

4" x 12"RBDOW



SMOOTH DOWELS

1/2" x 18"
5/8" x 18"



Mon-Friday: 7:00 am - 5:00 pm , Saturdays (EC/LAX Stores Only): 8:00 am - Noon

EAU CLAIRE

715-835-4334
800-533-0909
Fax: 715-835-4356
1510 N. Hastings Way
Eau Claire, WI 54703

APPLETON

920-903-1985
Fax: 920-903-8278
1002 Truman Street
Kimberly, WI 54136

LA CROSSE

608-796-9300
888-533-0909
Fax: 608-796-9435
508 Monitor Street
La Crosse, WI 54603

MADISON

608-222-5372
888-533-7909
Fax: 608-222-5405
6809 Mangrove Lane
Monona, WI 53713

ROCHESTER

507-252-0234
888-533-8909
Fax: 507-252-0222
1635 3rd Avenue S.E.
Rochester, MN 55904

WAUSAU

715-355-8300
800-933-5939
Fax: 715-298-1662
7405 Commerce Drive
Weston, WI 54476

CONTRACTORS' EQUIPMENT • POWER TOOLS • CONSTRUCTION SUPPLIES